

# ACHA NCHA II

American College Health Association National College Health Assessment



## Fall 2011 Reference Group Data Report



American College Health Association



# Reference Group Data Report

---

## Fall 2011

The ACHA-NCHA II supports the health of the campus community by fulfilling the academic mission, supporting short- and long-term healthy behaviors, and gaining a current profile of health trends within the campus community.

Suggested citation for this document: American College Health Association. American College Health Association-National College Health Assessment II: Reference Group Data Report Fall 2011. Hanover, MD: American College Health Association; 2012.

## Demographics of Participating Institutions

Fifty two postsecondary institutions self-selected to participate in the Fall 2011 ACHA National College Health Assessment and 29,939 surveys were completed by students on these campuses. For the purpose of forming the Reference Group, only institutions located in the United States that surveyed all students or used a random sampling technique are included in the analysis, yielding a final data set consisting of 27,774 students and 44 schools. Demographic characteristics of the 44 campuses follow:

<b>Demographical Characteristics of the 44 US Postsecondary Institutions Included in the Fall 2011 ACHA-NCHA II Reference Group.</b>	
<b>Campus Characteristic</b>	<b><i>n</i></b>
Type of Institution	
Public	23
Private	21
2-year	4
4-year or above	40
Location of Campus	
Northeast (CT, ME, MA, NH, NJ, NY, PA, RI, VT)	13
Midwest (IL, IN, IA, KS, MI, MN, MO, NE, ND, OH, SD, WI)	6
South (AL, AR, DE, DC, FL, GA, KY, LA, MD, MS, NC, OK, SC, TN, TX, VA, WV)	16
West (AK, AZ, CA, CO, HI, ID, MT, NV, NM, OR, UT, WA, WY)	9
Campus Size	
< 2,500 students	7
2,500 – 4,999 students	9
5,000 – 9,999 students	9
10,000 – 19,999 students	9
20,000 students or more	10
Campus Setting	
Very large city (population over 500,000)	6
Large city (population 250,000-499,999)	6
Small city (population 50,000-249,999)	16
Large town (population 10,000 – 49,999)	9
Small town (population 2,500-9,999)	3
Rural community (population under 2,500)	4
Carnegie Classification	
Associates Colleges	4
Baccalaureate Colleges	10
Masters Colleges and Universities	12
Research Institutions	18
Special Focus Institutions	0
Miscellaneous/Not Classified	0

<b>Demographical Characteristics of the 44 US Postsecondary Institutions Included in the Fall 2011 ACHA-NCHA II Reference Group.</b>	
<b>Campus Characteristic</b>	<b><i>n</i></b>
ACHA Membership Status	
Institutional Member	39
Nonmember	5
Religious Affiliation	
No	34
Yes	10
<u>If yes:</u>	
Catholic	3
Protestant or Other Christian	7
Postsecondary Minority Institution (US Department of Education)	
No	42
Yes	2
<u>*If yes:</u>	
Postsecondary Minority Institution	2
Historically Black College or University (HBCU)	0
High Hispanic Enrollment	0
Hispanic Serving Institution (HSI)	2
Indian Tribally Controlled College or University	0
Alaska Native-Serving Institution	0
Native Hawaiian-Serving Institution	0
*institutions may hold more than one type of minority status	

	<b>All Fall 2011 Institutions</b>	<b>Paper Survey Administration</b>	<b>Web Survey Administration</b>
Number of institutions	44	2	42
Number of students	27,774	589	27,185
Mean response proportion	24%	100%	21%
Median response proportion	19%	100 %	19%



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

1. How would you describe your general health?

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a horizontal bar chart. Rows include 1 Excellent, 2 Very good, 3 Good, 4 Fair, 5 Poor, 6 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

2A1. Have you received information on the following topics from your college or university?

Alcohol and other drug use

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a horizontal bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2A2. Have you received information on the following topics from your college or university?

Cold/Flu/Sore Throat

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a horizontal bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2A3. Have you received information on the following topics from your college or university?

Depression/Anxiety

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a horizontal bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2A4. Have you received information on the following topics from your college or university?

Eating disorders

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a horizontal bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

2A5. Have you received information on the following topics from your college or university?

Grief and loss

Table with 10 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a horizontal bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

2A6. Have you received information on the following topics from your college or university?
How to help others in distress

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A7. Have you received information on the following topics from your college or university?
Injury prevention

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A8. Have you received information on the following topics from your college or university?
Nutrition

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A9. Have you received information on the following topics from your college or university?
Physical activity

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2A10. Have you received information on the following topics from your college or university?
Pregnancy prevention

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B1. Have you received information on the following topics from your college or university?
Problem use of internet/computer games

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B2. Have you received information on the following topics from your college or university?
Relationship difficulties

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.





American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012

FREQUENCY REPORT

Number of Surveys (n) = 27774 W&P Surveys

2B3. Have you received information on the following topics from your college or university?

Sexual assault/Relationship violence prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B4. Have you received information on the following topics from your college or university?

Sexually transmitted disease/ Infection (STD/I) prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B5. Have you received information on the following topics from your college or university?

Sleep difficulties

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B6. Have you received information on the following topics from your college or university?

Stress reduction

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B7. Have you received information on the following topics from your college or university?

Suicide prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B8. Have you received information on the following topics from your college or university?

Tobacco use

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2B9. Have you received information on the following topics from your college or university?

Violence prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

3A1. Are you interested in receiving information on the following topics from your college or university? Alcohol and other drug use

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A2. Are you interested in receiving information on the following topics from your college or university? Cold/Flu/Sore throat

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A3. Are you interested in receiving information on the following topics from your college or university? Depression/Anxiety

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A4. Are you interested in receiving information on the following topics from your college or university? Eating disorders

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A5. Are you interested in receiving information on the following topics from your college or university? Grief and loss

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A6. Are you interested in receiving information on the following topics from your college or university? How to help others in distress

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A7. Are you interested in receiving information on the following topics from your college or university? Injury prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.





American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

3A8. Are you interested in receiving information on the following topics from your college or university?

Nutrition

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A9. Are you interested in receiving information on the following topics from your college or university?

Physical activity

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3A10. Are you interested in receiving information on the following topics from your college or university?

Pregnancy prevention

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B1. Are you interested in receiving information on the following topics from your college or university?

Problem use of Internet/computer games

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B2. Are you interested in receiving information on the following topics from your college or university?

Relationship difficulties

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B3. Are you interested in receiving information on the following topics from your college or university?

Sexual assault/Relationship violence prevention

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B4. Are you interested in receiving information on the following topics from your college or university?

Sexually transmitted disease/Infection (STD/I) prevention

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

3B5. Are you interested in receiving information on the following topics from your college or university? Sleep difficulties

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B6. Are you interested in receiving information on the following topics from your college or university? Stress reduction

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B7. Are you interested in receiving information on the following topics from your college or university? Suicide prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B8. Are you interested in receiving information on the following topics from your college or university? Tobacco use

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B9. Are you interested in receiving information on the following topics from your college or university? Violence prevention

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4A. Within the last 12 months, how often did you: Wear a seatbelt when you rode in car?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

4B. Within the last 12 months, how often did you:
Wear a helmet when you rode a bicycle?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4C. Within the last 12 months, how often did you:
Wear a helmet when you rode a motorcycle?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4D. Within the last 12 months, how often did you:
Wear a helmet when you were inline skating?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

5A. Within the last 12 months:
Were you in a physical fight?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

5B. Within the last 12 months:
Were you physically assaulted (do not include sexual assault)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

5C. Within the last 12 months:

Were you verbally threatened?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

5D. Within the last 12 months:

Were you sexually touched without your consent?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

5E. Within the last 12 months:

Was sexual penetration attempted (vaginal, anal, oral) without your consent?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

5F. Within the last 12 months:

Were you sexually penetrated (vaginal, anal, oral) without your consent?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

5G. Within the last 12 months:

Were you a victim of stalking (e.g., waiting for you outside your classroom, residence hall, or office: repeated emails/phone calls)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

6A. Within the last 12 months, have you been in an intimate (coupled/partnered) relationship that was:

Emotionally abusive? (e.g., called derogatory names, yelled at, ridiculed)

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

6B. Within the last 12 months, have you been in an intimate (coupled / partnered) relationship that was:

Physically abusive? (e.g., kicked, slapped, punched)

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

6C. Within the last 12 months, have you been in an intimate (coupled / partnered) relationship that was: Sexually abusive? (e.g., forced to have sex when you didn't want it, forced to perform an unwanted sexual act on you)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7A. Do you feel safe on this campus (daytime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7B. Do you feel safe on this campus (nighttime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7C. Do you feel safe in the community surrounding this school (daytime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

7D. Do you feel safe in the community surrounding this school (nighttime)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A1. Within the last thirty days, on how many days did you use: Cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

8A2. Within the last thirty days, on how many days did you use:

Tobacco from a water pipe (hookah)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A3. Within the last thirty days, on how many days did you use:

Cigars, little cigars, clove cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A4. Within the last thirty days, on how many days did you use:

Smokeless tobacco?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A5. Within the last thirty days, on how many days did you use:

Alcohol (beer, wine, liquor)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.





American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

8A6. Within the last thirty days, on how many days did you use:

Marijuana (pot, weed, hashish, hash oil)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A7. Within the last thirty days, on how many days did you use:

Cocaine (crack, rock, freebase)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A8. Within the last thirty days, on how many days did you use:

Methamphetamine (crystal, meth, ice, crank)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

8A9. Within the last thirty days, on how many days did you use:

Other amphetamines (diet pills, bennies)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Report - Fall 2011**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

March 22, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 27774 W&P Surveys

**8B1. Within the last thirty days, on how many days did you use:**

**Sedatives (downers, ludes)?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 Never used	8387	94	17374	95	295	93	26,091	94.6
2 Have used, but not in last 30	412	5	659	4	16	5	1,091	4.0
3 1 - 2 days	66	1	118	1	1	0	187	0.7
4 3 - 5 days	41	1	47	0	0	0	88	0.3
5 6 - 9 days	14	0	34	0	2	1	50	0.2
6 10 - 19 days	5	0	21	0	2	1	28	0.1
7 20 - 29 days	3	0	9	0	1	0	13	0.0
8 Used daily	11	0	18	0	0	0	31	0.1
Valid responses =	8939	32	18280	66	317	1	27,579	99.3

Invalid responses include no response or multiple responses.

**8B2. Within the last thirty days, on how many days did you use:**

**Hallucinogens (LSD, PCP)?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 Never used	8168	91	17474	96	291	92	25,966	94.2
2 Have used, but not in last 30	632	7	698	4	18	6	1,354	4.9
3 1 - 2 days	102	1	73	0	4	1	181	0.7
4 3 - 5 days	20	0	15	0	2	1	37	0.1
5 6 - 9 days	5	0	2	0	0	0	7	0.0
6 10 - 19 days	3	0	2	0	1	0	6	0.0
7 20 - 29 days	3	0	3	0	0	0	6	0.0
8 Used daily	7	0	3	0	2	1	13	0.0
Valid responses =	8940	32	18270	66	318	1	27,570	99.3

Invalid responses include no response or multiple responses.

**8B3. Within the last thirty days, on how many days did you use:**

**Anabolic steroids (Testosterone)?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 Never used	8786	98	18206	100	311	98	27,337	99.1
2 Have used, but not in last 30	114	1	61	0	2	1	178	0.6
3 1 - 2 days	9	0	3	0	2	1	14	0.1
4 3 - 5 days	5	0	1	0	0	0	10	0.0
5 6 - 9 days	2	0	0	0	0	0	3	0.0
6 10 - 19 days	4	0	2	0	0	0	6	0.0
7 20 - 29 days	4	0	1	0	0	0	5	0.0
8 Used daily	11	0	4	0	2	1	20	0.1
Valid responses =	8935	32	18278	66	317	1	27,573	99.3

Invalid responses include no response or multiple responses.

**8B4. Within the last thirty days, on how many days did you use:**

**Opiates (heroin, smack)?**

	Male		Female		Unknown		Total	Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	
1 Never used	8692	97	18043	99	305	97	27,079	98.3
2 Have used, but not in last 30	199	2	189	1	8	3	397	1.4
3 1 - 2 days	18	0	17	0	0	0	35	0.1
4 3 - 5 days	11	0	3	0	1	0	15	0.1
5 6 - 9 days	3	0	1	0	0	0	4	0.0
6 10 - 19 days	2	0	3	0	0	0	5	0.0
7 20 - 29 days	2	0	2	0	1	0	5	0.0
8 Used daily	8	0	5	0	1	0	17	0.1
Valid responses =	8935	32	18263	66	316	1	27,557	99.2

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

8B5.. Within the last thirty days, on how many days did you use:

Inhalants (glue, solvents, gas)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include '1 Never used' (98.5%), '2 Have used, but not in last 30' (1.3%), '3 1 - 2 days' (0.1%), '4 3 - 5 days' (0.0%), '5 6 - 9 days' (0.0%), '6 10 - 19 days' (0.0%), '7 20 - 29 days' (0.0%), '8 Used daily' (0.1%), and 'Valid responses = 99.2%'.

Invalid responses include no response or multiple responses.

8B6. Within the last thirty days, on how many days did you use:

MDMA (Ecstasy)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include '1 Never used' (94.0%), '2 Have used, but not in last 30' (5.0%), '3 1 - 2 days' (0.8%), '4 3 - 5 days' (0.1%), '5 6 - 9 days' (0.0%), '6 10 - 19 days' (0.0%), '7 20 - 29 days' (0.0%), '8 Used daily' (0.0%), and 'Valid responses = 99.2%'.

Invalid responses include no response or multiple responses.

8B7. Within the last thirty days, on how many days did you use:

Other club drugs (GHB, Ketamine, Rohypnol)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include '1 Never used' (98.4%), '2 Have used, but not in last 30' (1.4%), '3 1 - 2 days' (0.1%), '4 3 - 5 days' (0.0%), '5 6 - 9 days' (0.0%), '6 10 - 19 days' (0.0%), '7 20 - 29 days' (0.0%), '8 Used daily' (0.0%), and 'Valid responses = 99.2%'.

Invalid responses include no response or multiple responses.

8B8. Within the last thirty days, on how many days did you use:

Other illegal drugs?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include '1 Never used' (94.9%), '2 Have used, but not in last 30' (4.0%), '3 1 - 2 days' (0.5%), '4 3 - 5 days' (0.2%), '5 6 - 9 days' (0.1%), '6 10 - 19 days' (0.1%), '7 20 - 29 days' (0.1%), '8 Used daily' (0.1%), and 'Valid responses = 98.9%'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

9A1. Within the last thirty days, how often do you think the typical student at your school used: Cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A2. Within the last thirty days, how often do you think the typical student at your school used: Tobacco from a water pipe (hookah)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A3. Within the last thirty days, how often do you think the typical student at your school used: Cigars, little cigars, clove cigarettes?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A4. Within the last thirty days, how often do you think the typical student at your school used: Smokeless tobacco?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

9A5. Within the last thirty days, how often do you think the typical student at your school used: Alcohol (beer, wine, liquor)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A6. Within the last thirty days, how often do you think the typical student at your school used: Marijuana (pot, weed, hashish, hash oil)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A7. Within the last thirty days, how often do you think the typical student at your school used: Cocaine (crack, rock, freebase)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9A8. Within the last thirty days, how often do you think the typical student at your school used: Methamphetamine (crystal meth, ice, crank)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

9A9. Within the last thirty days, how often do you think the typical student at your school used: Other amphetamine (diet pills, bennies)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B1. Within the last thirty days, how often do you think the typical student at your school used: Sedatives (downers, ludes)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B2. Within the last thirty days, how often do you think the typical student at your school used: Hallucinogens (LSD, PCP)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B3. Within the last thirty days, how often do you think the typical student at your school used: Anabolic steroids (Testosterone)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.





American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

9B4. Within the last thirty days, how often do you think the typical student at your school used: Opiates (heroin, smack)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B5. Within the last thirty days, how often do you think the typical student at your school used: Inhalants (glue, solvents, gas)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B6. Within the last thirty days, how often do you think the typical student at your school used: MDMA (Ecstasy)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9B7. Within the last thirty days, how often do you think the typical student at your school used: Other club drugs (GHB, Ketamine, Rohypnol)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

March 22, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 27774 W&P Surveys

**9B8. Within the last thirty days, how often do you think the typical student at your school used:  
Other illegal drugs?**

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never used	4502	51	7816	44	124	43	12,460	46.1	
2 Have used, but not in last 30	1885	22	4213	24	64	22	6,171	22.8	
3 1 - 2 days	1151	13	2789	16	42	15	3,991	14.8	
4 3 - 5 days	483	6	1194	7	20	7	1,699	6.3	
5 6 - 9 days	292	3	779	4	11	4	1,083	4.0	
6 10 - 19 days	206	2	514	3	14	5	737	2.7	
7 20 - 29 days	99	1	323	2	6	2	428	1.6	
8 Used daily	152	2	304	2	8	3	465	1.7	
Valid responses =	8770	32	17932	66	289	1	27,034	97.3	

Invalid responses include no response or multiple responses.

**10. The last time you "partied"/socialized, how many alcoholic drinks did you have?**

Drinks	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
0	2778	31	5736	31	102	34	8,630	31.4	
1-2	1386	16	4234	23	55	18	5,682	20.6	
3-4	1485	17	4052	22	55	18	5,602	20.4	
5-6	1204	14	2447	13	40	13	3,694	13.4	
7-8	735	8	1017	6	25	8	1,780	6.5	
9-10	588	7	471	3	10	3	1,069	3.9	
11-12	297	3	145	1	2	1	446	1.6	
13-14	98	1	42	0	3	1	143	0.5	
15-16	191	2	59	0	4	1	256	0.9	
GE 17	171	2	39	0	3	1	215	0.8	
Valid responses=	8933	32	18242	66	299	1	27,517	99.1	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	4.13	3.00	4.83	0	88
Female	2.76	2.00	3.1	0	77
Overall	3.21	2.00	3.83	0	88

**11. The last time you "partied"/socialized, how many hours did you drink alcohol?**

Hours	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
0	2778	31	5768	32	101	34	8,661	31.7	
1-2	1400	16	3079	17	54	18	4,544	16.6	
3-4	2589	29	5343	30	82	28	8,023	29.4	
5-6	1603	18	3149	17	44	15	4,803	17.6	
7-8	310	4	601	3	13	4	925	3.4	
9-10	78	1	118	1	2	1	198	0.7	
11-12	60	1	39	0	0	0	99	0.4	
13-14	8	0	6	0	0	0	14	0.1	
15-16	8	0	12	0	0	0	20	0.1	
GE 17	19	0	15	0	2	1	37	0.1	
Valid responses =	8853	32	18130	66	298	1	27,324	98.4	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	2.77	3.00	2.75	0	48
Female	2.62	3.00	2.52	0	53
Overall	2.67	3.00	2.61	0	53



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

March 22, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 27774 W&P Surveys

12. How many drinks of alcohol do you think the typical student at your school had the last time he/she "partied"/socialized?

Drinks	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	661	8	956	5	30	11	1,652	6.0
1-2	812	9	1542	9	26	9	2,386	8.7
3-4	2428	27	5595	31	71	25	8,106	29.6
5-6	2716	31	6099	34	80	28	8,905	32.5
7-8	1173	13	2221	12	36	13	3,436	12.5
9-10	711	8	1267	7	23	8	2,003	7.3
11-12	166	2	238	1	9	3	413	1.5
13-14	24	0	33	0	0	0	57	0.2
15-16	105	1	125	1	3	1	233	0.9
GE 17	73	1	118	1	5	2	198	0.7
Valid responses=	8869	32	18194	66	283	1	27,389	98.6

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	5.28	5.00	4.19	0	98
Female	5.12	5.00	3.46	0	90
Overall	5.18	5.00	3.77	0	98

13. Over the last two weeks, how many times have you had five or more drinks of alcohol at a sitting?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 N/A, Don't drink	2329	26	4672	26	82	27	7,092	25.7
2 None	3073	34	8638	47	112	37	11,845	42.9
3 1 time	1305	15	2467	14	46	15	3,819	13.8
4 2 times	842	9	1211	7	24	8	2,081	7.5
5 3 times	502	6	577	3	11	4	1,091	4.0
6 4 times	410	5	389	2	9	3	810	2.9
7 5 times	200	2	177	1	3	1	381	1.4
8 6 times	120	1	102	1	9	3	231	0.8
9 7 times	69	1	34	0	2	1	106	0.4
10 8 times	34	0	16	0	2	1	52	0.2
11 9 times	18	0	8	0	0	0	28	0.1
12 10 or more times	54	1	21	0	3	1	78	0.3
Valid responses=	8956	32	18312	66	303	1	27,614	99.4

Invalid responses include no response or multiple responses.

14A. Within the last thirty days, did you: Drive after drinking any alcohol at all?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drive	1201	13	2301	13	53	18	3,566	12.9
2 Not applicable/Don't drink	2096	24	4310	24	63	21	6,479	23.5
3 No	3934	44	8963	49	134	44	13,048	47.3
4 Yes	1706	19	2708	15	52	17	4,471	16.2
Valid responses =	8937	32	18282	66	302	1	27,564	99.2

Invalid responses include no response or multiple responses.

14B. Within the last thirty days, did you: Drive after having 5 or more drinks?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drive	1222	14	2322	13	54	18	3,609	13.1
2 Not applicable/Don't drink	2108	24	4355	24	62	21	6,534	23.8
3 No	5354	60	11352	62	166	56	16,892	61.4
4 Yes	233	3	210	1	17	6	463	1.7
Valid responses =	8917	32	18239	66	299	1	27,498	99.0

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

15A. During the last 12 months, when you "partied"/socialized, how often did you:
Alternate non-alcoholic with alcoholic beverages?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15B. During the last 12 months, when you "partied"/socialized, how often did you:
Avoid drinking games?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15C. During the last 12 months, when you "partied"/socialized, how often did you:
Choose not to drink alcohol?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15D. During the last 12 months, when you "partied"/socialized, how often did you:
Determine, in advance, not to exceed a set number of drinks?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

15E. During the last 12 months, when you "partied"/socialized, how often did you: Eat before and/or during drinking?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15F. During the last 12 months, when you "partied"/socialized, how often did you: Have a friend let you know when you've had enough?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15G. During the last 12 months, when you "partied"/socialized, how often did you: Keep track of how many drinks you were having?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15H. During the last 12 months, when you "partied"/socialized, how often did you: Pace your drinks to 1 or fewer per hour?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

15I. During the last 12 months, when you "partied"/socialized, how often did you: Stay with the same group of friends the entire time you were drinking?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15J. During the last 12 months, when you "partied"/socialized, how often did you: Stick with only one kind of alcohol when drinking?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

15K. During the last 12 months, when you "partied"/socialized, how often did you: Use a designated driver?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16A. Within the last 12 months, have you experienced any of the following when drinking alcohol: Did something you later regretted?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16B. Within the last 12 months, have you experienced any of the following when drinking alcohol: Forgot where you were or what you did?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.





American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

16C. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Got in trouble with the police?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16D. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Someone had sex with me without my consent?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16E. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Had sex with someone without their consent?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16F. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Had unprotected sex?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16G. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Physically injured yourself?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

16H. Within the last 12 months, have you experienced any of the following when drinking alcohol:
Physically injured another person?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

March 22, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 27774 W&P Surveys

16I. Within the last 12 months, have you experienced any of the following when drinking alcohol:  
Seriously considered suicide?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 N/A, Don't drink	2440	28	4811	27	84	30	7,346	26.8	
2 No	6304	71	13131	72	196	69	19,660	71.8	
3 Yes	136	2	245	1	5	2	388	1.4	
Valid responses =	8880	32	18187	66	285	1	27,394	98.6	

Invalid responses include no response or multiple responses.

17A. Within the last 30 days, what percent of students at your school used cigarettes? State your best estimate.

Percent	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
0	124	1	200	1	11	4	335	1.2	
1-10	1910	22	2517	14	34	13	4,466	16.3	
11-20	2115	24	3391	19	56	21	5,572	20.4	
21-30	1703	19	3562	20	55	21	5,327	19.5	
31-40	1142	13	2558	14	27	10	3,732	13.6	
41-50	917	10	2548	14	32	12	3,501	12.8	
51-60	380	4	1098	6	13	5	1,497	5.5	
61-70	267	3	870	5	15	6	1,155	4.2	
71-80	214	2	1021	6	18	7	1,253	4.6	
81-90	67	1	338	2	3	1	408	1.5	
91-99	39	0	86	1	1	0	128	0.5	
Valid responses =	8878	32	18189	66	265	1	27,374	98.6	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	28.40	25.00	19.59	0	99
Female	35.24	30.00	21.66	0	99
Overall	33.00	30.00	21.27	0	99

17B. Within the last 30 days, what percent of students at your school used alcohol? State your best estimate.

Percent	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
0	126	1	191	1	8	3	325	1.2	
1-10	211	2	312	2	7	3	531	1.9	
11-20	283	3	360	2	6	2	650	2.4	
21-30	439	5	745	4	9	3	1,194	4.4	
31-40	643	7	974	5	13	5	1,633	6.0	
41-50	1049	12	1987	11	37	14	3,080	11.2	
51-60	1011	11	2045	11	32	12	3,093	11.3	
61-70	1391	16	2642	15	29	11	4,066	14.8	
71-80	2038	23	4661	26	53	20	6,760	24.7	
81-90	1272	14	3258	18	48	18	4,585	16.7	
91-99	423	5	1025	6	20	8	1,473	5.4	
Valid responses =	8886	32	18200	66	262	1	27,390	98.6	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	63.07	70.00	22.97	0	99
Female	66.73	70.00	21.54	0	99
Overall	65.52	70.00	22.12	0	99



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

17C. Within the last 30 days, what percent of students at your school used marijuana? State your best estimate.

Table with 9 columns: Percent, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include percentages from 0 to 91-99 and summary rows for valid responses.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max. Rows for Male, Female, and Overall.

18A. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Antidepressants (e.g., Celexa, Lexapro, Prozac, Wellbutrin, Zoloft)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows for 1 No, 2 Yes, and Valid responses.

Invalid responses include no response or multiple responses.

18B. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Erectile dysfunction drugs (e.g., Viagra, Cialis, Levitra)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows for 1 No, 2 Yes, and Valid responses.

Invalid responses include no response or multiple responses.

18C. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Pain killers (e.g., OxyContin, Vicodin, Codeine)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows for 1 No, 2 Yes, and Valid responses.

Invalid responses include no response or multiple responses.

18D. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Sedatives (e.g., Xanax, Valium)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows for 1 No, 2 Yes, and Valid responses.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

18E. Within the last 12 months, have you taken any of the following prescription drugs that were not prescribed to you: Stimulants (e.g., Ritalin, Adderall)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

19. Within the last 12 months, with how many partners have you had oral sex, vaginal intercourse or anal intercourse?

Table with 9 columns: Partners, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

20A. Within the last 12 months, did you have sexual partner(s) who were: Female?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

20B. Within the last 12 months, did you have sexual partner(s) who were: Male?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

20C. Within the last 12 months, did you have sexual partner(s) who were: Transgender?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

21A. Within the last 30 days, did you have: Oral sex?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

21B. Within the last 30 days, did you have: Vaginal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

21C. Within the last 30 days, did you have: Anal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

22A. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during: Oral sex?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

22B. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during: Vaginal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

22C. Within the last 30 days, how often did you or your partner(s) use a condom or other protective barrier (e.g., male condom, female condom, dam, glove) during: Anal Intercourse?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

23A. Did you or your partner(s) use a method to prevent pregnancy the last time you had vaginal intercourse?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B1. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control pills (monthly or extended cycle)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B2. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control shots?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B3. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control implants?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B4. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Birth control patch?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B5. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Cervical ring?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B6. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Intrauterine device (IUD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

23B7. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Male condom?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B8. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Female condom?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B9. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Diaphragm or cervical cap?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B10. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Contraceptive sponge?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B11. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Spermicide (e.g., foam, jelly, cream)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B12. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Fertility awareness (e.g., calendar, mucous, basal body temperature)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B13. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Withdrawal?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

23B14. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Sterilization (e.g., hysterectomy, tubes tied, or vasectomy)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.





American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

23B15. What method of birth control did you or your partner use to prevent pregnancy the last time you had vaginal intercourse: Other method?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes', and 'Valid responses='.

24. Within the last 12 months, have you or your partner(s) used emergency contraception ("morning after pill")?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 N/A N vaginal intercourse 12 m', '2 No', '3 Yes', '4 Don't know', and 'Valid responses='.

Invalid responses include no response or multiple responses.

25. Within the last 12 months, have you or your partner become pregnant?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 N/A, No vaginal intercourse 12 m', '2 No', '3 Yes, unintentionally', '4 Yes, intentionally', '5 Don't know', and 'Valid responses='.

Invalid responses include no response or multiple responses.

26. How would you describe your weight?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 Very underweight', '2 Slightly underweight', '3 About the right weight', '4 Slightly overweight', '5 Very overweight', and 'Valid responses='.

Invalid responses include no response or multiple responses.

27. Are you trying to do any of the following about your weight?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 I am not trying to do anything', '2 Stay the same weight', '3 Lose weight', '4 Gain weight', and 'Valid responses='.

Invalid responses include no response or multiple responses.

28. How many servings of fruits and vegetables do you usually have per day?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 0 servings per day', '2 1-2 servings per day', '3 3-4 servings per day', '4 5 or more servings per day', and 'Valid responses='.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

March 22, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 27774 W&P Surveys

**29A. On how many of the past 7 days did you:**

**Do moderate intensity cardio or aerobic exercise for at least 30 minutes?**

	Male		Female		Unknown		Total Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 0 days	2010	23	4388	24	65	25	6,478	23.6	
2 1 day	1181	13	2478	14	36	14	3,699	13.5	
3 2 days	1485	17	3247	18	43	17	4,782	17.4	
4 3 days	1382	16	3006	17	39	15	4,431	16.2	
5 4 days	814	9	1681	9	21	8	2,521	9.2	
6 5 days	931	11	1703	9	20	8	2,656	9.7	
7 6 days	499	6	790	4	19	7	1,311	4.8	
8 7 days	587	7	928	5	14	5	1,532	5.6	
Valid responses =	8889	32	18221	66	257	1	27,410	98.7	

Invalid responses include no response or multiple responses.

**29B. On how many of the past 7 days did you:**

**Do vigorous intensity cardio or aerobic exercise for at least 20 minutes?**

	Male		Female		Unknown		Total Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 0 days	3060	34	7910	44	104	41	11,094	40.5	
2 1 day	1420	16	2837	16	45	18	4,307	15.7	
3 2 days	1394	16	2574	14	37	14	4,010	14.6	
4 3 days	1153	13	1997	11	24	9	3,178	11.6	
5 4 days	666	8	1093	6	13	5	1,777	6.5	
6 5 days	592	7	894	5	16	6	1,505	5.5	
7 6 days	352	4	553	3	12	5	917	3.3	
8 7 days	256	3	329	2	6	2	592	2.2	
Valid responses =	8893	32	18187	66	257	1	27,380	98.6	

Invalid responses include no response or multiple responses.

**29C. On how many of the past 7 days did you:**

**Do 8-10 strength training exercises for 8-12 repetitions each?**

	Male		Female		Unknown		Total Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 0 days	4141	47	10917	60	146	57	15,230	55.8	
2 1 day	979	11	2131	12	26	10	3,140	11.5	
3 2 days	1024	12	1978	11	22	9	3,028	11.1	
4 3 days	1146	13	1533	9	25	10	2,706	9.9	
5 4 days	648	7	694	4	13	5	1,355	5.0	
6 5 days	554	6	481	3	13	5	1,053	3.9	
7 6 days	251	3	206	1	4	2	461	1.7	
8 7 days	148	2	171	1	7	3	327	1.2	
Valid responses =	8891	33	18111	66	256	1	27,300	98.3	

Invalid responses include no response or multiple responses.

**30A. Have you ever felt things were hopeless?**

	Male		Female		Unknown		Total Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Never	3770	42	5601	31	89	35	9,465	34.5	
2 Not in last 12 months	1780	20	3768	21	37	14	5,593	20.4	
3 In the last 2 weeks	1263	14	3167	17	53	21	4,499	16.4	
4 In the last 30 days	593	7	1785	10	21	8	2,403	8.8	
5 In the last 12 months	1522	17	3912	22	57	22	5,501	20.0	
Valid responses =	8928	33	18233	66	257	1	27,461	98.9	

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

30B. Have you ever felt overwhelmed by all you had to do?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30C. Have you ever felt exhausted (not from physical activity)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30D. Have you ever felt very lonely?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30E. Have you ever felt very sad?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30F. Have you ever felt so depressed that it was difficult to function?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

30G. Have you ever felt overwhelming anxiety?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30H. Have you ever felt overwhelming anger?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30I. Have you ever intentionally cut, burned, bruised, or otherwise injured yourself?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30J. Have you ever seriously considered suicide?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

30K. Have you ever attempted suicide?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

31A1. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Anorexia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.

31A2. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Anxiety?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.

31A3. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Attention Deficit and Hyperactivity Disorder (ADHD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.

31A4. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Bipolar Disorder?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the 'Total' column.

Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA-II)  
Reference Group Report - Fall 2011**

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

March 22, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 27774 W&P Surveys

**31A5. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:  
Bulimia?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	8892	100	18062	99	244	98	27,234	99.2
2 Yes, diagnosed not treated	9	0	54	0	1	0	67	0.2
3 Yes, treated with medication	6	0	10	0	1	0	18	0.1
4 Yes, treated with psychotherap	9	0	67	0	2	1	80	0.3
5 Yes, treated meds + psychothe	5	0	35	0	1	0	41	0.1
6 Yes, other treatment	2	0	15	0	0	0	17	0.1
Valid responses =	8923	32	18243	66	249	1	27,457	98.9

Invalid responses include no response or multiple responses.

**31A6. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:  
Depression?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	8321	93	15863	87	215	86	24,422	88.9
2 Yes, diagnosed not treated	106	1	321	2	5	2	439	1.6
3 Yes, treated with medication	209	2	914	5	13	5	1,139	4.1
4 Yes, treated with psychotherap	93	1	341	2	4	2	443	1.6
5 Yes, treated meds + psychothe	164	2	768	4	12	5	949	3.5
6 Yes, other treatment	24	0	50	0	0	0	74	0.3
Valid responses =	8917	32	18257	66	249	1	27,466	98.9

Invalid responses include no response or multiple responses.

**31A7. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:  
Insomnia?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	8669	97	17468	96	236	95	26,406	96.2
2 Yes, diagnosed not treated	87	1	203	1	2	1	298	1.1
3 Yes, treated with medication	107	1	370	2	4	2	484	1.8
4 Yes, treated with psychotherap	11	0	49	0	1	0	62	0.2
5 Yes, treated meds + psychothe	25	0	114	1	6	2	145	0.5
6 Yes, other treatment	16	0	35	0	0	0	51	0.2
Valid responses =	8915	32	18239	66	249	1	27,446	98.8

Invalid responses include no response or multiple responses.

**31A8. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:  
Other sleep disorder?**

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 No	8718	98	17772	98	240	96	26,767	97.7
2 Yes, diagnosed not treated	53	1	129	1	2	1	186	0.7
3 Yes, treated with medication	47	1	165	1	4	2	217	0.8
4 Yes, treated with psychotherap	8	0	24	0	1	0	34	0.1
5 Yes, treated meds + psychothe	18	0	35	0	2	1	55	0.2
6 Yes, other treatment	57	1	67	0	1	0	126	0.5
Valid responses =	8901	33	18192	66	250	1	27,385	98.6

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

www.acha.org

31B1. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:
Obsessive Compulsive Disorder (OCD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.

31B2. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:
Panic Attacks?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.

31B3. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:
Phobia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.

31B4. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following:
Schizophrenia?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes a horizontal bar chart for the '1 No' response.

Invalid responses include no response or multiple responses.





American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

31B5. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Substance abuse or addiction (alcohol or other drugs)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

31B6. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Other addiction (e.g., gambling, internet, sexual)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

31B7. Within the last 12 months, have you been diagnosed or treated by a professional for any of the following: Other mental health condition?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

32. Have you ever been diagnosed with depression?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.

33A. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Academics?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

33B. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Career related issue?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33C. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Death of a family member or friend?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33D. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Family problems?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33E. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Intimate relationships?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33F. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Other relationships?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33G. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Finances?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33H. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Health problem of a family member or partner?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

33I. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Personal appearance?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33J. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Personal health issue?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33K. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Sleep difficulties?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

33L. Within the last 12 months, has any of the following been traumatic or very difficult for you to handle: Other?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

34A. Have you ever received psychological or mental health services from any of the following: Counselor/Therapist/Psychologist?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

34B. Have you ever received psychological or mental health services from any of the following: Psychiatrist?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

34C. Have you ever received psychological or mental health services from any of the following: Other medical provider (e.g., physician, nurse practitioner)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

34D. Have you ever received psychological or mental health services from any of the following: Minister/Priest/Rabbi/Other clergy?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

35. Have you ever received psychological or mental health services from your current college/university's Counseling or Health Service?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

36. If in the future you were having a personal problem that was really bothering you, would you consider seeking help from a mental health professional?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

37. Within the last 12 months, how would you rate the overall level of stress you have experienced?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

38A. Within the last 30 days, did you do any of the following: Exercise to lose weight?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

38B. Within the last 30 days, did you do any of the following: Diet to lose weight?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

38C. Within the last 30 days, did you do any of the following:
Vomit or take laxatives to lose weight?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

38D. Within the last 30 days, did you do any of the following:
Take diet pills to lose weight?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

39A. Have you had a dental exam and cleaning in the last 12 months?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

39B. Have you (Males) performed testicular self exam in the last 30 days?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

39C. Have you (Females) performed breast self exam in the last 30 days?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

39D. Have you (Females) had a routine gynecological exam in the last 12 months?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

39E. Have you used sunscreen regularly with sun exposure?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

39F. Have you ever been tested for Human Immunodeficiency Virus (HIV) infection?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40A. Have you received the following vaccinations (shots or series of shots): Hepatitis B?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40B. Have you received the following vaccinations (shots series of shots): Human Papillomavirus/HPV (cervical cancer vaccine)?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40C. Have you received the following vaccinations (shots series of shots): Influenza (the flu) in the last 12 months (shot or nasal mist)?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40D. Have you received the following vaccinations (shots series of shots): Measles, Mumps, Rubella?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.

40E. Have you received the following vaccinations (shots): Meningococcal disease (meningococcal meningitis)?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, 3 Don't know, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

40F. Have you received the following vaccinations (shots):
Varicella (chicken pox)?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A1. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Allergies?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A2. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Asthma?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A3. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Back pain?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A4. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Broken bone/Fracture/Sprain?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A5. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Bronchitis?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.

41A6. Within the last 12 months, have you been diagnosed or treated by a professional for the following:
Chlamydia?

Table with 9 columns: Response, Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Includes horizontal bar chart for Total Pct.





American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012

FREQUENCY REPORT

Number of Surveys (n) = 27774 W&P Surveys

41A7. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Diabetes?

Table with 9 columns: Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41A8. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Ear infection?

Table with 9 columns: Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41A9. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Endometriosis?

Table with 9 columns: Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41A10. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Genital Herpes?

Table with 9 columns: Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41A11. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Genital warts/Human Papillomavirus (HPV)?

Table with 9 columns: Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41A12. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Gonorrhea?

Table with 9 columns: Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41A13. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Hepatitis B or C?

Table with 9 columns: Male Freq, Male Pct, Female Freq, Female Pct, Unknown Freq, Unknown Pct, Total Freq, Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

41B1. Within the last 12 months, have you been diagnosed or treated by a professional for the following: High blood pressure?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

41B2. Within the last 12 months, have you been diagnosed or treated by a professional for the following: High cholesterol?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

41B3. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Human Immunodeficiency Virus (HIV)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

41B4. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Irritable Bowel Syndrome?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

41B5. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Migraine headache?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

41B6. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Mononucleosis?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.

41B7. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Pelvic Inflammatory Disease (PID)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for '1 No'.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

41B8. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Repetitive stress injury (e.g., carpal tunnel syndrome)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41B9. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Sinus infection?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41B10. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Strep throat?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41B11. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Tuberculosis?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

41B12. Within the last 12 months, have you been diagnosed or treated by a professional for the following: Urinary tract infection?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

42. On how many of the past 7 days did you get enough sleep so that you felt rested when you woke up in the morning?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 0 days, 1 day, 2 days, 3 days, 4 days, 5 days, 6 days, 7 days, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

43. In the past 7 days, how much of a problem have you had with sleepiness during your daytime activities?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44A. In the past 7 days, how often have you awoken too early in the morning and couldn't get back to sleep?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44B. In the past 7 days, how often have you felt tired, dragged out, or sleepy during the day?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44C. In the past 7 days, how often have you gone to bed because you could not stay awake any longer?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

44D. In the past 7 days, how often have you had an extremely hard time falling asleep?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A1. Within the last 12 months, have any of the following affected your academic performance: Alcohol use?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A2. Within the last 12 months, have any of the following affected your academic performance: Allergies?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A3. Within the last 12 months, have any of the following affected your academic performance: Anxiety?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500

March 22, 2012

FREQUENCY REPORT

Number of Surveys (n) = 27774 W&P Surveys

www.acha.org

45A4. Within the last 12 months, have any of the following affected your academic performance: Assault (physical)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A5. Within the last 12 months, have any of the following affected your academic performance: Assault (sexual)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A6. Within the last 12 months, have any of the following affected your academic performance: Attention Deficit and Hyperactivity Disorder (ADHD)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45A7. Within the last 12 months, have any of the following affected your academic performance: Cold/Flu/Sore throat?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

45A8. Within the last 12 months, have any of the following affected your academic performance:
Concern for a troubled friend or family member?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B1. Within the last 12 months, have any of the following affected your academic performance:
Chronic health problem or serious illness (e.g. diabetes, asthma, cancer)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B2. Within the last 12 months, have any of the following affected your academic performance:
Chronic pain?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B3. Within the last 12 months, have any of the following affected your academic performance:
Death of a friend or family member?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.





American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

45B4. Within the last 12 months, have any of the following affected your academic performance: Depression?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B5. Within the last 12 months, have any of the following affected your academic performance: Discrimination (e.g., homophobia, racism, sexism)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B6. Within the last 12 months, have any of the following affected your academic performance: Drug use?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45B7. Within the last 12 months, have any of the following affected your academic performance: Eating disorder/problem?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

45B8. Within the last 12 months, have any of the following affected your academic performance: Finances?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C1. Within the last 12 months, have any of the following affected your academic performance: Gambling?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C2. Within the last 12 months, have any of the following affected your academic performance: Homesickness?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C3. Within the last 12 months, have any of the following affected your academic performance: Injury (e.g., fracture, sprain, strain, cut)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

45C4. Within the last 12 months, have any of the following affected your academic performance:
Internet use/computer games?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C5. Within the last 12 months, have any of the following affected your academic performance:
Learning disability?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C6. Within the last 12 months, have any of the following affected your academic performance:
Participation in extracurricular activities (e.g., campus clubs, organizations, athletics)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45C7. Within the last 12 months, have any of the following affected your academic performance:
Pregnancy (yours or your partner's)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

45C8. Within the last 12 months, have any of the following affected your academic performance: Relationship difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D1. Within the last 12 months, have any of the following affected your academic performance: Roommate difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D2. Within the last 12 months, have any of the following affected your academic performance: Sexually transmitted disease/infection (STD/I)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D3. Within the last 12 months, have any of the following affected your academic performance: Sinus infection/Ear infection/Bronchitis/Strep throat?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

45D4. Within the last 12 months, have any of the following affected your academic performance: Sleep difficulties?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D5. Within the last 12 months, have any of the following affected your academic performance: Stress?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D6. Within the last 12 months, have any of the following affected your academic performance: Work?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

45D7. Within the last 12 months, have any of the following affected your academic performance: Other?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association  
1362 Mellon Road, Suite 180  
Hanover, MD 21076  
(410) 859-1500  
[www.acha.org](http://www.acha.org)

March 22, 2012  
FREQUENCY REPORT  
Number of Surveys (n) = 27774 W&P Surveys

46. How old are you?

Age (Years)	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
18	1736	19	3809	21	27	18	5,577	20.3	
19	1426	16	3111	17	26	17	4,570	16.7	
20	1283	14	2911	16	26	17	4,226	15.4	
21	1236	14	2725	15	18	12	3,986	14.5	
22	692	8	1241	7	6	4	1,942	7.1	
23	418	5	786	4	4	3	1,208	4.4	
24	302	3	524	3	6	4	835	3.0	
25	253	3	423	2	10	7	687	2.5	
26	218	2	364	2	3	2	586	2.1	
27	199	2	324	2	3	2	528	1.9	
28	169	2	262	1	1	1	433	1.6	
29	143	2	219	1	2	1	365	1.3	
30	141	2	181	1	1	1	323	1.2	
31	96	1	157	1	2	1	255	0.9	
GE 32	626	7	1271	7	14	9	1,916	7.0	
Valid responses =	8938	33	18308	67	149	1	27,437	98.8	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	22.41	21.00	5.99	18.00	91.00
Female	22.16	20.00	6.14	18.00	98.00
Overall	22.25	20.00	6.13	18.00	98.00

47. What is your gender?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Female	0	0	18370	100	0	0	18,370	66.1	
2 Male	8989	100	0	0	0	0	8,989	32.4	
3 Transgender	0	0	0	0	0	0	43	0.2	
Valid responses =	8989	32	18370	66	372	1	27,774	100.0	

Invalid responses include no response or multiple responses.

48. What is your sexual orientation?

	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
1 Heterosexual	8187	92	16887	93	82	92	25,166	92.2	
2 Gay/Lesbian	383	4	268	2	2	2	665	2.4	
3 Bisexual	203	2	732	4	4	5	949	3.5	
4 Unsure	149	2	348	2	1	1	507	1.9	
Valid responses =	8922	33	18235	67	89	0	27,287	100.0	

Invalid responses include no response or multiple responses.

49. Height in inches?

Inches	Male		Female		Unknown		Total		Pct.
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.		
low-36	0	0	0	0	0	0	0	0.0	
37-48	0	0	0	0	0	0	0	0.0	
49-60	12	0	839	5	4	3	860	3.2	
61-72	6630	74	17260	95	103	85	24,024	88.1	
73-84	2259	25	98	1	14	12	2,375	8.7	
GE 85	7	0	7	0	0	0	14	0.1	
Valid responses =	8908	33	18204	67	121	0	27,273	98.2	

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	70.64	71.00	3.05	50.00	94.00
Female	64.99	65.00	2.90	49.00	101.00
Overall	66.85	67.00	3.97	49.00	101.00



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

50. What is your weight in pounds?

Table with columns: Pounds, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include weight ranges from 0-50 to 401-450, and a GE 451 category. Includes a bar chart for the total percentage distribution.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max. Rows for Male, Female, and Overall.

51. What is your year in school?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include year levels from 1st year undergraduate to 8 Other. Includes a bar chart for the total percentage distribution.

Invalid responses include no response or multiple responses.

52. What is your enrollment status?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include Full-time, Part-time, and Other. Includes a bar chart for the total percentage distribution.

Invalid responses include no response or multiple responses.

53. Have you transferred to this college or university within the last 12 months?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include No and Yes. Includes a bar chart for the total percentage distribution.

Invalid responses include no response or multiple responses.

54. How do you usually describe yourself?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include racial/ethnic categories like White, Black or African American, etc. Includes a bar chart for the total percentage distribution.

Invalid responses = all responses and blanks: since multiple responses were possible, more than 100% may be included.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

55. Are you an international student?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes', and 'Valid responses ='. Total Pct. is 98.1.

Invalid responses include no response or multiple responses.

56. What is your relationship status?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 Not in a relationship', '2 In relationship not living together', '3 In relationship living together', and 'Valid responses ='. Total Pct. is 98.6.

Invalid responses include no response or multiple responses.

57. What is your marital status?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 Single', '2 Married/Partnered', '3 Separated', '4 Divorced', '5 Other', and 'Valid responses ='. Total Pct. is 98.6.

Invalid responses include no response or multiple responses.

58. Where do you currently live?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 Campus residence hall', '2 Fraternity or sorority house', '3 Other college/university housing', '4 Parent/guardian's house', '5 Other off-campus housing', '6 Other', and 'Valid responses ='. Total Pct. is 98.7.

Invalid responses include no response or multiple responses.

59. Are you a member of a social fraternity or sorority?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 No', '2 Yes', and 'Valid responses ='. Total Pct. is 98.1.

Invalid responses include no response or multiple responses.

60. How many hours a week do you work for pay?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include '1 0 hours', '2 1 - 9 hours', '3 10 - 19 hours', '4 20 - 29 hours', '5 30 - 39 hours', '6 40 hours', '7 more than 40 hours', and 'Valid responses ='. Total Pct. is 98.5.

Invalid responses include no response or multiple responses.





American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012

FREQUENCY REPORT

Number of Surveys (n) = 27774 W&P Surveys

61. How many hours a week do you volunteer?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 0 hours, 2 1 - 9 hours, 3 10 - 19 hours, 4 20 - 29 hours, 5 30 - 39 hours, 6 40 hours, 7 more than 40 hours, and Valid responses =.

Invalid responses include no response or multiple responses.

62. What is your primary source of health insurance?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 College/university sponsored p, 2 Parents' plan, 3 Another plan, 4 Don't have health insurance, 5 Not sure if I have insurance, and Valid responses =.

Invalid responses include no response or multiple responses.

63. What is your approximate cumulative grade point average?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 A, 2 B, 3 C, 4 D/F, 5 N/A, and Valid responses =.

Invalid responses include no response or multiple responses.

64A. In the last 12 months, have you participated in organized college athletics at any of the following levels:

Varsity?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

64B. In the last 12 months, have you participated in organized college athletics at any of the following levels:

Club sports?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

64C. In the last 12 months, have you participated in organized college athletics at any of the following levels:

Intramurals?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct., and a bar chart. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II)

Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

65A. Do you have any of the following:

Attention Deficit and Hyperactivity Disorder (ADHD)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

65B. Do you have any of the following:

Chronic illness (e.g., cancer, diabetes, auto-immune disorders)?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

65C. Do you have any of the following:

Deafness/Hearing loss?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

65D. Do you have any of the following:

Learning disability?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

65E. Do you have any of the following:

Mobility/Dexterity disability?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

65F. Do you have any of the following:

Partially sightedness/Blindness?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

65G. Do you have any of the following:

Psychiatric condition?

Table with 9 columns: Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA-II) Reference Group Report - Fall 2011

American College Health Association
1362 Mellon Road, Suite 180
Hanover, MD 21076
(410) 859-1500
www.acha.org

March 22, 2012
FREQUENCY REPORT
Number of Surveys (n) = 27774 W&P Surveys

65H. Do you have any of the following:
Speech or language disorder?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No' (99.1%) and '2 Yes' (0.9%).

Invalid responses include no response or multiple responses.

65I. Do you have any of the following:
Other disability?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No' (97.9%) and '2 Yes' (2.1%).

Invalid responses include no response or multiple responses.

66. Are you currently or have been a member of the United States Armed Services (Active Duty, Reserve, or National Guard)?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes data for '1 No' (97.4%), '2 Yes deployed hazardous duty' (1.3%), and '3 Yes not deployed hazardous dt' (1.3%).

Invalid responses include no response or multiple responses.