



Reference Group Data Report

Fall 2004

**American College Health Association
National College Health Assessment**



ACHA-NCHA



American College Health Association

Reference Group Data Report

Fall 2004

American College Health Association
National College Health Assessment



ACHA-NCHA

The ACHA-NCHA supports the health of the campus community by fulfilling the academic mission, supporting short- and long-term healthy behaviors, and gaining a current profile of health trends within the campus community.

Suggested citation for this document: American College Health Association. American College Health Association-National College Health Assessment: Reference Group Data Report Fall 2004. Baltimore: American College Health Association; 2005.

Demographics of Participating Colleges/Universities

Fifty-four U.S. postsecondary institutions self-selected to participate in the Fall 2004 ACHA-National College Health Assessment and 26,040 surveys were completed by students on these campuses. For the purpose of this study, only those institutions that used a random sampling technique or sampled a universe such as all first-year students were included in the analysis, yielding a final data set consisting of 24,804 students and 50 schools. Demographic characteristics of the 50 campuses follow:

Public	39
Private	11

4-year	48
2-year	2
Other	0

ACHA Member Institution	47
Non-member Institution	3

Carnegie Classification	
Doctoral/Research Universities Extensive	11
Doctoral /Research Universities Intensive	2
Masters Colleges and Universities I and II	11
Baccalaureate	23
Associate Colleges	2
Specialized	0
Other	1

Geographical Location	
Northeast (CT, ME, MA, NH, NJ, NY, PA, RI, VT)	28
Midwest (IL, IN, IA, KS, MI, MN, MO, NE, ND, OH, SD, WI)	5
South (AL, AR, DE, DC, FL, GA, KY, LA, MD, MS, NC, OK, SC, TN, TX, VA, WV)	12
West (AK, AZ, CA, CO, HI, ID, MT, NV, NM, OR, UT, WA, WY)	4
Other	1

Campus Setting	
Urban > 1,000,000	8
Urban 100,000 – 1,000,000	5
Suburban	23
Rural	13
Other	1

Campus Size	
< 2,500	22
2,500 – 4,999	6
5,000 – 9,999	5
10,000 – 19,999	11
> = 20,000	6



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

1. Considering your age, how would you describe your general health?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Excellent, 2 Very good, 3 Good, 4 Fair, 5 Poor, 6 Don't know, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

2. On which of the following health topics have you ever received information from your college or university?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Tobacco use prevention, 2 Alcohol and other drug use, 3 Sexual assault/relationship, 4 Violence prevention, 5 Injury prevention and safety, 6 Suicide prevention, 7 Pregnancy prevention, 8 AIDS or HIV infection, 9 Sexually transmitted disease, 10 Dietary behaviors and nutrition, 11 Physical activity and fitness, 12 None of the above, Valid responses =. Includes horizontal bar chart for Total Pct.

Valid responses = all responses and blanks: since multiple responses were possible, more than 100% may be included.

3A. Believability of each source of health information:

Leaflets, pamphlets, flyers

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Believable, 2 Neither believable nor unbelievable, 3 Unbelievable, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3B. Believability of each source of health information:

Campus newspaper articles

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Believable, 2 Neither believable nor unbelievable, 3 Unbelievable, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3C. Believability of each source of health information:

Health center medical staff

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Believable, 2 Neither believable nor unbelievable, 3 Unbelievable, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

3D. Believability of each source of health information:

Table for Health educators: Columns for Male, Female, Unknown, Total with Freq. and Pct. rows. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3E. Believability of each source of health information:

Table for Friends: Columns for Male, Female, Unknown, Total with Freq. and Pct. rows. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3F. Believability of each source of health information:

Table for Resident assistants/advisors: Columns for Male, Female, Unknown, Total with Freq. and Pct. rows. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3G. Believability of each source of health information:

Table for Parents: Columns for Male, Female, Unknown, Total with Freq. and Pct. rows. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3H. Believability of each source of health information:

Table for Religious Center: Columns for Male, Female, Unknown, Total with Freq. and Pct. rows. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

3I. Believability of each source of health information:

Table for Television: Columns for Male, Female, Unknown, Total with Freq. and Pct. rows. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06
FREQUENCY REPORT
Number of Surveys (n) = 24,804 Paper & Web Surveys

3J. Believability of each source of health information:

	Magazines						Total		
	Male		Female		Unknown		Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Believable	2,179	25	3,740	27	313	30	6,232	25.9	
2 Neither believable nor unbelievable	5,308	60	8,412	60	572	55	14,292	59.5	
3 Unbelievable	1,412	16	1,935	14	151	15	3,498	14.6	
Valid responses =	8,899	37	14,087	59	1,036	4	24,022	96.8	

Invalid responses include no response or multiple responses.

3K. Believability of each source of health information:

	Campus peer educators						Total		
	Male		Female		Unknown		Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Believable	3,872	44	7,037	50	459	45	11,368	47.7	
2 Neither believable nor unbelievable	4,499	51	6,480	46	502	50	11,481	48.2	
3 Unbelievable	451	5	456	3	54	5	961	4.0	
Valid responses =	8,822	37	13,973	59	1,015	4	23,810	96.0	

Invalid responses include no response or multiple responses.

3L. Believability of each source of health information:

	Faculty/coursework						Total		
	Male		Female		Unknown		Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Believable	5,393	61	9,384	67	597	59	15,374	64.4	
2 Neither believable nor unbelievable	3,165	36	4,339	31	387	38	7,891	33.1	
3 Unbelievable	296	3	272	2	32	3	600	2.5	
Valid responses =	8,854	37	13,995	59	1,016	4	23,865	96.2	

Invalid responses include no response or multiple responses.

3M. Believability of each source of health information:

	Internet/world wide web						Total		
	Male		Female		Unknown		Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Believable	1,975	22	3,327	24	270	26	5,572	23.3	
2 Neither believable nor unbelievable	5,648	64	9,253	66	626	61	15,527	64.8	
3 Unbelievable	1,260	14	1,481	11	125	12	2,866	12.0	
Valid responses =	8,883	37	14,061	59	1,021	4	23,965	96.6	

Invalid responses include no response or multiple responses.

3N. Believability of each source of health information:

	Other						Total		
	Male		Female		Unknown		Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 Believable	587	10	1,052	12	47	18	1,686	11.5	
2 Neither believable nor unbelievable	4,695	81	6,993	81	194	72	11,882	81.1	
3 Unbelievable	501	9	546	6	28	10	1,075	7.3	
Valid responses =	5,783	39	8,591	59	269	2	14,643	59.0	

Invalid responses include no response or multiple responses.

4A. Do you usually get health-related information from any of the following sources? Leaflets, pamphlets, flyers

	Leaflets, pamphlets, flyers						Total		
	Male		Female		Unknown		Freq.	Pct.	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.			
1 No	4,739	54	5,291	38	420	42	10,450	43.8	
2 Yes	4,092	46	8,750	62	570	58	13,412	56.2	
Valid responses =	8,831	37	14,041	59	990	4	23,862	96.2	

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

4B. Do you usually get health-related information from any of the following sources? Campus newspaper articles

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4C. Do you usually get health-related information from any of the following sources? Health center medical staff

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4D. Do you usually get health-related information from any of the following sources? Health educators

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4E. Do you usually get health-related information from any of the following sources? Friends

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4F. Do you usually get health-related information from any of the following sources? Resident assistants/advisors

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4G. Do you usually get health-related information from any of the following sources? Parents

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4H. Do you usually get health-related information from any of the following sources? Religious center

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

4I. Do you usually get health-related information from any of the following sources?

Television

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4J. Do you usually get health-related information from any of the following sources?

Magazines

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4K. Do you usually get health-related information from any of the following sources?

Campus peer educators

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4L. Do you usually get health-related information from any of the following sources?

Faculty/coursework

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4M. Do you usually get health-related information from any of the following sources?

Internet/world wide web

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

4N. Do you usually get health-related information from any of the following sources?

Other

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

5A. Within the last 12 months, how often did you: Wear a seatbelt when you rode in a car?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 N/A didn't do this within the last, 2 Never, 3 Rarely, 4 Sometimes, 5 Most of the time, 6 Always, Valid responses =. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

5B. Within the last 12 months, how often did you: Wear a helmet when you rode a bicycle?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include response categories from 'N/A didn't do this within the last' to 'Always', and 'Valid responses ='. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

5C. Within the last 12 months, how often did you: Wear a helmet when you rode a motorcycle?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include response categories from 'N/A didn't do this within the last' to 'Always', and 'Valid responses ='. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

5D. Within the last 12 months, how often did you: Wear a helmet when you were inline skating?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include response categories from 'N/A didn't do this within the last' to 'Always', and 'Valid responses ='. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

6A. Within the last 12 months, were you: In a physical fight?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'No', 'Yes', and 'Valid responses ='. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

6B. Within the last 12 months, were you: Physically assaulted (do not include sexual assault)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'No', 'Yes', and 'Valid responses ='. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

7A. Within the last 12 months, have you experienced: Verbal threats for sex against your will?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'No', 'Yes', and 'Valid responses ='. Includes a horizontal bar chart for the total percentages.

Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

**7B. Within the last 12 months, have you experienced:
Sexual touching against your will?**

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	8,756	96	12,879	90	1,005	91	22,640	92.0	
2 Yes	381	4	1,488	10	99	9	1,968	8.0	
Valid responses =	9,137	37	14,367	58	1,104	4	24,608	99.2	

Invalid responses include no response or multiple responses.

**7C. Within the last 12 months, have you experienced:
Attempted sexual penetration (vaginal, anal, oral intercourse) against your will?**

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	9,047	99	13,816	96	1,059	96	23,922	97.2	
2 Yes	84	1	546	4	47	4	677	2.8	
Valid responses =	9,131	37	14,362	58	1,106	4	24,599	99.2	

Invalid responses include no response or multiple responses.

**7D. Within the last 12 months, have you experienced:
Sexual penetration (vaginal, anal, oral intercourse) against your will?**

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	9,033	99	14,035	98	1,061	97	24,129	98.4	
2 Yes	59	1	293	2	28	3	380	1.6	
Valid responses =	9,092	37	14,328	58	1,089	4	24,509	98.8	

Invalid responses include no response or multiple responses.

8A. Within the last 12 months, have you been in a relationship that was: Emotionally abusive?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	8,271	91	12,076	84	910	83	21,257	86.6	
2 Yes	845	9	2,267	16	182	17	3,294	13.4	
Valid responses =	9,116	37	14,343	58	1,092	4	24,551	99.0	

Invalid responses include no response or multiple responses.

8B. Within the last 12 months, have you been in a relationship that was: Physically abusive?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	8,965	99	13,975	98	1,046	96	23,986	97.8	
2 Yes	141	2	356	3	43	4	540	2.2	
Valid responses =	9,106	37	14,331	58	1,089	4	24,526	98.9	

Invalid responses include no response or multiple responses.

8C. Within the last 12 months, have you been in a relationship that was: Sexually abusive?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	9,007	99	14,045	98	1,055	97	24,107	98.4	
2 Yes	94	1	275	2	29	3	398	1.6	
Valid responses =	9,101	37	14,320	58	1,084	4	24,505	98.8	

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

9A. Within the last thirty days, on how many days did you use: Cigarettes

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include usage frequency from 'Never used' to 'All 30 days'.

Invalid responses include no response or multiple responses.

9B. Within the last thirty days, on how many days did you use: Cigars

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include usage frequency from 'Never used' to 'All 30 days'.

Invalid responses include no response or multiple responses.

9C. Within the last thirty days, on how many days did you use: Smokeless tobacco

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include usage frequency from 'Never used' to 'All 30 days'.

Invalid responses include no response or multiple responses.

9D. Within the last thirty days, on how many days did you use: Alcohol (beer, wine, liquor)

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include usage frequency from 'Never used' to 'All 30 days'.

Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

 American College Health Association
 P.O. Box 28937
 Baltimore, MD 21240-8937
 (410) 859-1500
 www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

9E. Within the last thirty days, on how many days did you use: Marijuana (pot, hash, hash oil)

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never used	5,926	65	9,802	68	725	66	16,453	67.0	
2 Have used, but not in last 30	1,638	18	2,665	19	174	16	4,477	18.2	
3 1 - 2 days	502	6	793	6	55	5	1,350	5.5	
4 3 - 5 days	263	3	345	2	38	4	646	2.6	
5 6 - 9 days	177	2	240	2	27	3	444	1.8	
6 10 - 19 days	225	3	235	2	21	2	481	2.0	
7 20 - 29 days	217	2	157	1	27	3	401	1.6	
8 All 30 days	149	2	112	1	27	3	288	1.2	
Valid responses =	9,097	37	14,349	58	1,094	4	24,540	98.9	

Invalid responses include no response or multiple responses.

9F. Within the last thirty days, on how many days did you use: Cocaine (crack, rock, freebase)

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never used	8,501	93	13,648	95	1,023	93	23,172	94.3	
2 Have used, but not in last 30	449	5	541	4	44	4	1,034	4.2	
3 1 - 2 days	86	1	98	1	15	1	199	0.8	
4 3 - 5 days	38	0	30	0	7	1	75	0.3	
5 6 - 9 days	24	0	17	0	0	0	41	0.2	
6 10 - 19 days	10	0	9	0	2	0	21	0.1	
7 20 - 29 days	1	0	2	0	0	0	3	0.0	
8 All 30 days	8	0	5	0	4	0	17	0.1	
Valid responses =	9,117	37	14,350	58	1,095	4	24,562	99.0	

Invalid responses include no response or multiple responses.

9G. Within the last thirty days, on how many days did you use: Amphetamines (diet pills, speed, meth, crank)

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never used	8,454	93	13,010	91	1,008	92	22,472	91.4	
2 Have used, but not in last 30	445	5	899	6	50	5	1,394	5.7	
3 1 - 2 days	93	1	133	1	7	1	233	0.9	
4 3 - 5 days	45	1	84	1	7	1	136	0.6	
5 6 - 9 days	28	0	63	0	6	1	97	0.4	
6 10 - 19 days	21	0	72	1	10	1	103	0.4	
7 20 - 29 days	9	0	53	0	6	1	68	0.3	
8 All 30 days	25	0	51	0	5	1	81	0.3	
Valid responses =	9,120	37	14,365	58	1,099	4	24,584	99.1	

Invalid responses include no response or multiple responses.

9H. Within the last thirty days, on how many days did you use: Rohypnol (roofies), GHB or Liquid X (intentional use)

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never used	8,931	98	14,212	99	1,081	99	24,224	98.6	
2 Have used, but not in last 30	149	2	144	1	7	1	300	1.2	
3 1 - 2 days	14	0	4	0	2	0	20	0.1	
4 3 - 5 days	5	0	1	0	3	0	9	0.0	
5 6 - 9 days	1	0	0	0	0	0	1	0.0	
6 10 - 19 days	4	0	0	0	1	0	5	0.0	
7 20 - 29 days	3	0	1	0	0	0	4	0.0	
8 All 30 days	6	0	3	0	1	0	10	0.0	
Valid responses =	9,113	37	14,365	58	1,095	4	24,573	99.1	

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

9J. Within the last thirty days, on how many days did you use: MDMA (Ecstasy, XTC, E, X, Adam)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9I. Within the last thirty days, on how many days did you use: Other drugs

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

10A. Within the last thirty days, how often do you think the typical student at your school used: Cigarettes

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

10B. Within the last thirty days, how often do you think the typical student at your school used: Cigars

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

10C. Within the last thirty days, how often do you think the typical student at your school used: Smokeless tobacco

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

10D. Within the last thirty days, how often do you think the typical student at your school used:

Alcohol (beer, wine, liquor)

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never used, 2 One or more days, 3 Used daily, Valid responses =.

Invalid responses include no response or multiple responses.

10E. Within the last thirty days, how often do you think the typical student at your school used:

Marijuana (pot, hash, hash oil)

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never used, 2 One or more days, 3 Used daily, Valid responses =.

Invalid responses include no response or multiple responses.

10F. Within the last thirty days, how often do you think the typical student at your school used:

Cocaine (crack, rock, freebase)

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never used, 2 One or more days, 3 Used daily, Valid responses =.

Invalid responses include no response or multiple responses.

10G. Within the last thirty days, how often do you think the typical student at your school used:

Amphetamines (diet pills, speed, meth, crank)

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never used, 2 One or more days, 3 Used daily, Valid responses =.

Invalid responses include no response or multiple responses.

10H. Within the last thirty days, how often do you think the typical student at your school used:

Rohypnol (roofies), GHB or Liquid X (intentional use)

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never used, 2 One or more days, 3 Used daily, Valid responses =.

Invalid responses include no response or multiple responses.

10J. Within the last thirty days, how often do you think the typical student at your school used:

MDMA (Ecstasy, XTC, E, X, Adam)

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never used, 2 One or more days, 3 Used daily, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

10I. Within the last thirty days, how often do you think the typical student at your school used:

Other drugs

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never used, 2 One or more days, 3 Used daily, Valid responses =. Includes horizontal bar chart for Total column.

Invalid responses include no response or multiple responses.

11A. Within the last thirty days, did you: Drive after drinking any alcohol at all

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Not applicable/Don't drive, 2 Not applicable/Don't drink, 3 No, 4 Yes, Valid responses =. Includes horizontal bar chart for Total column.

Invalid responses include no response or multiple responses.

11B. Within the last thirty days, did you: Drive after having 5 or more drinks

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Not applicable/Don't drive, 2 Not applicable/Don't drink, 3 No, 4 Yes, Valid responses =. Includes horizontal bar chart for Total column.

Invalid responses include no response or multiple responses.

12. The last time you "partied"/socialized, how many hours did you drink alcohol?

Table with columns: Hours, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 0, 1-2, 3-4, 5-6, 7-8, 9-10, 11-12, 13-14, 15-16, GE 17, Valid responses =. Includes horizontal bar chart for Total column.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max. Rows: Male, Female, Overall.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

13. The last time you "partied"/socialized, how many alcoholic drinks did you have?

Table with columns: Drinks, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. and a row for Valid responses=.

Invalid responses include no response or multiple responses.

Summary table with columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

14. In the last two weeks, on how many occasions did you drink the same or more alcohol as indicated in item #13?

Table with columns: Occasions, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. and a row for Valid responses=.

Invalid responses include no response or multiple responses.

Summary table with columns: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06
FREQUENCY REPORT
Number of Surveys (n) = 24,804 Paper & Web Surveys

15. How many alcoholic drinks do you think the typical student at your school had the last time he/she "partied"/socialized?

Drinks	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	503	6	589	4	73	7	1,165	4.9
1-2	548	6	683	5	54	5	1,285	5.4
3-4	2,212	25	3,786	27	211	21	6,209	25.9
5-6	3,014	34	5,241	37	322	32	8,577	35.7
7-8	1,329	15	1,979	14	134	13	3,442	14.3
9-10	928	10	1,323	9	145	15	2,396	10.0
11-12	214	2	198	1	28	3	440	1.8
13-14	31	0	26	0	9	1	66	0.3
15-16	77	1	141	1	11	1	229	1.0
GE 17	78	1	107	1	16	2	201	0.8
Valid responses=	8,934	37	14,073	59	1,003	4	24,010	96.8

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	5.69	5.00	4.15	0	88
Female	5.58	5.00	3.59	0	90
Overall	5.65	5.00	3.89	0	90

16. Think back over the last two weeks. How many times, if any, have you had five or more alcoholic drinks at a sitting?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 None	5,085	56	9,916	69	649	62	15,650	63.9
2 1 time	1,227	14	1,866	13	113	11	3,206	13.1
3 2 times	952	11	1,082	8	93	9	2,127	8.7
4 3 times	557	6	585	4	49	5	1,191	4.9
5 4 times	447	5	372	3	52	5	871	3.6
6 5 times	308	3	198	1	30	3	536	2.2
7 6 times	199	2	135	1	22	2	356	1.5
8 7 times	102	1	71	1	10	1	183	0.7
9 8 times	80	1	42	0	9	1	131	0.5
10 9 or more times	132	2	66	1	24	2	222	0.9
Valid responses=	9,089	37	14,333	59	1,051	4	24,473	98.7

Invalid responses include no response or multiple responses.

17A. During the last 12 months, if you "partied"/socialized, how often did you...

Alternate non-alcoholic with alcoholic beverages

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drink	2,310	25	3,403	24	268	26	5,981	24.5
2 Always	582	6	1,354	10	73	7	2,009	8.2
3 Usually	1,177	13	2,301	16	131	13	3,609	14.8
4 Sometimes	1,708	19	3,082	22	213	21	5,003	20.5
5 Rarely	1,567	17	2,187	15	145	14	3,899	16.0
6 Never	1,738	19	1,977	14	211	20	3,926	16.1
Valid responses=	9,082	37	14,304	59	1,041	4	24,427	98.5

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

17B. During the last 12 months, if you "partied"/socialized, how often did you... Determine, in advance, not to exceed a set number of drinks

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17C. During the last 12 months, if you "partied"/socialized, how often did you... Choose not to drink alcohol

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17D. During the last 12 months, if you "partied"/socialized, how often did you... Use a designated driver

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17E. During the last 12 months, if you "partied"/socialized, how often did you... Eat before and/or during drinking

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

17F. During the last 12 months, if you "partied"/socialized, how often did you... Have a friend let you know when you've had enough

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17G. During the last 12 months, if you "partied"/socialized, how often did you... Keep track of how many drinks you were having

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17H. During the last 12 months, if you "partied"/socialized, how often did you... Pace your drinks to 1 or fewer per hour

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17I. During the last 12 months, if you "partied"/socialized, how often did you... Avoid drinking games

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

17J. During the last 12 months, if you "partied"/socialized, how often did you... Drink an alcohol look-alike (non-alcoholic beer, punch etc.)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

18A. If you drink alcohol, within the last 12 months, have you experienced any of the following as a consequence of your drinking? Physically injured yourself

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

18B. If you drink alcohol, within the last 12 months, have you experienced any of the following as a consequence of your drinking? Physically injured another person

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

18C. If you drink alcohol, within the last 12 months, have you experienced any of the following as a consequence of your drinking? Been involved in a fight

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

18D. If you drink alcohol, within the last 12 months, have you experienced any of the following as a consequence of your drinking? Did something you later regretted

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06
FREQUENCY REPORT
Number of Surveys (n) = 24,804 Paper & Web Surveys

18E. If you drink alcohol, within the last 12 months, have you experienced any of the following as a consequence of your drinking? Forgot where you were or what you did

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drink	2,246	25	3,364	24	264	26	5,874	24.1
2 No	4,721	52	8,025	56	525	51	13,271	54.5
3 Yes	2,081	23	2,891	20	243	24	5,215	21.4
Valid responses =	9,048	37	14,280	59	1,032	4	24,360	98.2

Invalid responses include no response or multiple responses.

18F. If you drink alcohol, within the last 12 months, have you experienced any of the following as a consequence of your drinking? Had someone use force or threat of force to have sex with you

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drink	2,249	25	3,358	24	269	26	5,876	24.1
2 No	6,765	75	10,753	75	742	72	18,260	74.9
3 Yes	44	1	179	1	21	2	244	1.0
Valid responses =	9,058	37	14,290	59	1,032	4	24,380	98.3

Invalid responses include no response or multiple responses.

18G. If you drink alcohol, within the last 12 months, have you experienced any of the following as a consequence of your drinking? Had unprotected sex

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not applicable/Don't drink	2,247	25	3,351	24	263	26	5,861	24.1
2 No	5,672	63	9,525	67	617	60	15,814	65.0
3 Yes	1,132	13	1,378	10	145	14	2,655	10.9
Valid responses =	9,051	37	14,254	59	1,025	4	24,330	98.1

Invalid responses include no response or multiple responses.

19A. Within the last 30 days, what percent of students at your school used?

Percent Cigarettes	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0	73	1	88	1	21	2	182	0.8
1-10	846	10	825	6	66	7	1,737	7.3
11-20	1,356	15	1,491	11	91	10	2,938	12.3
21-30	1,623	18	2,188	16	134	14	3,945	16.5
31-40	1,551	17	1,974	14	140	15	3,665	15.3
41-50	1,355	15	2,560	18	194	20	4,109	17.2
51-60	736	8	1,509	11	83	9	2,328	9.7
61-70	611	7	1,198	9	79	8	1,888	7.9
71-80	582	7	1,470	11	95	10	2,147	9.0
81-90	189	2	589	4	50	5	828	3.5
91-99	29	0	105	1	8	1	142	0.6
Valid responses =	8,951	37	13,997	59	961	4	23,909	96.4

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	39.07	35.00	21.30	0	98
Female	45.74	45.00	22.25	0	98
Overall	43.23	40.00	22.18	0	98



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

19B. Within the last 30 days, what percent of students at your school used?

Table with columns: Percent Alcohol, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. and summary statistics for Valid responses.

Invalid responses include no response or multiple responses.

Summary statistics table for 19B: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

19C. Within the last 30 days, what percent of students at your school used?

Table with columns: Percent Rohypnol or GHB, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. and summary statistics for Valid responses.

Invalid responses include no response or multiple responses.

Summary statistics table for 19C: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

20. Within the last 12 months, with how many partners, if any, have you had sex (oral, vaginal, or anal)?

Table with columns: Partners, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. and summary statistics for Mean, Median, Std Dev, Min, Max.

Invalid responses include no response or multiple responses.

21. Within the last 12 months, were your sexual partner(s), if any,

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. and summary statistics for Mean, Median, Std Dev, Min, Max.

Invalid responses include no response or multiple responses.

22. Within the last 12 months, with how many partners do you think the typical student at your school has had sex (oral, vaginal, or anal)?

Table with columns: Partners, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. and summary statistics for Mean, Median, Std Dev, Min, Max.


Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org


02/07/06
FREQUENCY REPORT
Number of Surveys (n) = 24,804 Paper & Web Surveys

23A. Within the last 30 days, if you are sexually active, how many times did you have: Oral sex?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never did this sexual activity	2,475	28	4,004	29	275	29	6,754	28.2	
2 Have not done this during last	2,318	26	3,544	25	251	26	6,113	25.5	
3 1-2 times	1,495	17	2,412	17	152	16	4,059	17.0	
4 3-4 times	918	10	1,481	11	97	10	2,496	10.4	
5 5-6 times	592	7	964	7	55	6	1,611	6.7	
6 7-8 times	326	4	514	4	37	4	877	3.7	
7 9-10 times	238	3	401	3	32	3	671	2.8	
8 11 or more times	575	6	712	5	65	7	1,352	5.6	
Valid responses =	8,937	37	14,032	59	964	4	23,933	96.5	


Invalid responses include no response or multiple responses.

23B. Within the last 30 days, if you are sexually active, how many times did you have: Vaginal intercourse?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never did this sexual activity	2,996	34	4,368	31	315	33	7,679	32.2	
2 Have not done this during last	1,857	21	2,530	18	179	19	4,566	19.1	
3 1-2 times	825	9	1,392	10	95	10	2,312	9.7	
4 3-4 times	705	8	1,235	9	70	7	2,010	8.4	
5 5-6 times	568	6	1,018	7	74	8	1,660	7.0	
6 7-8 times	426	5	841	6	50	5	1,317	5.5	
7 9-10 times	409	5	736	5	49	5	1,194	5.0	
8 11 or more times	1,126	13	1,881	13	132	14	3,139	13.1	
Valid responses =	8,912	37	14,001	59	964	4	23,877	96.3	


Invalid responses include no response or multiple responses.

23C. Within the last 30 days, if you are sexually active, how many times did you have: Anal intercourse?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never did this sexual activity	6,442	73	10,911	78	726	76	18,079	76.1	
2 Have not done this during last	1,874	21	2,480	18	172	18	4,526	19.0	
3 1-2 times	340	4	419	3	26	3	785	3.3	
4 3-4 times	83	1	66	1	9	1	158	0.7	
5 5-6 times	40	1	30	0	5	1	75	0.3	
6 7-8 times	21	0	15	0	4	0	40	0.2	
7 9-10 times	17	0	9	0	2	0	28	0.1	
8 11 or more times	44	1	21	0	7	1	72	0.3	
Valid responses =	8,861	37	13,951	59	951	4	23,763	95.8	

Invalid responses include no response or multiple responses.

24A. How many times within the last 30 days do you think the typical student at your school has had: Oral sex?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 0 times	575	7	516	4	60	7	1,151	4.9	
2 1-2 times	3,216	36	3,729	27	263	28	7,208	30.5	
3 3-4 times	2,426	27	3,811	28	224	24	6,461	27.4	
4 5-6 times	1,321	15	2,717	20	155	17	4,193	17.8	
5 7-8 times	638	7	1,344	10	99	11	2,081	8.8	
6 9-10 times	271	3	696	5	42	5	1,009	4.3	
7 11 or more times	414	5	1,007	7	86	9	1,507	6.4	
Valid responses =	8,861	38	13,820	59	929	4	23,610	95.2	

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

24B. How many times within the last 30 days do you think the typical student at your school has had: Vaginal intercourse?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 0 times, 2 1-2 times, 3 3-4 times, 4 5-6 times, 5 7-8 times, 6 9-10 times, 7 11 or more times, Valid responses =.

Invalid responses include no response or multiple responses.

24C. How many times within the last 30 days do you think the typical student at your school has had: Anal intercourse?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 0 times, 2 1-2 times, 3 3-4 times, 4 5-6 times, 5 7-8 times, 6 9-10 times, 7 11 or more times, Valid responses =.

Invalid responses include no response or multiple responses.

25A. Within the last 30 days, if you are sexually active, how often did you or your partner(s) use a condom during: Oral sex?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never did this sexual activity, 2 Have not done this during last, 3 Never, 4 Rarely, 5 Sometimes, 6 Mostly, 7 Always, Valid responses =.

Invalid responses include no response or multiple responses.

25B. Within the last 30 days, if you are sexually active, how often did you or your partner(s) use a condom during: Vaginal intercourse?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never did this sexual activity, 2 Have not done this during last, 3 Never, 4 Rarely, 5 Sometimes, 6 Mostly, 7 Always, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

25C. Within the last 30 days, if you are sexually active, how often did you or your partner(s) use a condom during:

Anal intercourse?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

26A. Within the last 30 days, how often do you think the typical student at your school has used a condom during:

Oral sex?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

26B. Within the last 30 days, how often do you think the typical student at your school has used a condom during:

Vaginal sex?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

26C. Within the last 30 days, how often do you think the typical student at your school has used a condom during:

Anal sex?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.





Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org





02/07/06
FREQUENCY REPORT
Number of Surveys (n) = 24,804 Paper & Web Surveys

27A. If you are sexually active, did you use a condom the last time you had:

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never did this sexual activity	2,443	28	4,040	29	262	29	6,745	28.5	
2 No	6,062	68	9,464	68	609	66	16,135	68.1	
3 Yes	291	3	323	2	41	5	655	2.8	
4 Don't know/Don't remember	77	1	69	1	8	1	154	0.7	
Valid responses =	8,873	37	13,896	59	920	4	23,689	95.5	





Invalid responses include no response or multiple responses.

27B. If you are sexually active, did you use a condom the last time you had:

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never did this sexual activity	3,039	34	4,356	31	304	33	7,699	32.5	
2 No	2,476	28	4,651	34	276	30	7,403	31.3	
3 Yes	3,239	37	4,802	35	331	36	8,372	35.4	
4 Don't know/Don't remember	111	1	80	1	10	1	201	0.8	
Valid responses =	8,865	37	13,889	59	921	4	23,675	95.4	












Invalid responses include no response or multiple responses.

27C. If you are sexually active, did you use a condom the last time you had:

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Never did this sexual activity	6,937	79	11,395	82	706	78	19,038	80.7	
2 No	1,190	14	1,834	13	139	15	3,163	13.4	
3 Yes	619	7	524	4	48	5	1,191	5.1	
4 Don't know/Don't remember	91	1	85	1	12	1	188	0.8	
Valid responses =	8,837	37	13,838	59	905	4	23,580	95.1	





Invalid responses include no response or multiple responses.

28. If you have had vaginal intercourse, what method did you or your partner use to prevent pregnancy the last time?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Have not had vaginal	2,315	25	3,693	26	238	20	6,246	25.2	
2 Birth control pills	3,090	34	5,330	37	314	26	8,734	35.2	
3 Depo Provera (shots)	146	2	335	2	20	2	501	2.0	
4 Norplant (implant)	29	0	12	0	2	0	43	0.2	
5 Condoms (male or female)	3,508	38	5,254	36	344	29	9,106	36.7	
6 Diaphragm/Cervical	35	0	44	0	3	0	82	0.3	
7 Spermicide (e.g. foam)	381	4	424	3	22	2	827	3.3	
8 Fertility awareness	241	3	369	3	17	1	627	2.5	
9 Withdrawal	1,235	14	2,279	16	137	11	3,651	14.7	
10 Other method	244	3	608	4	43	4	895	3.6	
11 Nothing	456	5	538	4	62	5	1,056	4.3	

Valid responses = all responses and blanks: since multiple responses were possible, more than 100% may be included.

29. Within the last 12 months, if you are sexually active, have you or your partner(s) used emergency contraception ("morning after pill")?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	5,069	57	8,636	62	552	61	14,257	60.0	
2 Yes	502	6	1,095	8	62	7	1,659	7.0	
3 Don't know	552	6	55	0	36	4	643	2.7	
4 Not sexually active	2,727	31	4,205	30	262	29	7,194	30.3	
Valid responses =	8,850	37	13,991	59	912	4	23,753	95.8	

Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06
FREQUENCY REPORT
Number of Surveys (n) = 24,804 Paper & Web Surveys

30. Within the last 12 months, have you unintentionally become pregnant or gotten someone else pregnant?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
Not had vaginal intercourse in	2,741	31	4,055	29	242	26	7,038	29.6	
1 No	5,809	66	9,652	69	632	69	16,093	67.6	
2 Yes	159	2	247	2	21	2	427	1.8	
3 Don't know	164	2	72	1	23	3	259	1.1	
Valid responses =	8,873	37	14,026	59	918	4	23,817	96.0	

Invalid responses include no response or multiple responses.

31. Have you ever been tested for HIV infection?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 No	6,521	72	9,677	68	607	65	16,805	69.6	
2 Yes	2,097	23	3,868	27	279	30	6,244	25.9	
3 Don't know	406	5	648	5	44	5	1,098	4.5	
Valid responses =	9,024	37	14,193	59	930	4	24,147	97.4	

Invalid responses include no response or multiple responses.

32. Which of the following best describes you?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 Heterosexual	8,544	95	13,484	95	738	94	22,766	94.9	
2 Gay/Lesbian	240	3	134	1	13	2	387	1.6	
3 Bisexual	113	1	356	3	16	2	485	2.0	
4 Transgendered	9	0	12	0	5	1	26	0.1	
5 Unsure	103	1	197	1	15	2	315	1.3	
Valid responses =	9,009	38	14,183	59	787	3	23,979	96.7	

Invalid responses include no response or multiple responses.

**33. If you have a credit card(s) how much total credit card debt did you carry last month?
That is, what was the total unpaid balance on all of your credit cards (that you are responsible for paying)?**

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 None, I don't have credit	3,381	38	5,585	40	331	43	9,297	39.2	
2 None, I pay the full amount	3,153	36	4,322	31	213	28	7,688	32.4	
3 \$1 - \$99	217	2	371	3	16	2	604	2.5	
4 \$100 - \$249	312	4	571	4	33	4	916	3.9	
5 \$250 - \$499	307	4	614	4	36	5	957	4.0	
6 \$500 - \$999	363	4	632	5	29	4	1,024	4.3	
7 \$1,000 - \$1,999	361	4	607	4	32	4	1,000	4.2	
8 \$2,000 - \$2,999	208	2	375	3	24	3	607	2.6	
9 \$3,000 - \$3,999	131	2	227	2	13	2	371	1.6	
10 \$4,000 - \$4,999	96	1	152	1	10	1	258	1.1	
11 \$5,000 - \$5,999	65	1	125	1	9	1	199	0.8	
12 \$6,000 or more	297	3	477	3	27	4	801	3.4	
Valid responses =	8,891	37	14,058	59	773	3	23,722	95.6	

Invalid responses include no response or multiple responses.

34. What is your approximate cumulative grade average?

	Male		Female		Unknown		Total		
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	
1 A	2,899	33	5,012	36	263	34	8,174	34.4	
2 B	4,097	46	6,541	46	363	48	11,001	46.3	
3 C	1,317	15	1,687	12	117	15	3,121	13.1	
4 D/F	57	1	68	1	5	1	130	0.5	
5 N/A	518	6	791	6	17	2	1,326	5.6	
Valid responses =	8,888	37	14,099	59	765	3	23,752	95.8	

Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06
FREQUENCY REPORT
Number of Surveys (n) = 24,804 Paper & Web Surveys

35. How do you describe your weight?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Very underweight	137	2	102	1	10	1	249	1.0
2 Slightly underweight	1,293	14	1,130	8	108	12	2,531	10.5
3 About the right weight	4,745	53	7,397	52	494	54	12,636	52.4
4 Slightly overweight	2,550	29	4,939	35	265	29	7,754	32.2
5 Very overweight	238	3	646	5	46	5	930	3.9
Valid responses =	8,963	37	14,214	59	923	4	24,100	97.2

Invalid responses include no response or multiple responses.

36. Are you trying to do any of the following about your weight?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 I am not trying to do anything	2,044	23	2,034	14	149	16	4,227	17.6
2 Stay the same weight	2,453	27	3,615	26	237	26	6,305	26.2
3 Lose weight	2,844	32	8,184	58	443	48	11,471	47.7
4 Gain weight	1,620	18	353	3	92	10	2,065	8.6
Valid responses =	8,961	37	14,186	59	921	4	24,068	97.0

Invalid responses include no response or multiple responses.

37. Within the last 30 days, did you do any of the following?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Exercise to lose weight	3,835	42	8,403	58	508	42	12,746	51.4
2 Diet to lose weight	1,826	20	5,623	39	302	25	7,751	31.2
3 Vomit or take laxatives to lose	53	1	497	3	22	2	572	2.3
4 Take diet pills to lose weight	170	2	788	6	51	4	1,009	4.1
5 I didn't do any of the above	4,757	52	4,836	34	362	30	9,955	40.1

Valid responses = all responses and blanks: since multiple responses were possible, more than 100% may be included.

38. How many servings of fruits and vegetables do you usually have per day?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 I don't eat fruits and veg.	517	6	487	3	37	4	1,041	4.3
2 1-2	5,879	66	8,569	60	589	64	15,037	62.5
3 3-4	2,082	23	4,245	30	241	26	6,568	27.3
4 5 or more	468	5	899	6	50	6	1,417	5.9
Valid responses =	8,946	37	14,200	59	917	4	24,063	97.0

Invalid responses include no response or multiple responses.

39A. On how many of the past 7 days did you:

Participate in vigorous exercise for at least 20 minutes or moderate exercise for at least 30 minutes?

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 0 days	2,129	24	4,493	31	245	26	6,867	28.3
2 1 day	1,436	16	2,234	16	137	15	3,807	15.7
3 2 days	1,664	18	2,394	17	165	18	4,223	17.4
4 3 days	1,432	16	2,095	15	135	14	3,662	15.1
5 4 days	827	9	1,195	8	71	8	2,093	8.6
6 5 days	740	8	944	7	89	10	1,773	7.3
7 6 days	440	5	568	4	54	6	1,062	4.4
8 7 days	382	4	375	3	44	5	801	3.3
Valid responses =	9,050	37	14,298	59	940	4	24,288	97.9

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

39B. On how many of the past 7 days did you:

Do exercises to strength or tone your muscles, such as push-ups, sit-ups, or weight lifting?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 0 days, 2 1 day, 3 2 days, 4 3 days, 5 4 days, 6 5 days, 7 6 days, 8 7 days, Valid responses =.

Invalid responses include no response or multiple responses.

39C. On how many of the past 7 days did you:

Get enough sleep so that you felt rested when you woke up in the morning?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 0 days, 2 1 day, 3 2 days, 4 3 days, 5 4 days, 6 5 days, 7 6 days, 8 7 days, Valid responses =.

Invalid responses include no response or multiple responses.

40A. Within the last 12 months how many times have you:

Felt things were hopeless

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never, 2 1 - 2 times, 3 3 - 4 times, 4 5 - 6 times, 5 7 - 8 times, 6 9 - 10 times, 7 11 or more times, Valid responses =.

Invalid responses include no response or multiple responses.

40B. Within the last 12 months how many times have you:

Felt overwhelmed by all you had to do

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never, 2 1 - 2 times, 3 3 - 4 times, 4 5 - 6 times, 5 7 - 8 times, 6 9 - 10 times, 7 11 or more times, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

40C. Within the last 12 months how many times have you: Felt exhausted (not from physical activity)

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include frequency categories from '1 Never' to '7 11 or more times' and 'Valid responses ='. Includes a horizontal bar chart for the Total Pct. column.

Invalid responses include no response or multiple responses.

40D. Within the last 12 months how many times have you: Felt very sad

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include frequency categories from '1 Never' to '7 11 or more times' and 'Valid responses ='. Includes a horizontal bar chart for the Total Pct. column.

Invalid responses include no response or multiple responses.

40E. Within the last 12 months how many times have you: Felt so depressed that it was difficult to function

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include frequency categories from '1 Never' to '7 11 or more times' and 'Valid responses ='. Includes a horizontal bar chart for the Total Pct. column.

Invalid responses include no response or multiple responses.

40F. Within the last 12 months how many times have you: Seriously considered attempting suicide

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include frequency categories from '1 Never' to '7 11 or more times' and 'Valid responses ='. Includes a horizontal bar chart for the Total Pct. column.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

40G. Within the last 12 months how many times have you:

Attempted suicide

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Never, 2 1 - 2 times, 3 3 - 4 times, 4 5 - 6 times, 5 7 - 8 times, 6 9 - 10 times, 7 11 or more times, Valid responses =.

Invalid responses include no response or multiple responses.

41. Have you ever been diagnosed with depression?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Yes, 2 No, Valid responses =.

Invalid responses include no response or multiple responses.

41A. If yes to # 41:

Have you been diagnosed with depression within the last 12 months?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

41B. If yes to # 41:

Are you currently in therapy for depression?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

41C. If yes to # 41:

Are you currently taking medication for depression?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

42A. Have you:

Been vaccinated against hepatitis B?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

42B. Have you:

Been vaccinated against meningococcal disease (meningococcal meningitis)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42C. Have you:

Been vaccinated against varicella (chicken pox)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42D. Have you:

Been vaccinated with measles, mumps, rubella (2 shots)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42E. Have you:

Been vaccinated against influenza (the flu) in the last year?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42F. Have you:

Had a dental exam and cleaning in the last year?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

42G. Have you:

(Males) Performed testicular self exam in the last month?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

42H. Have you:

(Females) Performed breast self exam in the last month?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

42I. Have you:

(Females) had a routine gynecological exam in the last year?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

42J. Have you:

Had your blood pressure checked in the last 2 years?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

42K. Have you:

Had your cholesterol checked in the last 5 years?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

42L. Have you:

Used sunscreen daily?

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A1. Within the last 12 months, have you had any of the following?

Allergy problems

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A2. Within the last 12 months, have you had any of the following?

Anorexia

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A3. Within the last 12 months, have you had any of the following?

Anxiety Disorder

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A4. Within the last 12 months, have you had any of the following?

Asthma

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A5. Within the last 12 months, have you had any of the following?

Bulimia

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

43A6. Within the last 12 months, have you had any of the following?

Chronic Fatigue Syndrome

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A7. Within the last 12 months, have you had any of the following?

Depression

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A8. Within the last 12 months, have you had any of the following?

Diabetes

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A9. Within the last 12 months, have you had any of the following?

Endometriosis

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A10. Within the last 12 months, have you had any of the following?

Genital herpes

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A11. Within the last 12 months, have you had any of the following?

Genital warts/HPV

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

43A12. Within the last 12 months, have you had any of the following?

Hepatitis B or C

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A13. Within the last 12 months, have you had any of the following?

High blood pressure

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A14. Within the last 12 months, have you had any of the following?

High cholesterol

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A15. Within the last 12 months, have you had any of the following?

HIV infection

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A16. Within the last 12 months, have you had any of the following?

Repetitive stress injury (e.g. carpal tunnel syndrome)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A17. Within the last 12 months, have you had any of the following?

Seasonal Affective Disorder

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

43A18. Within the last 12 months, have you had any of the following?

Substance abuse problem

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A19. Within the last 12 months, have you had any of the following?

Back pain

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A20. Within the last 12 months, have you had any of the following?

Broken bone/fracture

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A21. Within the last 12 months, have you had any of the following?

Bronchitis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A22. Within the last 12 months, have you had any of the following?

Chlamydia

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A23. Within the last 12 months, have you had any of the following?

Ear infection

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

43A24. Within the last 12 months, have you had any of the following?

Gonorrhea

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A25. Within the last 12 months, have you had any of the following?

Mononucleosis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A26. Within the last 12 months, have you had any of the following?

Pelvic Inflammatory Disease

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A27. Within the last 12 months, have you had any of the following?

Sinus infection

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A28. Within the last 12 months, have you had any of the following?

Strep throat

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A29. Within the last 12 months, have you had any of the following?

Tuberculosis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

43B1. Have you ever been diagnosed with any of the following?

Allergy problems

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B2. Have you ever been diagnosed with any of the following?

Anorexia

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B3. Have you ever been diagnosed with any of the following?

Anxiety Disorder

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B4. Have you ever been diagnosed with any of the following?

Asthma

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B5. Have you ever been diagnosed with any of the following?

Bulimia

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B6. Have you ever been diagnosed with any of the following?

Chronic Fatigue Syndrome

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

43B7. Have you ever been diagnosed with any of the following?

Depression

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B8. Have you ever been diagnosed with any of the following?

Diabetes

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B9. Have you ever been diagnosed with any of the following?

Endometriosis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B10. Have you ever been diagnosed with any of the following?

Gential herpes

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B11. Have you ever been diagnosed with any of the following?

Gential warts/HPV

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B12. Have you ever been diagnosed with any of the following?

Hepatitis B or C

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

43B13. Have you ever been diagnosed with any of the following?

High blood pressure

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B14. Have you ever been diagnosed with any of the following?

High cholesterol

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B15. Have you ever been diagnosed with any of the following?

HIV infection

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B16. Have you ever been diagnosed with any of the following?

Repetitive stress injury (e.g. carpal tunnel syndrome)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B17. Have you ever been diagnosed with any of the following?

Seasonal Affective Disorder

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B18. Have you ever been diagnosed with any of the following?

Substance abuse problem

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

43B19. Have you ever been diagnosed with any of the following?

Back pain

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B20. Have you ever been diagnosed with any of the following?

Broken bone/fracture

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B21. Have you ever been diagnosed with any of the following?

Bronchitis

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B22. Have you ever been diagnosed with any of the following?

Chlamydia

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B23. Have you ever been diagnosed with any of the following?

Ear infection

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

43B24. Have you ever been diagnosed with any of the following?

Gonorrhea

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B25. Have you ever been diagnosed with any of the following?

Mononucleosis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B26. Have you ever been diagnosed with any of the following?

Pelvic Inflammatory Disease

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B27. Have you ever been diagnosed with any of the following?

Sinus infection

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B28. Have you ever been diagnosed with any of the following?

Strep throat

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B29. Have you ever been diagnosed with any of the following?

Tuberculosis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

44A. Within the last 12 months, have any of the following affected your academic performance?

Alcohol use

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'Not happen to me/not N/A', 'Exprd academics not affected', 'Received lower grade exam', 'Received lower grade course', 'Received incomplete/dropped', and 'Valid responses ='. Includes horizontal bar charts for total percentages.

Invalid responses include no response or multiple responses.

44B. Within the last 12 months, have any of the following affected your academic performance?

Allergies

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'Not happen to me/not N/A', 'Exprd academics not affected', 'Received lower grade exam', 'Received lower grade course', 'Received incomplete/dropped', and 'Valid responses ='. Includes horizontal bar charts for total percentages.

Invalid responses include no response or multiple responses.

44C. Within the last 12 months, have any of the following affected your academic performance?

Assault (physical)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'Not happen to me/not N/A', 'Exprd academics not affected', 'Received lower grade exam', 'Received lower grade course', 'Received incomplete/dropped', and 'Valid responses ='. Includes horizontal bar charts for total percentages.

Invalid responses include no response or multiple responses.

44D. Within the last 12 months, have any of the following affected your academic performance?

Assault (sexual)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'Not happen to me/not N/A', 'Exprd academics not affected', 'Received lower grade exam', 'Received lower grade course', 'Received incomplete/dropped', and 'Valid responses ='. Includes horizontal bar charts for total percentages.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

44E. Within the last 12 months, have any of the following affected your academic performance?

Attention Deficit Disorder

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44F. Within the last 12 months, have any of the following affected your academic performance?

Cold/Flu/Sore throat

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44G. Within the last 12 months, have any of the following affected your academic performance?

Concern for a troubled friend or family member

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44H. Within the last 12 months, have any of the following affected your academic performance?

Chronic illness (diabetes, asthma, etc.)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

44I. Within the last 12 months, have any of the following affected your academic performance?

Chronic pain

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44J. Within the last 12 months, have any of the following affected your academic performance?

Death of a friend or family member

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44K. Within the last 12 months, have any of the following affected your academic performance?

Depression/Anxiety Disorder/Seasonal Affective Disorder

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44L. Within the last 12 months, have any of the following affected your academic performance?

Drug use

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

44M. Within the last 12 months, have any of the following affected your academic performance?

Eating disorder/problem

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44N. Within the last 12 months, have any of the following affected your academic performance?

HIV Infection

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44O. Within the last 12 months, have any of the following affected your academic performance?

Injury

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44P. Within the last 12 months, have any of the following affected your academic performance?

Internet use/computer games

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

44Q. Within the last 12 months, have any of the following affected your academic performance?

Learning disability

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =.

Invalid responses include no response or multiple responses.

44R. Within the last 12 months, have any of the following affected your academic performance?

Mononucleosis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =.

Invalid responses include no response or multiple responses.

44S. Within the last 12 months, have any of the following affected your academic performance?

Pregnancy (yours or your partner's)

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =.

Invalid responses include no response or multiple responses.

44T. Within the last 12 months, have any of the following affected your academic performance?

Relationship difficulty

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

44U. Within the last 12 months, have any of the following affected your academic performance?

Sexually transmitted disease

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =

Invalid responses include no response or multiple responses.

44V. Within the last 12 months, have any of the following affected your academic performance?

Sinus infection/ear infection/bronchitis/strep throat

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =

Invalid responses include no response or multiple responses.

44W. Within the last 12 months, have any of the following affected your academic performance?

Sleep difficulties

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =

Invalid responses include no response or multiple responses.

44X. Within the last 12 months, have any of the following affected your academic performance?

Stress

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =

Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06
FREQUENCY REPORT
Number of Surveys (n) = 24,804 Paper & Web Surveys

44Y. Within the last 12 months, have any of the following affected your academic performance?

Other

	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Not happen to me/not N/A	5,702	84	8,190	81	260	87	14,152	82.4
2 Exprd academics not affected	617	9	964	10	25	8	1,606	9.3
3 Received lower grade exam	283	4	570	6	7	2	860	5.0
4 Received lower grade course	146	2	250	3	3	1	399	2.3
5 Received incomplete/dropped	50	1	114	1	3	1	167	1.0
Valid responses =	6,798	40	10,088	59	298	2	17,184	69.3

Invalid responses include no response or multiple responses.

45. How old are you?

Age (Years)	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
18	2,023	22	3,383	24	182	28	5,588	23.3
19	1,407	16	2,325	16	102	16	3,834	16.0
20	1,377	15	2,529	18	91	14	3,997	16.7
21	1,121	12	1,806	13	70	11	2,997	12.5
22	685	8	963	7	45	7	1,693	7.1
23	451	5	616	4	31	5	1,098	4.6
24	333	4	460	3	15	2	808	3.4
25	319	4	373	3	11	2	703	2.9
26	227	3	285	2	12	2	524	2.2
27	208	2	228	2	8	1	444	1.9
28	162	2	180	1	4	1	346	1.4
29	121	1	143	1	6	1	270	1.1
30	95	1	110	1	6	1	211	0.9
31	68	1	70	1	1	0	139	0.6
GE 32	478	5	780	6	57	9	1,315	5.5
Valid responses =	9,075	38	14,251	59	641	3	23,967	96.6

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	21.95	20.00	5.61	18	86
Female	21.72	20.00	5.74	18	87
Overall	21.82	20.00	5.76	18	93

46. What is your sex?

	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 Female	0	0	14,423	100	1,209	100	14,423	61.1
2 Male	9,172	100	0	0	0	0	9,172	38.9
Valid responses =	9,172	39	0	0	1,209	5	23,595	95.1

Invalid responses include no response or multiple responses.

**American College Health Association-National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Fall 2004**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06
FREQUENCY REPORT
Number of Surveys (n) = 24,804 Paper & Web Surveys

47. Height in inches?

Inches	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
low-36	0	0	0	0	0	0	0	0.0
37-48	1	0	6	0	0	0	7	0.0
49-60	10	0	654	5	12	2	676	2.8 ▯
61-72	6,663	74	13,456	95	493	87	20,612	86.6 ▯
73-84	2,331	26	85	1	63	11	2,479	10.4 ▯
GE 85	8	0	11	0	2	0	21	0.1 ▯
Valid responses =	9,013	38	14,212	60	570	2	23,795	95.9

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	70.68	71.00	3.05	48	96
Female	64.99	65.00	2.97	39	94
Overall	67.20	67.00	4.09	39	96

48. What is your weight in pounds?

Pounds	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
0-50	0	0	0	0	0	0	0	0.0
51-100	17	0	461	3	5	1	483	2.0 ▯
101-150	2,316	26	10,210	72	357	55	12,883	54.2 ▯
151-200	5,091	56	2,861	20	227	35	8,179	34.4 ▯
201-250	1,320	15	441	3	49	8	1,810	7.6 ▯
251-300	235	3	106	1	13	2	354	1.5 ▯
301-350	34	0	13	0	2	0	49	0.2 ▯
351-400	11	0	5	0	0	0	16	0.1 ▯
401-450	0	0	1	0	0	0	1	0.0
GE 451	1	0	0	0	0	0	1	0.0
Valid responses =	9,025	38	14,098	59	653	3	23,776	95.9

Invalid responses include no response or multiple responses.

	Mean	Median	Std Dev	Min	Max
Male	175.17	170.00	34.82	55	480
Female	140.20	135.00	30.46	53	412
Overall	153.91	147.00	36.48	53	480

49. Year in school:

	Male		Female		Unknown		Total	
	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.	Freq.	Pct.
1 1st year undergraduate	2,620	30	3,928	28	223	36	6,771	28.7 ▯
2 2nd year undergraduate	1,456	16	2,407	17	106	17	3,969	16.8 ▯
3 3rd year undergraduate	1,715	19	3,056	22	108	17	4,879	20.7 ▯
4 4th year undergraduate	1,190	13	1,996	14	68	11	3,254	13.8 ▯
5 5th year or more undergraduate	510	6	586	4	35	6	1,131	4.8 ▯
6 Graduate or professional	1,298	15	1,908	14	74	12	3,280	13.9 ▯
7 Adult special	41	1	60	0	3	1	104	0.4 ▯
8 Other	59	1	106	1	9	1	174	0.7 ▯
Valid responses =	8,889	38	14,047	60	626	3	23,562	95.0

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

50. Are you a full-time student?

Table with 8 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 Yes, 2 No, and Valid responses =.

Invalid responses include no response or multiple responses.

51. How do you usually describe yourself?

Table with 8 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include White - not Hispanic, Black - not Hispanic, Hispanic or Latino, Asian or Pacific Islander, American Indian or Alaskan, Other, and Valid responses =.

52. Are you an international student?

Table with 8 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 Yes, 2 No, and Valid responses =.

Invalid responses include no response or multiple responses.

53. What is your current relationship status?

Table with 8 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 Single, 2 Married/domestic partner, 3 Engaged or committed dating, 4 Separated, 5 Divorced, 6 Widowed, and Valid responses =.

Invalid responses include no response or multiple responses.

54. Where do you currently live?

Table with 8 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 Campus residence hall, 2 Fraternity or sorority house, 3 Other university/college, 4 Off-campus housing, 5 Parent/guardian's home, 6 Other, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association-National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Fall 2004

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

02/07/06

FREQUENCY REPORT

Number of Surveys (n) = 24,804 Paper & Web Surveys

55. Are you a member of a social fraternity or sorority?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 Yes, 2 No, and Valid responses =.

Invalid responses include no response or multiple responses.

56. How many hours a week do you work for pay?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 0 hours, 2 1 - 9 hours, 3 10 - 19 hours, 4 20 - 29 hours, 5 30 - 39 hours, 6 40 hours, 7 more than 40 hours, and Valid responses =.

Invalid responses include no response or multiple responses.

57. How many hours a week do you volunteer?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 0 hours, 2 1 - 9 hours, 3 10 - 19 hours, 4 20 - 29 hours, 5 30 - 39 hours, 6 40 hours, 7 more than 40 hours, and Valid responses =.

Invalid responses include no response or multiple responses.

58. Do you have any kind of health insurance (including prepaid plans such as HMOs - health maintenance organizations)?

Table with 9 columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 Yes, 2 No, 3 Not sure, and Valid responses =.

Invalid responses include no response or multiple responses.