



Reference Group Report

Spring 2003

**American College Health Association
National College Health Assessment**



ACHA-NCHA

Reference Group Report

Spring 2003

American College Health Association
National College Health Assessment



ACHA-NCHA

The NCHA supports the health of the campus community by fulfilling the academic mission, supporting short- and long-term healthy behaviors, and gaining a current profile of health trends within the campus community.

Suggested citation for this document: American College Health Association. National College Health Assessment: Reference Group Report Spring 2003. Baltimore: American College Health Association; 2003.

National College Health Assessment Spring 2003: Demographics of Participating Colleges and Universities

Thirty seven US postsecondary institutions self-selected to participate in the Spring 2003 National College Health Assessment and 20,724 surveys were completed by students on these campuses. For the purpose of this study, only those institutions that used a random sampling technique will be included in the analysis, yielding a final data set consisting of 19,497 students on 33 campuses. Demographic characteristics of the 33 campuses follow:

| | |
|---------|----|
| Public | 20 |
| Private | 13 |

| | |
|--------|----|
| 4-year | 32 |
| 2-year | 1 |

| | |
|-------------------------|----|
| ACHA Member Institution | 33 |
| Non-member Institution | 0 |

| Carnegie Classification | |
|--|----|
| Doctoral/Research Universities Extensive | 11 |
| Doctoral /Research Universities Intensive | 4 |
| Masters Colleges and Universities I and II | 10 |
| Baccalaureate | 8 |
| Associate Colleges | 0 |

| Geographical Location | |
|--|----|
| Northeast (CT, ME, MA, NH, NJ, NY, PA, RI, VT) | 6 |
| Midwest (IL, IN, IA, KS, MI, MN, MO, NE, ND, OH, SD, WI) | 12 |
| South (AL, AR, DE, DC, FL, GA, KY, LA, MD, MS, NC, OK, SC, TN, TX, VA, WV) | 5 |
| West (AK, AZ, CA, CO, HI, ID, MT, NV, NM, OR, UT, WA, WY) | 10 |

| Campus Setting | |
|---------------------------|----|
| Urban > 1,000,000 | 5 |
| Urban 100,000 – 1,000,000 | 13 |
| Suburban | 4 |
| Rural | 11 |
| Other | 0 |

| Campus Size | |
|-----------------|----|
| < 2,500 | 5 |
| 2,500 – 4,999 | 2 |
| 5,000 – 9,999 | 9 |
| 10,000 – 19,999 | 5 |
| > = 20,000 | 12 |

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org







June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497













Surveys

1. Considering your age, how would you describe your general health?

| | Male | | Female | | Unknown | | Total | | |
|--------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Excellent | 1,297 | 22 | 1,925 | 16 | 201 | 18 | 3,423 | 17.7 |  |
| 2 Very good | 2,666 | 45 | 5,614 | 46 | 442 | 40 | 8,722 | 45.0 |  |
| 3 Good | 1,608 | 27 | 3,820 | 31 | 360 | 33 | 5,788 | 29.9 |  |
| 4 Fair | 335 | 6 | 827 | 7 | 87 | 8 | 1,249 | 6.4 |  |
| 5 Poor | 51 | 1 | 94 | 1 | 5 | 1 | 150 | 0.8 |  |
| 6 Don't know | 13 | 0 | 37 | 0 | 2 | 0 | 52 | 0.3 |  |
| Number = | 5,970 | 31 | 12,317 | 64 | 1,097 | 6 | 19,384 | 99.4 | |

Invalid responses include no response or multiple responses.




2. On which of the following health topics have you ever received information from your college or university?

| | Male | | Female | | Unknown | | Total | | |
|------------------------------------|-------|------|--------|------|---------|------|-------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Tobacco use prevention | 1,746 | 29 | 2,984 | 24 | 321 | 28 | 5,051 | 25.9 |  |
| 2 Alcohol and other drug use | 3,187 | 53 | 6,001 | 49 | 549 | 47 | 9,737 | 49.9 |  |
| 3 Sexual assault/relationship | 2,567 | 43 | 5,818 | 47 | 480 | 42 | 8,865 | 45.5 |  |
| 4 Violence prevention | 1,210 | 20 | 2,648 | 21 | 195 | 17 | 4,053 | 20.8 |  |
| 5 Injury prevention and safety | 889 | 15 | 1,505 | 12 | 143 | 12 | 2,537 | 13.0 |  |
| 6 Suicide prevention | 750 | 13 | 1,363 | 11 | 117 | 10 | 2,230 | 11.4 |  |
| 7 Pregnancy prevention | 1,409 | 24 | 3,720 | 30 | 299 | 26 | 5,428 | 27.8 |  |
| 8 AIDS or HIV infection | 2,040 | 34 | 3,720 | 30 | 372 | 32 | 6,132 | 31.5 |  |
| 9 Sexually transmitted disease | 2,438 | 41 | 4,830 | 39 | 436 | 38 | 7,704 | 39.5 |  |
| 10 Dietary behaviors and nutrition | 1,592 | 27 | 4,127 | 33 | 290 | 25 | 6,009 | 30.8 |  |
| 11 Physical activity and fitness | 2,058 | 34 | 4,322 | 35 | 354 | 31 | 6,734 | 34.5 |  |
| 12 None of the above | 1,511 | 25 | 2,814 | 23 | 284 | 25 | 4,609 | 23.6 |  |

Valid responses = all responses and blanks: since multiple responses were possible, more than 100% may be included.

3A. Believability of each source of health information:




Leaflets, pamphlets, flyers

| | Male | | Female | | Unknown | | Total | | |
|---------------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Believable | 3,181 | 54 | 8,257 | 68 | 662 | 63 | 12,100 | 63.7 |  |
| 2 Neither believable nor unbelievable | 2,296 | 39 | 3,489 | 29 | 337 | 32 | 6,122 | 32.3 |  |
| 3 Unbelievable | 374 | 6 | 341 | 3 | 45 | 4 | 760 | 4.0 |  |
| Valid responses = | 5,851 | 31 | 12,087 | 64 | 1,044 | 5 | 18,982 | 97.4 | |

Invalid responses include no response or multiple responses.

3B. Believability of each source of health information:




Campus newspaper articles

| | Male | | Female | | Unknown | | Total | | |
|---------------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Believable | 2,502 | 43 | 5,596 | 47 | 489 | 47 | 8,587 | 45.5 |  |
| 2 Neither believable nor unbelievable | 2,793 | 48 | 5,680 | 47 | 471 | 46 | 8,944 | 47.4 |  |
| 3 Unbelievable | 536 | 9 | 739 | 6 | 73 | 7 | 1,348 | 7.1 |  |
| Valid responses = | 5,831 | 31 | 12,015 | 64 | 1,033 | 5 | 18,879 | 96.8 | |

Invalid responses include no response or multiple responses.

3C. Believability of each source of health information:

Health center medical staff

| | Male | | Female | | Unknown | | Total | | |
|---------------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Believable | 5,117 | 88 | 10,757 | 89 | 914 | 88 | 16,788 | 88.8 |  |
| 2 Neither believable nor unbelievable | 597 | 10 | 1,106 | 9 | 99 | 10 | 1,802 | 9.5 |  |
| 3 Unbelievable | 101 | 2 | 201 | 2 | 21 | 2 | 323 | 1.7 |  |
| Valid responses = | 5,815 | 31 | 12,064 | 64 | 1,034 | 5 | 18,913 | 97.0 | |

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

3D. Believability of each source of health information:

Table for Health educators: Columns for Male, Female, Unknown, Total with Freq. and Pct. for categories 1 Believable, 2 Neither, 3 Unbelievable, and Valid responses.

Invalid responses include no response or multiple responses.

3E. Believability of each source of health information:

Table for Friends: Columns for Male, Female, Unknown, Total with Freq. and Pct. for categories 1 Believable, 2 Neither, 3 Unbelievable, and Valid responses.

Invalid responses include no response or multiple responses.

3F. Believability of each source of health information:

Table for Resident assistants/advisors: Columns for Male, Female, Unknown, Total with Freq. and Pct. for categories 1 Believable, 2 Neither, 3 Unbelievable, and Valid responses.

Invalid responses include no response or multiple responses.

3G. Believability of each source of health information:

Table for Parents: Columns for Male, Female, Unknown, Total with Freq. and Pct. for categories 1 Believable, 2 Neither, 3 Unbelievable, and Valid responses.

Invalid responses include no response or multiple responses.

3H. Believability of each source of health information:

Table for Religious Center: Columns for Male, Female, Unknown, Total with Freq. and Pct. for categories 1 Believable, 2 Neither, 3 Unbelievable, and Valid responses.

Invalid responses include no response or multiple responses.

3I. Believability of each source of health information:

Table for Television: Columns for Male, Female, Unknown, Total with Freq. and Pct. for categories 1 Believable, 2 Neither, 3 Unbelievable, and Valid responses.

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

3J. Believability of each source of health information:

| | Magazines | | | | | | Total | | |
|---------------------------------------|-----------|------|--------|------|---------|------|--------|------|--|
| | Male | | Female | | Unknown | | Freq. | Pct. | |
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Believable | 1,479 | 25 | 3,216 | 27 | 308 | 30 | 5,003 | 26.4 | |
| 2 Neither believable nor unbelievable | 3,467 | 60 | 7,178 | 60 | 582 | 56 | 11,227 | 59.3 | |
| 3 Unbelievable | 883 | 15 | 1,680 | 14 | 142 | 14 | 2,705 | 14.3 | |
| Valid responses = | 5,829 | 31 | 12,074 | 64 | 1,032 | 5 | 18,935 | 97.1 | |

Invalid responses include no response or multiple responses.

3K. Believability of each source of health information:

| | Campus peer educators | | | | | | Total | | |
|---------------------------------------|-----------------------|------|--------|------|---------|------|--------|------|--|
| | Male | | Female | | Unknown | | Freq. | Pct. | |
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Believable | 2,140 | 37 | 5,212 | 44 | 423 | 42 | 7,775 | 41.6 | |
| 2 Neither believable nor unbelievable | 3,218 | 56 | 6,265 | 53 | 525 | 52 | 10,008 | 53.5 | |
| 3 Unbelievable | 401 | 7 | 439 | 4 | 67 | 7 | 907 | 4.9 | |
| Valid responses = | 5,759 | 31 | 11,916 | 64 | 1,015 | 5 | 18,690 | 95.9 | |

Invalid responses include no response or multiple responses.

3L. Believability of each source of health information:

| | Faculty/coursework | | | | | | Total | | |
|---------------------------------------|--------------------|------|--------|------|---------|------|--------|------|--|
| | Male | | Female | | Unknown | | Freq. | Pct. | |
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Believable | 3,268 | 56 | 7,472 | 63 | 572 | 57 | 11,312 | 60.3 | |
| 2 Neither believable nor unbelievable | 2,298 | 40 | 4,199 | 35 | 396 | 39 | 6,893 | 36.8 | |
| 3 Unbelievable | 240 | 4 | 266 | 2 | 44 | 4 | 550 | 2.9 | |
| Valid responses = | 5,806 | 31 | 11,937 | 64 | 1,012 | 5 | 18,755 | 96.2 | |

Invalid responses include no response or multiple responses.

3M. Believability of each source of health information:

| | Internet/world wide web | | | | | | Total | | |
|---------------------------------------|-------------------------|------|--------|------|---------|------|--------|------|--|
| | Male | | Female | | Unknown | | Freq. | Pct. | |
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Believable | 1,121 | 19 | 2,547 | 21 | 244 | 24 | 3,912 | 20.7 | |
| 2 Neither believable nor unbelievable | 3,763 | 65 | 7,942 | 66 | 638 | 62 | 12,343 | 65.4 | |
| 3 Unbelievable | 929 | 16 | 1,536 | 13 | 141 | 14 | 2,606 | 13.8 | |
| Valid responses = | 5,813 | 31 | 12,025 | 64 | 1,023 | 5 | 18,861 | 96.7 | |

Invalid responses include no response or multiple responses.

3N. Believability of each source of health information:

| | Other | | | | | | Total | | |
|---------------------------------------|-------|------|--------|------|---------|------|-------|------|--|
| | Male | | Female | | Unknown | | Freq. | Pct. | |
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 Believable | 276 | 11 | 608 | 13 | 44 | 30 | 928 | 12.7 | |
| 2 Neither believable nor unbelievable | 1,908 | 79 | 3,817 | 81 | 89 | 60 | 5,814 | 79.8 | |
| 3 Unbelievable | 239 | 10 | 286 | 6 | 15 | 10 | 540 | 7.4 | |
| Valid responses = | 2,423 | 33 | 4,711 | 65 | 148 | 2 | 7,282 | 37.3 | |

Invalid responses include no response or multiple responses.

4A. Do you usually get health-related information from any of the following sources? Leaflets, pamphlets, flyers

| | Leaflets, pamphlets, flyers | | | | | | Total | | |
|-------------------|-----------------------------|------|--------|------|---------|------|--------|------|--|
| | Male | | Female | | Unknown | | Freq. | Pct. | |
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | | | |
| 1 No | 2,940 | 51 | 4,385 | 37 | 414 | 41 | 7,739 | 41.3 | |
| 2 Yes | 2,806 | 49 | 7,613 | 64 | 600 | 59 | 11,019 | 58.7 | |
| Valid responses = | 5,746 | 31 | 11,998 | 64 | 1,334 | 7 | 18,758 | 96.2 | |

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

4B. Do you usually get health-related information from any of the following sources? Campus newspaper articles

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4C. Do you usually get health-related information from any of the following sources? Health center medical staff

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4D. Do you usually get health-related information from any of the following sources? Health educators

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4E. Do you usually get health-related information from any of the following sources? Friends

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4F. Do you usually get health-related information from any of the following sources? Resident assistants/advisors

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4G. Do you usually get health-related information from any of the following sources? Parents

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4H. Do you usually get health-related information from any of the following sources? Religious center

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

4I. Do you usually get health-related information from any of the following sources?

Television

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4J. Do you usually get health-related information from any of the following sources?

Magazines

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4K. Do you usually get health-related information from any of the following sources?

Campus peer educators

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4L. Do you usually get health-related information from any of the following sources?

Faculty/coursework

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4M. Do you usually get health-related information from any of the following sources?

Internet/world wide web

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

4N. Do you usually get health-related information from any of the following sources?

Other

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

5A. Within the last school year, how often did you: Wear a seatbelt when you rode in a car?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 N/A didn't do this within the last, 2 Never, 3 Rarely, 4 Sometimes, 5 Most of the time, 6 Always, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

5B. Within the last school year, how often did you: Wear a helmet when you rode a bicycle?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include response categories from 'N/A didn't do this within the last' to 'Always', and a 'Valid responses =' row.

Invalid responses include no response or multiple responses.

5C. Within the last school year, how often did you: Wear a helmet when you rode a motorcycle?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include response categories from 'N/A didn't do this within the last' to 'Always', and a 'Valid responses =' row.

Invalid responses include no response or multiple responses.

5D. Within the last school year, how often did you: Wear a helmet when you were inline skating?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include response categories from 'N/A didn't do this within the last' to 'Always', and a 'Valid responses =' row.

Invalid responses include no response or multiple responses.

6A. Within the last school year, were you: In a physical fight?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'No' and 'Yes' responses, and a 'Valid responses =' row.

Invalid responses include no response or multiple responses.

6B. Within the last school year, were you: Physically assaulted (do not include sexual assault)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'No' and 'Yes' responses, and a 'Valid responses =' row.

Invalid responses include no response or multiple responses.

7A. Within the last school year, have you experienced: Verbal threats for sex against your will?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'No' and 'Yes' responses, and a 'Valid responses =' row.

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005



FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

7B. Within the last school year, have you experienced:



Sexual touching against your will?

| | Male | | Female | | Unknown | | Total | | |
|-------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 5,638 | 94 | 10,860 | 88 | 988 | 90 | 17,486 | 90.1 |  |
| 2 Yes | 340 | 6 | 1,464 | 12 | 110 | 10 | 1,914 | 9.9 |  |
| Valid responses = | 5,978 | 31 | 12,324 | 64 | 1,098 | 6 | 19,400 | 99.5 | |

Invalid responses include no response or multiple responses.

7C. Within the last school year, have you experienced:



Attempted sexual penetration (vaginal, anal, oral intercourse) against your will?

| | Male | | Female | | Unknown | | Total | | |
|-------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 5,908 | 99 | 11,811 | 96 | 1,056 | 96 | 18,775 | 96.8 |  |
| 2 Yes | 70 | 1 | 512 | 4 | 42 | 4 | 624 | 3.2 |  |
| Valid responses = | 5,978 | 31 | 12,323 | 64 | 1,098 | 6 | 19,399 | 99.5 | |

Invalid responses include no response or multiple responses.

7D. Within the last school year, have you experienced:



Sexual penetration (vaginal, anal, oral intercourse) against your will?

| | Male | | Female | | Unknown | | Total | | |
|-------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 5,912 | 99 | 12,034 | 98 | 1,070 | 98 | 19,016 | 98.2 |  |
| 2 Yes | 49 | 1 | 269 | 2 | 21 | 2 | 339 | 1.8 |  |
| Valid responses = | 5,961 | 31 | 12,303 | 64 | 1,091 | 6 | 19,355 | 99.3 | |

Invalid responses include no response or multiple responses.

8A. Within the last school year, have you been in a relationship that was:



Emotionally abusive?

| | Male | | Female | | Unknown | | Total | | |
|-------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 5,362 | 90 | 10,431 | 85 | 947 | 87 | 16,740 | 86.6 |  |
| 2 Yes | 594 | 10 | 1,852 | 15 | 142 | 13 | 2,588 | 13.4 |  |
| Valid responses = | 5,956 | 31 | 12,283 | 64 | 1,089 | 6 | 19,328 | 99.1 | |

Invalid responses include no response or multiple responses.

8B. Within the last school year, have you been in a relationship that was:



Physically abusive?

| | Male | | Female | | Unknown | | Total | | |
|-------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 5,855 | 98 | 12,005 | 98 | 1,056 | 97 | 18,916 | 98.0 |  |
| 2 Yes | 99 | 2 | 265 | 2 | 30 | 3 | 394 | 2.0 |  |
| Valid responses = | 5,954 | 31 | 12,270 | 64 | 1,086 | 6 | 19,310 | 99.0 | |

Invalid responses include no response or multiple responses.

8C. Within the last school year, have you been in a relationship that was:

Sexually abusive?

| | Male | | Female | | Unknown | | Total | | |
|-------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 5,886 | 99 | 12,052 | 98 | 1,068 | 98 | 19,006 | 98.4 |  |
| 2 Yes | 65 | 1 | 215 | 2 | 21 | 2 | 301 | 1.6 |  |
| Valid responses = | 5,951 | 31 | 12,267 | 64 | 1,089 | 6 | 19,307 | 99.0 | |

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

9A. Within the last thirty days, on how many days did you use: Cigarettes

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include usage frequency from 'Never used' to 'All 30 days'.

Invalid responses include no response or multiple responses.

9B. Within the last thirty days, on how many days did you use: Cigars

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include usage frequency from 'Never used' to 'All 30 days'.

Invalid responses include no response or multiple responses.

9C. Within the last thirty days, on how many days did you use: Smokeless tobacco

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include usage frequency from 'Never used' to 'All 30 days'.

Invalid responses include no response or multiple responses.

9D. Within the last thirty days, on how many days did you use: Alcohol (beer, wine, liquor)

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include usage frequency from 'Never used' to 'All 30 days'.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

9E. Within the last thirty days, on how many days did you use: Marijuana (pot, hash, hash oil)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9F. Within the last thirty days, on how many days did you use: Cocaine (crack, rock, freebase)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9G. Within the last thirty days, on how many days did you use: Amphetamines (diet pills, speed, meth, crank)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

9H. Within the last thirty days, on how many days did you use: Rohypnol (roofies), GHB or Liquid X (intentional use)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org


June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497


Surveys

9I. Within the last thirty days, on how many days did you use: Other drugs

| | Male | | Female | | Unknown | | Total | |  |
|---------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never used | 4,955 | 87 | 10,729 | 92 | 912 | 89 | 16,596 | 90.0 | |
| 2 Have used, but not in last 30 | 469 | 8 | 659 | 6 | 79 | 8 | 1,207 | 6.5 | |
| 3 1 - 2 days | 127 | 2 | 149 | 1 | 9 | 1 | 285 | 1.5 | |
| 4 3 - 5 days | 52 | 1 | 64 | 1 | 6 | 1 | 122 | 0.7 | |
| 5 6 - 9 days | 27 | 1 | 39 | 0 | 5 | 1 | 71 | 0.4 | |
| 6 10 - 19 days | 20 | 0 | 19 | 0 | 3 | 0 | 42 | 0.2 | |
| 7 20 - 29 days | 11 | 0 | 12 | 0 | 3 | 0 | 26 | 0.1 | |
| 8 All 30 days | 33 | 1 | 59 | 1 | 4 | 0 | 96 | 0.5 | |
| Valid responses = | 5,694 | 31 | 11,730 | 64 | 1,021 | 6 | 18,445 | 94.6 | |


Invalid responses include no response or multiple responses.

10A. Within the last thirty days, how often do you think the typical student at your school used: Cigarettes

| | Male | | Female | | Unknown | | Total | |  |
|--------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never used | 559 | 9 | 763 | 6 | 94 | 9 | 1,416 | 7.4 | |
| 2 One or more days | 3,396 | 57 | 6,125 | 50 | 562 | 52 | 10,083 | 52.4 | |
| 3 Used daily | 1,980 | 33 | 5,331 | 44 | 417 | 39 | 7,728 | 40.2 | |
| Valid responses = | 5,935 | 31 | 12,219 | 64 | 1,073 | 6 | 19,227 | 98.6 | |


Invalid responses include no response or multiple responses.

10B. Within the last thirty days, how often do you think the typical student at your school used: Cigars

| | Male | | Female | | Unknown | | Total | |  |
|--------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never used | 2,591 | 44 | 5,429 | 45 | 466 | 44 | 8,486 | 44.2 | |
| 2 One or more days | 3,180 | 54 | 6,451 | 53 | 555 | 52 | 10,186 | 53.0 | |
| 3 Used daily | 161 | 3 | 324 | 3 | 51 | 5 | 536 | 2.8 | |
| Valid responses = | 5,932 | 31 | 12,204 | 64 | 1,072 | 6 | 19,208 | 98.5 | |


Invalid responses include no response or multiple responses.

10C. Within the last thirty days, how often do you think the typical student at your school used: Smokeless tobacco

| | Male | | Female | | Unknown | | Total | |  |
|--------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never used | 2,592 | 44 | 5,464 | 45 | 445 | 42 | 8,501 | 44.4 | |
| 2 One or more days | 2,746 | 47 | 5,666 | 47 | 508 | 48 | 8,920 | 46.6 | |
| 3 Used daily | 566 | 10 | 1,029 | 9 | 113 | 11 | 1,708 | 8.9 | |
| Valid responses = | 5,904 | 31 | 12,159 | 64 | 1,066 | 6 | 19,129 | 98.1 | |

Invalid responses include no response or multiple responses.

10D. Within the last thirty days, how often do you think the typical student at your school used: Alcohol (beer, wine, liquor)

| | Male | | Female | | Unknown | | Total | |  |
|--------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never used | 112 | 2 | 194 | 2 | 34 | 3 | 340 | 1.8 | |
| 2 One or more days | 3,774 | 64 | 7,602 | 62 | 660 | 62 | 12,036 | 62.6 | |
| 3 Used daily | 2,051 | 35 | 4,430 | 36 | 374 | 35 | 6,855 | 35.6 | |
| Valid responses = | 5,937 | 31 | 12,226 | 64 | 1,068 | 6 | 19,231 | 98.6 | |

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

10E. Within the last thirty days, how often do you think the typical student at your school used:

Marijuana (pot, hash, hash oil)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

10F. Within the last thirty days, how often do you think the typical student at your school used:

Cocaine (crack, rock, freebase)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

10G. Within the last thirty days, how often do you think the typical student at your school used:

Amphetamines (diet pills, speed, meth, crank)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

10H. Within the last thirty days, how often do you think the typical student at your school used:

Rohypnol (roofies), GHB or Liquid X (intentional use)

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

10I. Within the last thirty days, how often do you think the typical student at your school used:

Other drugs

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

11A. Within the last thirty days, did you: Drive after drinking any alcohol at all

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

11B. Within the last thirty days, did you:

Drive after having 5 or more drinks

| | Male | | Female | | Unknown | | Total | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Not applicable/Don't drive | 548 | 9 | 1,109 | 9 | 90 | 9 | 1,747 | 9.2 |
| 2 Not applicable/Don't drink | 972 | 17 | 2,145 | 18 | 163 | 16 | 3,280 | 17.3 |
| 3 No | 3,661 | 63 | 8,260 | 69 | 677 | 66 | 12,598 | 66.5 |
| 4 Yes | 672 | 12 | 549 | 5 | 101 | 10 | 1,322 | 7.0 |
| Valid responses = | 5,853 | 31 | 12,063 | 64 | 1,031 | 5 | 18,947 | 97.2 |

Invalid responses include no response or multiple responses.

12. The last time you "partied"/socialized, how many hours did you drink alcohol?

| Hours | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 0 | 1,233 | 21 | 2,902 | 24 | 279 | 26 | 4,414 | 23.1 |
| 1-2 | 1,132 | 19 | 2,936 | 24 | 227 | 21 | 4,295 | 22.5 |
| 3-4 | 1,716 | 29 | 3,789 | 31 | 289 | 27 | 5,794 | 30.4 |
| 5-6 | 1,172 | 20 | 1,950 | 16 | 195 | 18 | 3,317 | 17.4 |
| 7-8 | 382 | 7 | 376 | 3 | 44 | 4 | 802 | 4.2 |
| 9-10 | 134 | 2 | 105 | 1 | 21 | 2 | 260 | 1.4 |
| 11-12 | 71 | 1 | 24 | 0 | 10 | 1 | 105 | 0.6 |
| 13-14 | 25 | 0 | 10 | 0 | 2 | 0 | 37 | 0.2 |
| 15-16 | 11 | 0 | 4 | 0 | 3 | 0 | 18 | 0.1 |
| GE 17 | 17 | 0 | 16 | 0 | 5 | 1 | 38 | 0.2 |
| Valid responses = | 5,893 | 31 | 12,112 | 63 | 1,075 | 6 | 19,080 | 97.9 |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|----------------|-------|--------|---------|-----|-----|
| Male | 3.383 | 3.00 | 2.98 | 0 | 44 |
| Female | 2.696 | 3.00 | 2.37 | 0 | 44 |
| Overall | 2.932 | 3.00 | 2.72 | 0 | 69 |

13. The last time you "partied"/socialized, how many alcoholic drinks did you have?

| Drinks | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 0 | 1,180 | 20 | 2,715 | 22 | 251 | 23 | 4,146 | 21.6 |
| 1-2 | 673 | 11 | 2,248 | 18 | 172 | 16 | 3,093 | 16.1 |
| 3-4 | 816 | 14 | 2,841 | 23 | 208 | 19 | 3,865 | 20.1 |
| 5-6 | 906 | 15 | 2,336 | 19 | 147 | 14 | 3,389 | 17.6 |
| 7-8 | 729 | 12 | 1,110 | 9 | 102 | 9 | 1,941 | 10.1 |
| 9-10 | 624 | 11 | 600 | 5 | 87 | 8 | 1,311 | 6.8 |
| 11-12 | 389 | 7 | 198 | 2 | 45 | 4 | 632 | 3.3 |
| 13-14 | 127 | 2 | 46 | 0 | 12 | 1 | 185 | 1.0 |
| 15-16 | 244 | 4 | 62 | 1 | 21 | 2 | 327 | 1.7 |
| GE 17 | 249 | 4 | 60 | 1 | 35 | 3 | 344 | 1.8 |
| Valid responses = | 5,937 | 31 | 12,216 | 64 | 1,080 | 6 | 19,233 | 98.6 |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|----------------|------|--------|---------|-----|-----|
| Male | 6.09 | 5.00 | 5.72 | 0 | 66 |
| Female | 3.72 | 3.00 | 3.46 | 0 | 55 |
| Overall | 4.51 | 4.00 | 4.53 | 0 | 77 |

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org












June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys












14. In the last two weeks, on how many occasions did you drink the same or more alcohol as indicated in item #13?

| Occasions | Male | | Female | | Unknown | | Total | |  |
|------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 0 | 2,613 | 44 | 6,211 | 51 | 549 | 52 | 9,373 | 48.9 |  |
| 1 | 1,189 | 20 | 2,583 | 21 | 184 | 17 | 3,956 | 20.6 |  |
| 2 | 944 | 16 | 1,631 | 13 | 154 | 15 | 2,729 | 14.2 |  |
| 3 | 451 | 8 | 779 | 6 | 70 | 7 | 1,300 | 6.8 |  |
| 4 | 320 | 5 | 461 | 4 | 45 | 4 | 826 | 4.3 |  |
| 5 | 161 | 3 | 238 | 2 | 14 | 1 | 413 | 2.2 |  |
| 6 | 91 | 2 | 133 | 1 | 11 | 1 | 235 | 1.2 |  |
| 7 | 36 | 1 | 38 | 0 | 11 | 1 | 85 | 0.4 |  |
| 8 | 27 | 1 | 35 | 0 | 6 | 1 | 68 | 0.4 |  |
| GE 9 | 99 | 2 | 82 | 1 | 21 | 2 | 202 | 1.1 |  |
| Valid responses= | 5,931 | 31 | 12,191 | 64 | 1,065 | 6 | 19,187 | 98.4 | |

Invalid responses include no response or multiple responses

| | Mean | Median | Std Dev | Min | Max |
|---------|------|--------|---------|-----|-----|
| Male | 1.47 | 1.47 | 2.25 | 0 | 70 |
| Female | 1.11 | 0.00 | 1.70 | 0 | 22 |
| Overall | 1.23 | 1.00 | 1.92 | 0 | 70 |












15. How many alcoholic drinks do you think the typical student at your school had the last time he/she "partied"/socialized?

| Drinks | Male | | Female | | Unknown | | Total | |  |
|------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 0 | 157 | 3 | 275 | 2 | 43 | 4 | 475 | 2.5 |  |
| 1-2 | 239 | 4 | 508 | 4 | 53 | 5 | 800 | 4.2 |  |
| 3-4 | 1,320 | 22 | 3,014 | 25 | 241 | 23 | 4,575 | 24.0 |  |
| 5-6 | 2,159 | 37 | 4,796 | 40 | 371 | 36 | 7,326 | 38.4 |  |
| 7-8 | 997 | 17 | 2,021 | 17 | 153 | 15 | 3,171 | 16.6 |  |
| 9-10 | 745 | 13 | 1,199 | 10 | 135 | 13 | 2,079 | 10.9 |  |
| 11-12 | 157 | 3 | 173 | 1 | 23 | 2 | 353 | 1.9 |  |
| 13-14 | 20 | 0 | 24 | 0 | 4 | 0 | 48 | 0.3 |  |
| 15-16 | 55 | 1 | 68 | 1 | 6 | 1 | 129 | 0.7 |  |
| GE 17 | 48 | 1 | 50 | 0 | 15 | 1 | 113 | 0.6 |  |
| Valid responses= | 5,897 | 31 | 12,128 | 64 | 1,044 | 5 | 19,069 | 97.8 | |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|---------|------|--------|---------|-----|-----|
| Male | 6.10 | 6.00 | 3.46 | 0 | 71 |
| Female | 5.73 | 5.00 | 3.20 | 0 | 90 |
| Overall | 5.86 | 5.00 | 3.42 | 0 | 98 |

16. Think back over the last two weeks. How many times, if any, have you had five or more alcoholic drinks at a sitting?

| | Male | | Female | | Unknown | | Total | |  |
|--------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 None | 2,910 | 49 | 8,188 | 67 | 643 | 60 | 11,741 | 60.9 |  |
| 2 1 time | 829 | 14 | 1,662 | 14 | 135 | 13 | 2,626 | 13.6 |  |
| 3 2 times | 689 | 12 | 1,002 | 8 | 91 | 9 | 1,782 | 9.2 |  |
| 4 3 times | 449 | 8 | 547 | 5 | 68 | 6 | 1,064 | 5.5 |  |
| 5 4 times | 411 | 7 | 399 | 3 | 49 | 5 | 859 | 4.5 |  |
| 6 5 times | 241 | 4 | 210 | 2 | 22 | 2 | 473 | 2.5 |  |
| 7 6 times | 163 | 3 | 130 | 1 | 19 | 2 | 312 | 1.6 |  |
| 8 7 times | 86 | 1 | 47 | 0 | 9 | 1 | 142 | 0.7 |  |
| 9 8 times | 62 | 1 | 35 | 0 | 8 | 1 | 105 | 0.5 |  |
| 10 9 or more times | 98 | 2 | 55 | 0 | 21 | 2 | 174 | 0.9 |  |
| Valid responses= | 5,938 | 31 | 12,275 | 64 | 1,065 | 6 | 19,278 | 98.9 | |

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

17A. During the last school year, if you "partied"/socialized, how often did you...

Alternate non-alcoholic with alcoholic beverages

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17B. During the last school year, if you "partied"/socialized, how often did you...

Determine, in advance, not to exceed a set number of drinks

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17C. During the last school year, if you "partied"/socialized, how often did you...

Choose not to drink alcohol

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17D. During the last school year, if you "partied"/socialized, how often did you...

Use a designated driver

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

17E. During the last school year, if you "partied"/socialized, how often did you...

Eat before and/or during drinking

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17F. During the last school year, if you "partied"/socialized, how often did you...

Have a friend let you know when you've had enough

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17G. During the last school year, if you "partied"/socialized, how often did you...

Keep track of how many drinks you were having

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

17H. During the last school year, if you "partied"/socialized, how often did you...

Pace your drinks to 1 or fewer per hour

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

**17I. During the last school year, if you "partied"/socialized, how often did you...
Avoid drinking games**

| | Male | | Female | | Unknown | | Total | | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Not applicable/Don't drink | 1,140 | 19 | 2,475 | 20 | 229 | 22 | 3,844 | 20.0 | |
| 2 Always | 851 | 14 | 2,226 | 18 | 192 | 18 | 3,269 | 17.0 | |
| 3 Usually | 899 | 15 | 1,842 | 15 | 152 | 14 | 2,893 | 15.1 | |
| 4 Sometimes | 906 | 15 | 2,013 | 17 | 175 | 17 | 3,094 | 16.1 | |
| 5 Rarely | 960 | 16 | 1,974 | 16 | 139 | 13 | 3,073 | 16.0 | |
| 6 Never | 1,175 | 20 | 1,668 | 14 | 171 | 16 | 3,014 | 15.7 | |
| Valid responses= | 5,931 | 31 | 12,198 | 64 | 1,058 | 6 | 19,187 | 98.4 | |

Invalid responses include no response or multiple responses.

**17J. During the last school year, if you "partied"/socialized, how often did you...
Drink an alcohol look-alike (non-alcoholic beer, punch etc.)**

| | Male | | Female | | Unknown | | Total | | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Not applicable/Don't drink | 1,095 | 19 | 2,338 | 19 | 223 | 21 | 3,656 | 19.0 | |
| 2 Always | 69 | 1 | 230 | 2 | 23 | 2 | 322 | 1.7 | |
| 3 Usually | 106 | 2 | 481 | 4 | 37 | 4 | 624 | 3.3 | |
| 4 Sometimes | 472 | 8 | 1,708 | 14 | 120 | 11 | 2,300 | 12.0 | |
| 5 Rarely | 837 | 14 | 1,955 | 16 | 151 | 14 | 2,943 | 15.3 | |
| 6 Never | 3,352 | 57 | 5,495 | 45 | 506 | 48 | 9,353 | 48.7 | |
| Valid responses= | 5,931 | 31 | 12,207 | 64 | 1,060 | 6 | 19,198 | 98.5 | |

Invalid responses include no response or multiple responses.

**18A. If you drink alcohol, within the last school year, have you experienced any of the following as a consequence
of your drinking? Physically injured yourself**

| | Male | | Female | | Unknown | | Total | | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Not applicable/Don't drink | 1,129 | 19 | 2,524 | 21 | 234 | 22 | 3,887 | 20.1 | |
| 2 No | 3,792 | 64 | 7,989 | 65 | 657 | 62 | 12,438 | 64.5 | |
| 3 Yes | 1,032 | 17 | 1,763 | 14 | 177 | 17 | 2,972 | 15.4 | |
| Valid responses = | 5,953 | 31 | 12,276 | 64 | 1,068 | 6 | 19,297 | 99.0 | |

Invalid responses include no response or multiple responses.

**18B. If you drink alcohol, within the last school year, have you experienced any of the following as a consequence
of your drinking? Physically injured another person**

| | Male | | Female | | Unknown | | Total | | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Not applicable/Don't drink | 1,124 | 19 | 2,512 | 21 | 228 | 21 | 3,864 | 20.0 | |
| 2 No | 4,433 | 75 | 9,469 | 77 | 772 | 73 | 14,674 | 76.1 | |
| 3 Yes | 389 | 7 | 287 | 2 | 64 | 6 | 740 | 3.8 | |
| Valid responses = | 5,946 | 31 | 12,268 | 64 | 1,064 | 6 | 19,278 | 98.9 | |

Invalid responses include no response or multiple responses.

**18C. If you drink alcohol, within the last school year, have you experienced any of the following as a consequence
of your drinking? Been involved in a fight**

| | Male | | Female | | Unknown | | Total | | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Not applicable/Don't drink | 1,129 | 19 | 2,522 | 21 | 229 | 22 | 3,880 | 20.1 | |
| 2 No | 4,269 | 72 | 9,357 | 76 | 758 | 71 | 14,384 | 74.6 | |
| 3 Yes | 551 | 9 | 391 | 3 | 76 | 7 | 1,018 | 5.3 | |
| Valid responses = | 5,949 | 31 | 12,270 | 64 | 1,063 | 6 | 19,282 | 98.9 | |

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

18D. If you drink alcohol, within the last school year, have you experienced any of the following as a consequence of your drinking? Did something you later regretted

| | Male | | Female | | Unknown | | Total | | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Not applicable/Don't drink | 1,124 | 19 | 2,510 | 21 | 229 | 22 | 3,863 | 20.1 | |
| 2 No | 2,809 | 47 | 6,173 | 50 | 494 | 46 | 9,476 | 49.2 | |
| 3 Yes | 2,011 | 34 | 3,570 | 29 | 341 | 32 | 5,922 | 30.7 | |
| Valid responses = | 5,944 | 31 | 12,253 | 64 | 1,064 | 6 | 19,261 | 98.8 | |

Invalid responses include no response or multiple responses.

18E. If you drink alcohol, within the last school year, have you experienced any of the following as a consequence of your drinking? Forgot where you were or what you did

| | Male | | Female | | Unknown | | Total | | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Not applicable/Don't drink | 1,125 | 19 | 2,513 | 21 | 232 | 22 | 3,870 | 20.1 | |
| 2 No | 3,069 | 52 | 6,926 | 57 | 578 | 54 | 10,573 | 54.8 | |
| 3 Yes | 1,750 | 29 | 2,828 | 23 | 258 | 24 | 4,836 | 25.1 | |
| Valid responses = | 5,944 | 31 | 12,267 | 64 | 1,068 | 6 | 19,279 | 98.9 | |

Invalid responses include no response or multiple responses.

18F. If you drink alcohol, within the last school year, have you experienced any of the following as a consequence of your drinking? Had someone use force or threat of force to have sex with you

| | Male | | Female | | Unknown | | Total | | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Not applicable/Don't drink | 1,127 | 19 | 2,521 | 21 | 229 | 22 | 3,877 | 20.1 | |
| 2 No | 4,766 | 80 | 9,510 | 78 | 814 | 77 | 15,090 | 78.3 | |
| 3 Yes | 53 | 1 | 237 | 2 | 20 | 2 | 310 | 1.6 | |
| Valid responses = | 5,946 | 31 | 12,268 | 64 | 1,063 | 6 | 19,277 | 98.9 | |

Invalid responses include no response or multiple responses.

18G. If you drink alcohol, within the last school year, have you experienced any of the following as a consequence of your drinking? Had unprotected sex

| | Male | | Female | | Unknown | | Total | | |
|------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Not applicable/Don't drink | 1,127 | 19 | 2,511 | 21 | 228 | 22 | 3,866 | 20.1 | |
| 2 No | 3,895 | 66 | 8,356 | 68 | 685 | 65 | 12,936 | 67.2 | |
| 3 Yes | 920 | 16 | 1,372 | 11 | 144 | 14 | 2,436 | 12.7 | |
| Valid responses = | 5,942 | 31 | 12,239 | 64 | 1,057 | 5 | 19,238 | 98.7 | |

Invalid responses include no response or multiple responses.

19A. Within the last 30 days, what percent of students at your school used?

| Percent Cigarettes | Male | | Female | | Unknown | | Total | | |
|--------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 0 | 26 | 0 | 39 | 0 | 8 | 1 | 73 | 0.4 | |
| 1-10 | 349 | 6 | 488 | 4 | 50 | 5 | 887 | 4.7 | |
| 11-20 | 727 | 12 | 1,017 | 8 | 99 | 10 | 1,843 | 9.7 | |
| 21-30 | 1,099 | 19 | 1,819 | 15 | 166 | 16 | 3,084 | 16.2 | |
| 31-40 | 1,119 | 19 | 2,029 | 17 | 168 | 16 | 3,316 | 17.4 | |
| 41-50 | 1,098 | 19 | 2,359 | 20 | 204 | 20 | 3,661 | 19.3 | |
| 51-60 | 534 | 9 | 1,391 | 12 | 108 | 10 | 2,033 | 10.7 | |
| 61-70 | 467 | 8 | 1,258 | 10 | 85 | 8 | 1,810 | 9.5 | |
| 71-80 | 360 | 6 | 1,191 | 10 | 115 | 11 | 1,666 | 8.8 | |
| 81-90 | 105 | 2 | 432 | 4 | 25 | 2 | 562 | 3.0 | |
| 91-99 | 16 | 0 | 60 | 1 | 7 | 1 | 83 | 0.4 | |
| Valid responses = | 5,900 | 31 | 12,083 | 64 | 1,035 | 5 | 19,018 | 97.5 | |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|----------------|-------|--------|---------|-----|-----|
| Male | 41.33 | 40.00 | 19.81 | 0 | 99 |
| Female | 47.02 | 46.50 | 20.67 | 0 | 99 |
| Overall | 45.16 | 45.00 | 20.60 | 0 | 99 |



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

19B. Within the last 30 days, what percent of students at your school used?

% Used Alcohol

Table with columns: Percent Alcohol, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. and summary statistics for Valid responses.

Invalid responses include no response or multiple responses.

Summary statistics table for % Used Alcohol: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.

19C. Within the last 30 days, what percent of students at your school used?

% Used Rohypnol or GHB

Table with columns: Percent Rohypnol or GHB, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. and summary statistics for Valid responses.

Invalid responses include no response or multiple responses.

Summary statistics table for % Used Rohypnol or GHB: Mean, Median, Std Dev, Min, Max for Male, Female, and Overall.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

20. Within the last school year, with how many partners, if any, have you had sex (oral, vaginal, or anal)?

Table with columns: Partners, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 0, 1, 2, 3, 4, 5, 6, 7, 8, GE 9, and Valid responses =.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max. Rows for Male, Female, Overall.

21. Within the last school year, were your sexual partner(s), if any,

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 N/A, 2 Male, 3 Female, 4 Both male and female, and Valid responses =.

Invalid responses include no response or multiple responses.

22. Within the last school year, with how many partners do you think the typical student at your school has had sex (oral, vaginal, or anal)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 0, 1, 2, 3, 4, 5, 6, 7, 8, GE 9, and Valid responses =.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max. Rows for Male, Female, Overall.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org


June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497


Surveys

23A. Within the last 30 days, if you are sexually active, how many times did you have: Oral sex?

| | Male | | Female | | Unknown | | Total | |  |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never did this sexual activity | 1,361 | 24 | 3,096 | 27 | 230 | 24 | 4,687 | 25.7 | |
| 2 Have not done this during last | 1,651 | 29 | 3,091 | 27 | 260 | 27 | 5,002 | 27.4 | |
| 3 1-2 times | 963 | 17 | 2,060 | 18 | 163 | 17 | 3,186 | 17.5 | |
| 4 3-4 times | 598 | 11 | 1,270 | 11 | 105 | 11 | 1,973 | 10.8 | |
| 5 5-6 times | 425 | 8 | 775 | 7 | 69 | 7 | 1,269 | 7.0 | |
| 6 7-8 times | 174 | 3 | 419 | 4 | 33 | 4 | 626 | 3.4 | |
| 7 9-10 times | 158 | 3 | 291 | 3 | 27 | 3 | 476 | 2.6 | |
| 8 11 or more times | 358 | 6 | 602 | 5 | 61 | 6 | 1,021 | 5.6 | |
| Valid responses = | 5,688 | 31 | 11,604 | 64 | 948 | 5 | 18,240 | 93.6 | |


Invalid responses include no response or multiple responses.

23B. Within the last 30 days, if you are sexually active, how many times did you have: Vaginal intercourse?

| | Male | | Female | | Unknown | | Total | |  |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never did this sexual activity | 1,811 | 32 | 3,688 | 32 | 237 | 25 | 5,736 | 31.5 | |
| 2 Have not done this during last | 1,282 | 23 | 2,058 | 18 | 194 | 21 | 3,534 | 19.4 | |
| 3 1-2 times | 520 | 9 | 1,086 | 9 | 98 | 10 | 1,704 | 9.4 | |
| 4 3-4 times | 380 | 7 | 919 | 8 | 79 | 8 | 1,378 | 7.6 | |
| 5 5-6 times | 382 | 7 | 875 | 8 | 69 | 7 | 1,326 | 7.3 | |
| 6 7-8 times | 282 | 5 | 725 | 6 | 58 | 6 | 1,065 | 5.8 | |
| 7 9-10 times | 251 | 4 | 599 | 5 | 62 | 7 | 912 | 5.0 | |
| 8 11 or more times | 771 | 14 | 1,646 | 14 | 151 | 16 | 2,568 | 14.1 | |
| Valid responses = | 5,679 | 31 | 11,596 | 64 | 948 | 5 | 18,223 | 93.5 | |

Invalid responses include no response or multiple responses.


23C. Within the last 30 days, if you are sexually active, how many times did you have: Anal intercourse?

| | Male | | Female | | Unknown | | Total | |  |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never did this sexual activity | 4,255 | 75 | 9,270 | 80 | 719 | 76 | 14,244 | 78.4 | |
| 2 Have not done this during last | 1,106 | 20 | 1,906 | 17 | 173 | 18 | 3,185 | 17.5 | |
| 3 1-2 times | 182 | 3 | 302 | 3 | 38 | 4 | 522 | 2.9 | |
| 4 3-4 times | 42 | 1 | 45 | 0 | 6 | 1 | 93 | 0.5 | |
| 5 5-6 times | 21 | 0 | 18 | 0 | 5 | 1 | 44 | 0.2 | |
| 6 7-8 times | 12 | 0 | 8 | 0 | 0 | 0 | 20 | 0.1 | |
| 7 9-10 times | 11 | 0 | 5 | 0 | 3 | 0 | 19 | 0.1 | |
| 8 11 or more times | 32 | 1 | 10 | 0 | 4 | 0 | 46 | 0.3 | |
| Valid responses = | 5,661 | 31 | 11,564 | 64 | 948 | 5 | 18,173 | 93.2 | |

Invalid responses include no response or multiple responses.

24A. How many times within the last 30 days do you think the typical student at your school has had:

Oral sex?

| | Male | | Female | | Unknown | | Total | |  |
|--------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 0 times | 277 | 5 | 415 | 4 | 40 | 4 | 732 | 4.0 | |
| 2 1-2 times | 2,242 | 39 | 3,409 | 30 | 301 | 32 | 5,952 | 32.8 | |
| 3 3-4 times | 1,579 | 28 | 3,302 | 29 | 263 | 28 | 5,144 | 28.3 | |
| 4 5-6 times | 849 | 15 | 2,156 | 19 | 157 | 17 | 3,162 | 17.4 | |
| 5 7-8 times | 366 | 6 | 1,049 | 9 | 90 | 10 | 1,505 | 8.3 | |
| 6 9-10 times | 148 | 3 | 502 | 4 | 35 | 4 | 685 | 3.8 | |
| 7 11 or more times | 235 | 4 | 687 | 6 | 56 | 6 | 978 | 5.4 | |
| Valid responses = | 5,696 | 31 | 11,520 | 63 | 942 | 5 | 18,158 | 93.1 | |

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org








June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497








Surveys

**24B. How many times within the last 30 days do you think the typical student at your school has had:
Vaginal intercourse?**

| | Male | | Female | | Unknown | | Total | | |
|--------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 0 times | 245 | 4 | 301 | 3 | 33 | 4 | 579 | 3.2 |  |
| 2 1-2 times | 1,954 | 34 | 2,591 | 23 | 231 | 25 | 4,776 | 26.3 |  |
| 3 3-4 times | 1,521 | 27 | 2,964 | 26 | 217 | 23 | 4,702 | 25.9 |  |
| 4 5-6 times | 922 | 16 | 2,357 | 21 | 190 | 20 | 3,469 | 19.1 |  |
| 5 7-8 times | 498 | 9 | 1,439 | 13 | 106 | 11 | 2,043 | 11.3 |  |
| 6 9-10 times | 242 | 4 | 770 | 7 | 75 | 8 | 1,087 | 6.0 |  |
| 7 11 or more times | 308 | 5 | 1,101 | 10 | 91 | 10 | 1,500 | 8.3 |  |
| Valid responses = | 5,690 | 31 | 11,523 | 63 | 943 | 5 | 18,156 | 93.1 | |








Invalid responses include no response or multiple responses.

**24C. How many times within the last 30 days do you think the typical student at your school has had:
Anal intercourse?**

| | Male | | Female | | Unknown | | Total | | |
|--------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 0 times | 2,680 | 47 | 4,525 | 39 | 363 | 39 | 7,568 | 41.9 |  |
| 2 1-2 times | 2,277 | 40 | 5,070 | 44 | 393 | 42 | 7,740 | 42.8 |  |
| 3 3-4 times | 363 | 6 | 1,105 | 10 | 88 | 9 | 1,556 | 8.6 |  |
| 4 5-6 times | 163 | 3 | 439 | 4 | 47 | 5 | 649 | 3.6 |  |
| 5 7-8 times | 59 | 1 | 141 | 1 | 23 | 3 | 223 | 1.2 |  |
| 6 9-10 times | 23 | 0 | 67 | 1 | 4 | 0 | 94 | 0.5 |  |
| 7 11 or more times | 96 | 2 | 126 | 1 | 19 | 2 | 241 | 1.3 |  |
| Valid responses = | 5,661 | 31 | 11,473 | 63 | 937 | 5 | 18,071 | 92.7 | |








Invalid responses include no response or multiple responses.

**25A. Within the last 30 days, if you are sexually active, how often did you or your partner(s) use a condom during:
Oral sex?**

| | Male | | Female | | Unknown | | Total | | |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never did this sexual activity | 1,305 | 24 | 2,932 | 27 | 189 | 22 | 4,426 | 25.7 |  |
| 2 Have not done this during last | 1,179 | 22 | 2,316 | 21 | 149 | 18 | 3,644 | 21.1 |  |
| 3 Never | 2,662 | 50 | 5,440 | 49 | 467 | 55 | 8,569 | 49.7 |  |
| 4 Rarely | 87 | 2 | 154 | 1 | 22 | 3 | 263 | 1.5 |  |
| 5 Sometimes | 29 | 1 | 54 | 1 | 4 | 1 | 87 | 0.5 |  |
| 6 Mostly | 25 | 1 | 24 | 0 | 5 | 1 | 54 | 0.3 |  |
| 7 Always | 85 | 2 | 103 | 1 | 17 | 2 | 205 | 1.2 |  |
| Valid responses = | 5,372 | 31 | 11,023 | 64 | 853 | 5 | 17,248 | 88.5 | |

Invalid responses include no response or multiple responses.

**25B. Within the last 30 days, if you are sexually active, how often did you or your partner(s) use a condom during:
Vaginal intercourse?**

| | Male | | Female | | Unknown | | Total | | |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never did this sexual activity | 1,662 | 31 | 3,417 | 31 | 191 | 22 | 5,270 | 30.4 |  |
| 2 Have not done this during last | 1,008 | 19 | 1,736 | 16 | 124 | 15 | 2,868 | 16.6 |  |
| 3 Never | 830 | 15 | 2,350 | 21 | 210 | 25 | 3,390 | 19.6 |  |
| 4 Rarely | 216 | 4 | 472 | 4 | 59 | 7 | 747 | 4.3 |  |
| 5 Sometimes | 228 | 4 | 441 | 4 | 44 | 5 | 713 | 4.1 |  |
| 6 Mostly | 470 | 9 | 861 | 8 | 61 | 7 | 1,392 | 8.0 |  |
| 7 Always | 966 | 18 | 1,805 | 16 | 164 | 19 | 2,935 | 17.0 |  |
| Valid responses = | 5,380 | 31 | 11,082 | 64 | 853 | 5 | 17,315 | 88.8 | |

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

25C. Within the last 30 days, if you are sexually active, how often did you or your partner(s) use a condom during:

Anal intercourse?

| | Male | | Female | | Unknown | | Total | |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Never did this sexual activity | 3,674 | 71 | 8,031 | 76 | 520 | 67 | 12,225 | 74.0 |
| 2 Have not done this during last | 901 | 18 | 1,566 | 15 | 125 | 16 | 2,592 | 15.7 |
| 3 Never | 317 | 6 | 782 | 7 | 93 | 12 | 1,192 | 7.2 |
| 4 Rarely | 22 | 0 | 37 | 0 | 9 | 1 | 68 | 0.4 |
| 5 Sometimes | 34 | 1 | 29 | 0 | 3 | 0 | 66 | 0.4 |
| 6 Mostly | 48 | 1 | 26 | 0 | 2 | 0 | 76 | 0.5 |
| 7 Always | 165 | 3 | 116 | 1 | 26 | 3 | 307 | 1.9 |
| Valid responses = | 5,161 | 31 | 10,587 | 64 | 778 | 5 | 16,526 | 84.8 |

Invalid responses include no response or multiple responses.

26A. Within the last 30 days, how often do you think the typical student at your school has used a condom during:

Oral sex?

| | Male | | Female | | Unknown | | Total | |
|--------------------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Typical student at my school | 160 | 3 | 235 | 2 | 21 | 2 | 416 | 2.3 |
| 2 Never | 2,758 | 49 | 4,636 | 40 | 399 | 43 | 7,793 | 43.1 |
| 3 Rarely | 1,760 | 31 | 4,114 | 36 | 282 | 30 | 6,156 | 34.0 |
| 4 Sometimes | 537 | 10 | 1,611 | 14 | 150 | 16 | 2,298 | 12.7 |
| 5 Mostly | 385 | 7 | 800 | 7 | 77 | 8 | 1,262 | 7.0 |
| 6 Always | 58 | 1 | 104 | 1 | 9 | 1 | 171 | 0.9 |
| Valid responses = | 5,658 | 31 | 11,500 | 64 | 938 | 5 | 18,096 | 92.8 |

Invalid responses include no response or multiple responses.

26B. Within the last 30 days, how often do you think the typical student at your school has used a condom during:

Vaginal sex?

| | Male | | Female | | Unknown | | Total | |
|--------------------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Typical student at my school | 113 | 2 | 143 | 1 | 15 | 2 | 271 | 1.5 |
| 2 Never | 47 | 1 | 67 | 1 | 10 | 1 | 124 | 0.7 |
| 3 Rarely | 261 | 5 | 515 | 5 | 53 | 6 | 829 | 4.6 |
| 4 Sometimes | 1,599 | 28 | 3,742 | 33 | 331 | 35 | 5,672 | 31.3 |
| 5 Mostly | 3,361 | 59 | 6,510 | 57 | 499 | 53 | 10,370 | 57.1 |
| 6 Always | 298 | 5 | 553 | 5 | 31 | 3 | 882 | 4.9 |
| Valid responses = | 5,679 | 31 | 11,530 | 64 | 939 | 5 | 18,148 | 93.1 |

Invalid responses include no response or multiple responses.

26C. Within the last 30 days, how often do you think the typical student at your school has used a condom during:

Anal sex?

| | Male | | Female | | Unknown | | Total | |
|--------------------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Typical student at my school | 1,701 | 30 | 3,163 | 28 | 223 | 24 | 5,087 | 28.2 |
| 2 Never | 311 | 6 | 754 | 7 | 76 | 8 | 1,141 | 6.3 |
| 3 Rarely | 720 | 13 | 1,846 | 16 | 181 | 19 | 2,747 | 15.2 |
| 4 Sometimes | 1,146 | 20 | 2,769 | 24 | 209 | 22 | 4,124 | 22.8 |
| 5 Mostly | 1,395 | 25 | 2,506 | 22 | 215 | 23 | 4,116 | 22.8 |
| 6 Always | 383 | 7 | 440 | 4 | 29 | 3 | 852 | 4.7 |
| Valid responses = | 5,656 | 31 | 11,478 | 64 | 933 | 5 | 18,067 | 92.7 |

Invalid responses include no response or multiple responses.

27A. If you are sexually active, did you use a condom the last time you had:

Oral sex?

| | Male | | Female | | Unknown | | Total | |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Never did this sexual activity | 1,308 | 23 | 3,068 | 26 | 225 | 23 | 4,601 | 24.9 |
| 2 No | 4,252 | 74 | 8,389 | 71 | 709 | 73 | 13,350 | 72.2 |
| 3 Yes | 174 | 3 | 256 | 2 | 30 | 3 | 460 | 2.5 |
| 4 Don't know/Don't remember | 32 | 1 | 55 | 1 | 4 | 0 | 91 | 0.5 |
| Valid responses = | 5,766 | 31 | 11,768 | 64 | 968 | 5 | 18,502 | 94.9 |

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005





FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys





Invalid responses include no response or multiple responses.

27B. If you are sexually active, did you use a condom the last time you had:

| | Male | | Female | | Unknown | | Total | | |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never did this sexual activity | 1,728 | 30 | 3,521 | 30 | 210 | 22 | 5,459 | 29.6 |  |
| 2 No | 1,794 | 31 | 4,362 | 37 | 392 | 41 | 6,548 | 35.5 |  |
| 3 Yes | 2,148 | 38 | 3,805 | 32 | 348 | 36 | 6,301 | 34.2 |  |
| 4 Don't know/Don't remember | 45 | 1 | 66 | 1 | 8 | 1 | 119 | 0.6 |  |
| Valid responses = | 5,715 | 31 | 11,754 | 64 | 958 | 5 | 18,427 | 94.5 | |












Invalid responses include no response or multiple responses.

27C. If you are sexually active, did you use a condom the last time you had:

| | Male | | Female | | Unknown | | Total | | |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Never did this sexual activity | 4,302 | 79 | 9,246 | 83 | 661 | 76 | 14,209 | 81.1 |  |
| 2 No | 716 | 13 | 1,562 | 14 | 151 | 17 | 2,429 | 13.9 |  |
| 3 Yes | 370 | 7 | 338 | 3 | 54 | 6 | 762 | 4.4 |  |
| 4 Don't know/Don't remember | 51 | 1 | 56 | 1 | 10 | 1 | 117 | 0.7 |  |
| Valid responses = | 5,439 | 31 | 11,202 | 64 | 876 | 5 | 17,517 | 89.8 | |





Invalid responses include no response or multiple responses.

28. If you have had vaginal intercourse, what method did you or your partner use to prevent pregnancy the last time?

| | Male | | Female | | Unknown | | Total | | |
|----------------------------|-------|------|--------|------|---------|------|-------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Have not had vaginal | 1,492 | 25 | 3,281 | 27 | 218 | 19 | 4,991 | 25.6 |  |
| 2 Birth control pills | 2,288 | 38 | 5,001 | 41 | 408 | 35 | 7,697 | 39.5 |  |
| 3 Depo Provera (shots) | 131 | 2 | 329 | 3 | 34 | 3 | 494 | 2.5 |  |
| 4 Norplant (implant) | 9 | 0 | 11 | 0 | 3 | 0 | 23 | 0.1 |  |
| 5 Condoms (male or female) | 2,344 | 39 | 4,160 | 34 | 382 | 33 | 6,886 | 35.3 |  |
| 6 Diaphragm/Cervical | 22 | 0 | 37 | 0 | 5 | 0 | 64 | 0.3 |  |
| 7 Spermicide (e.g. foam) | 247 | 4 | 402 | 3 | 49 | 4 | 698 | 3.6 |  |
| 8 Fertility awareness | 148 | 3 | 344 | 3 | 28 | 2 | 520 | 2.7 |  |
| 9 Withdrawal | 828 | 14 | 1,874 | 15 | 186 | 16 | 2,888 | 14.8 |  |
| 10 Other method | 148 | 3 | 407 | 3 | 42 | 4 | 597 | 3.1 |  |
| 11 Nothing | 239 | 4 | 425 | 3 | 44 | 4 | 708 | 3.6 |  |





Valid respor all responses and blanks: since multiple responses were possible, more than 100% may be

29. Within the last school year, if you are sexually active, have you or your partner(s) used emergency contraception ("morning after pill")?

| | Male | | Female | | Unknown | | Total | | |
|-----------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 No | 3,445 | 60 | 7,487 | 63 | 640 | 67 | 11,572 | 62.6 |  |
| 2 Yes | 363 | 6 | 842 | 7 | 87 | 9 | 1,292 | 7.0 |  |
| 3 Don't know | 347 | 6 | 47 | 0 | 24 | 3 | 418 | 2.3 |  |
| 4 Not sexually active | 1,561 | 27 | 3,431 | 29 | 205 | 21 | 5,197 | 28.1 |  |
| Valid responses = | 5,716 | 31 | 11,807 | 64 | 956 | 5 | 18,479 | 94.8 | |

Invalid responses include no response or multiple responses.

30. Within the last school year, have you unintentionally become pregnant or gotten someone else pregnant?

| | Male | | Female | | Unknown | | Total | | |
|--------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| Not had vaginal intercourse in | 1,681 | 29 | 3,491 | 30 | 198 | 21 | 5,370 | 29.0 |  |
| 1 No | 3,886 | 68 | 8,088 | 68 | 731 | 77 | 12,705 | 68.6 |  |
| 2 Yes | 80 | 1 | 215 | 2 | 19 | 2 | 314 | 1.7 |  |
| 3 Don't know | 72 | 1 | 50 | 0 | 8 | 1 | 130 | 0.7 |  |
| Valid responses = | 5,719 | 31 | 11,844 | 64 | 956 | 5 | 18,519 | 95.0 | |

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

31. Have you ever been tested for HIV infection?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't know, Valid responses =.

Invalid responses include no response or multiple responses.

32. Which of the following best describes you?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Heterosexual, 2 Gay/Lesbian, 3 Bisexual, 4 Transgendered, 5 Unsure, Valid responses =.

Invalid responses include no response or multiple responses.

33. If you have a credit card(s) how much total credit card debt did you carry last month? That is, what was the total unpaid balance on all of your credit cards (that you are responsible for paying)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 None, I don't have credit, 2 None, I pay the full amount, 3 \$1 - \$99, 4 \$100 - \$249, 5 \$250 - \$499, 6 \$500 - \$999, 7 \$1,000 - \$1,999, 8 \$2,000 - \$2,999, 9 \$3,000 - \$3,999, 10 \$4,000 - \$4,999, 11 \$5,000 - \$5,999, 12 \$6,000 or more, Valid responses =.

Invalid responses include no response or multiple responses.

34. What is your approximate cumulative grade average?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 A, 2 B, 3 C, 4 D/F, 5 N/A, Valid responses =.

Invalid responses include no response or multiple responses.

35. How do you describe your weight?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Very underweight, 2 Slightly underweight, 3 About the right weight, 4 Slightly overweight, 5 Very overweight, Valid responses =.

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org


June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497


Surveys

36. Are you trying to do any of the following about your weight?


| | Male | | Female | | Unknown | | Total | |  |
|----------------------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 I am not trying to do anything | 1,421 | 24 | 1,703 | 14 | 165 | 17 | 3,289 | 17.3 | |
| 2 Stay the same weight | 1,382 | 24 | 2,821 | 23 | 223 | 23 | 4,426 | 23.3 | |
| 3 Lose weight | 1,975 | 34 | 7,357 | 61 | 507 | 51 | 9,839 | 51.9 | |
| 4 Gain weight | 1,052 | 18 | 257 | 2 | 94 | 10 | 1,403 | 7.4 | |
| Valid responses = | 5,830 | 31 | 12,138 | 64 | 989 | 5 | 18,957 | 97.2 | |

Invalid responses include no response or multiple responses.

37. Within the last 30 days, did you do any of the following?

| | Male | | Female | | Unknown | | Total | |  |
|-----------------------------------|---|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 Exercise to lose weight | 2,582 | 43 | 7,718 | 63 | 548 | 47 | 10,848 | 55.6 | |
| 2 Diet to lose weight | 1,247 | 21 | 5,000 | 41 | 325 | 28 | 6,572 | 33.7 | |
| 3 Vomit or take laxatives to lose | 26 | 0 | 443 | 4 | 23 | 2 | 492 | 2.5 | |
| 4 Take diet pills to lose weight | 188 | 3 | 873 | 7 | 62 | 5 | 1,123 | 5.8 | |
| 5 I didn't do any of the above | 3,036 | 51 | 3,723 | 30 | 385 | 33 | 7,144 | 36.6 | |
| Valid responses = | all responses and blanks: since multiple responses were possible, more than 100% may be | | | | | | | | |


38. How many servings of fruits and vegetables do you usually have per day?

| | Male | | Female | | Unknown | | Total | |  |
|-------------------------------|-------|------|--------|------|---------|------|--------|------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 I don't eat fruits and veg. | 320 | 6 | 352 | 3 | 34 | 3 | 706 | 3.7 | |
| 2 1-2 | 3,745 | 64 | 6,888 | 57 | 617 | 62 | 11,250 | 59.4 | |
| 3 3-4 | 1,435 | 25 | 3,959 | 33 | 286 | 29 | 5,680 | 30.0 | |
| 4 5 or more | 329 | 6 | 932 | 8 | 51 | 5 | 1,312 | 6.9 | |
| Valid responses = | 5,829 | 31 | 12,131 | 64 | 988 | 5 | 18,948 | 97.2 | |

Invalid responses include no response or multiple responses.

39A. On how many of the past 7 days did you:


Participate in vigorous exercise for at least 20 minutes or moderate exercise for at least 30 minutes?

| | Male | | Female | | Unknown | | Total | |  |
|-------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 0 days | 1,310 | 22 | 3,194 | 26 | 272 | 27 | 4,776 | 24.9 | |
| 2 1 day | 793 | 13 | 1,753 | 14 | 142 | 14 | 2,688 | 14.0 | |
| 3 2 days | 1,023 | 17 | 2,075 | 17 | 156 | 15 | 3,254 | 16.9 | |
| 4 3 days | 945 | 16 | 1,944 | 16 | 157 | 16 | 3,046 | 15.9 | |
| 5 4 days | 647 | 11 | 1,263 | 10 | 97 | 10 | 2,007 | 10.5 | |
| 6 5 days | 609 | 10 | 1,030 | 8 | 104 | 10 | 1,743 | 9.1 | |
| 7 6 days | 343 | 6 | 644 | 5 | 52 | 5 | 1,039 | 5.4 | |
| 8 7 days | 256 | 4 | 358 | 3 | 36 | 4 | 650 | 3.4 | |
| Valid responses = | 5,926 | 31 | 12,261 | 64 | 1,016 | 5 | 19,203 | 98.5 | |

Invalid responses include no response or multiple responses.

39B. On how many of the past 7 days did you:

Do exercises to strength or tone your muscles, such as push-ups, sit-ups, or weight lifting?

| | Male | | Female | | Unknown | | Total | |  |
|-------------------|-------|------|--------|------|---------|------|--------|------|---|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | |
| 1 0 days | 1,919 | 32 | 4,411 | 36 | 362 | 36 | 6,692 | 34.9 | |
| 2 1 day | 728 | 12 | 1,748 | 14 | 129 | 13 | 2,605 | 13.6 | |
| 3 2 days | 801 | 14 | 1,921 | 16 | 157 | 15 | 2,879 | 15.0 | |
| 4 3 days | 911 | 15 | 1,798 | 15 | 144 | 14 | 2,853 | 14.9 | |
| 5 4 days | 601 | 10 | 1,015 | 8 | 95 | 9 | 1,711 | 8.9 | |
| 6 5 days | 546 | 9 | 720 | 6 | 64 | 6 | 1,330 | 6.9 | |
| 7 6 days | 232 | 4 | 364 | 3 | 35 | 3 | 631 | 3.3 | |
| 8 7 days | 180 | 3 | 260 | 2 | 32 | 3 | 472 | 2.5 | |
| Valid responses = | 5,918 | 31 | 12,237 | 64 | 1,018 | 5 | 19,173 | 98.3 | |

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

39C. On how many of the past 7 days did you:

Get enough sleep so that you felt rested when you woke up in the morning?

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. values.

Invalid responses include no response or multiple responses.

40A. Within the last school year how many times have you:

Felt things were hopeless

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. values.

Invalid responses include no response or multiple responses.

40B. Within the last school year how many times have you:

Felt overwhelmed by all you had to do

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. values.

Invalid responses include no response or multiple responses.

40C. Within the last school year how many times have you:

Felt exhausted (not from physical activity)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct. values.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

40D. Within the last school year how many times have you:

Felt very sad

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

40E. Within the last school year how many times have you:

Felt so depressed that it was difficult to function

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

40F. Within the last school year how many times have you:

Seriously considered attempting suicide

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

40G. Within the last school year how many times have you:

Attempted suicide

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

41. Have you ever been diagnosed with depression?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 Yes, 2 No, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

41A. If yes to # 41:

Have you been diagnosed with depression within the last school year?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

41B. If yes to # 41:

Are you currently in therapy for depression?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

41C. If yes to # 41:

Are you currently taking medication for depression?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

42A. Have you:

Been vaccinated against hepatitis B?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'

42B. Have you:

Been vaccinated against meningococcal disease (meningococcal meningitis)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =. Includes a note: 'Invalid responses include no response or multiple responses.'



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

42C. Have you:

Been vaccinated against varicella (chicken pox)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42D. Have you:

Been vaccinated with measles, mumps, rubella (2 shots)?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42E. Have you:

Been vaccinated against influenza (the flu) in the last year?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42F. Have you:

Had a dental exam and cleaning in the last year?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42G. Have you:

(Males) Performed testicular self exam in the last month?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

42H. Have you:

(Females) Performed breast self exam in the last month?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42I. Have you:

(Females) had a routine gynecological exam in the last year?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42J. Have you:

Had your blood pressure checked in the last 2 years?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42K. Have you:

Had your cholesterol checked in the last 5 years?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

42L. Have you:

Used sunscreen daily?

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, 3 Don't Know, Valid responses =.

Invalid responses include no response or multiple responses.

43A1. Within the last school year, have you had any of the following?

Allergy problems

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43A2. Within the last school year, have you had any of the following?

Anorexia

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A3. Within the last school year, have you had any of the following?

Anxiety Disorder

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A4. Within the last school year, have you had any of the following?

Asthma

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A5. Within the last school year, have you had any of the following?

Bulimia

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A6. Within the last school year, have you had any of the following?

Chronic Fatigue Syndrome

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A7. Within the last school year, have you had any of the following?

Depression

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43A8. Within the last school year, have you had any of the following?

Diabetes

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A9. Within the last school year, have you had any of the following?

Endometriosis

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A10. Within the last school year, have you had any of the following?

Genital herpes

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A11. Within the last school year, have you had any of the following?

Genital warts/HPV

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A12. Within the last school year, have you had any of the following?

Hepatitis B or C

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43A13. Within the last school year, have you had any of the following?

High blood pressure

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43A14. Within the last school year, have you had any of the following?

High cholesterol

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A15. Within the last school year, have you had any of the following?

HIV infection

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A16. Within the last school year, have you had any of the following?

Repetitive stress injury (e.g. carpal tunnel syndrome)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A17. Within the last school year, have you had any of the following?

Seasonal Affective Disorder

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A18. Within the last school year, have you had any of the following?

Substance abuse problem

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A19. Within the last school year, have you had any of the following?

Back pain

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43A20. Within the last school year, have you had any of the following?

Broken bone/fracture

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A21. Within the last school year, have you had any of the following?

Bronchitis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A22. Within the last school year, have you had any of the following?

Chlamydia

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A23. Within the last school year, have you had any of the following?

Ear infection

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A24. Within the last school year, have you had any of the following?

Gonorrhea

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43A25. Within the last school year, have you had any of the following?

Mononucleosis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43A26. Within the last school year, have you had any of the following?

Pelvic Inflammatory Disease

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A27. Within the last school year, have you had any of the following?

Sinus infection

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A28. Within the last school year, have you had any of the following?

Strep throat

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43A29. Within the last school year, have you had any of the following?

Tuberculosis

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43B1. Have you ever been diagnosed with any of the following?

Allergy problems

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43B2. Have you ever been diagnosed with any of the following?

Anorexia

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43B3. Have you ever been diagnosed with any of the following?

Anxiety Disorder

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B4. Have you ever been diagnosed with any of the following?

Asthma

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B5. Have you ever been diagnosed with any of the following?

Bulimia

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B6. Have you ever been diagnosed with any of the following?

Chronic Fatigue Syndrome

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B7. Have you ever been diagnosed with any of the following?

Depression

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B8. Have you ever been diagnosed with any of the following?

Diabetes

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43B9. Have you ever been diagnosed with any of the following?

Endometriosis

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B10. Have you ever been diagnosed with any of the following?

Genital herpes

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B11. Have you ever been diagnosed with any of the following?

Genital warts/HPV

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B12. Have you ever been diagnosed with any of the following?

Hepatitis B or C

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B13. Have you ever been diagnosed with any of the following?

High blood pressure

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B14. Have you ever been diagnosed with any of the following?

High cholesterol

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43B15. Have you ever been diagnosed with any of the following?

HIV infection

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B16. Have you ever been diagnosed with any of the following?

Repetitive stress injury (e.g. carpal tunnel syndrome)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B17. Have you ever been diagnosed with any of the following?

Seasonal Affective Disorder

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B18. Have you ever been diagnosed with any of the following?

Substance abuse problem

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B19. Have you ever been diagnosed with any of the following?

Back pain

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.

43B20. Have you ever been diagnosed with any of the following?

Broken bone/fracture

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 No, 2 Yes, and Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43B21. Have you ever been diagnosed with any of the following?

Bronchitis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B22. Have you ever been diagnosed with any of the following?

Chlamydia

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B23. Have you ever been diagnosed with any of the following?

Ear infection

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B24. Have you ever been diagnosed with any of the following?

Gonorrhea

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B25. Have you ever been diagnosed with any of the following?

Mononucleosis

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.

43B26. Have you ever been diagnosed with any of the following?

Pelvic Inflammatory Disease

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows: 1 No, 2 Yes, Valid responses =.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

43B27. Have you ever been diagnosed with any of the following?

Sinus infection

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43B28. Have you ever been diagnosed with any of the following?

Strep throat

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

43B29. Have you ever been diagnosed with any of the following?

Tuberculosis

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44A. Within the last school year, have any of the following affected your academic performance?

Alcohol use

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44B. Within the last school year, have any of the following affected your academic performance?

Allergies

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005






FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

44C. Within the last school year, have any of the following affected your academic performance?






Assault (physical)

| | Male | | Female | | Unknown | | Total | |
|--------------------------------|-------|------|--------|------|---------|------|--------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Not happen to me/not N/A | 5,576 | 95 | 11,777 | 97 | 839 | 95 | 18,192 | 96.1  |
| 2 Exprd academics not affected | 270 | 5 | 320 | 3 | 39 | 4 | 629 | 3.3  |
| 3 Received lower grade exam | 16 | 0 | 37 | 0 | 5 | 1 | 58 | 0.3  |
| 4 Received lower grade course | 4 | 0 | 17 | 0 | 3 | 0 | 24 | 0.1  |
| 5 Received incomplete/dropped | 4 | 0 | 13 | 0 | 1 | 0 | 18 | 0.1  |
| Valid responses = | 5,870 | 31 | 12,164 | 64 | 887 | 5 | 18,921 | 97.0 |

Invalid responses include no response or multiple responses.

44D. Within the last school year, have any of the following affected your academic performance?






Assault (sexual)

| | Male | | Female | | Unknown | | Total | |
|--------------------------------|-------|------|--------|------|---------|------|--------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Not happen to me/not N/A | 5,711 | 97 | 11,659 | 96 | 850 | 96 | 18,220 | 96.2  |
| 2 Exprd academics not affected | 157 | 3 | 400 | 3 | 27 | 3 | 584 | 3.1  |
| 3 Received lower grade exam | 10 | 0 | 46 | 0 | 6 | 1 | 62 | 0.3  |
| 4 Received lower grade course | 8 | 0 | 40 | 0 | 3 | 0 | 51 | 0.3  |
| 5 Received incomplete/dropped | 4 | 0 | 17 | 0 | 2 | 0 | 23 | 0.1  |
| Valid responses = | 5,890 | 31 | 12,162 | 64 | 888 | 5 | 18,940 | 97.1 |

Invalid responses include no response or multiple responses.

44E. Within the last school year, have any of the following affected your academic performance?






Attention Deficit Disorder

| | Male | | Female | | Unknown | | Total | |
|--------------------------------|-------|------|--------|------|---------|------|--------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Not happen to me/not N/A | 5,164 | 88 | 11,161 | 92 | 786 | 89 | 17,111 | 90.6  |
| 2 Exprd academics not affected | 365 | 6 | 513 | 4 | 56 | 6 | 934 | 4.9  |
| 3 Received lower grade exam | 182 | 3 | 260 | 2 | 29 | 3 | 471 | 2.5  |
| 4 Received lower grade course | 137 | 2 | 172 | 1 | 13 | 2 | 322 | 1.7  |
| 5 Received incomplete/dropped | 30 | 1 | 22 | 0 | 2 | 0 | 54 | 0.3  |
| Valid responses = | 5,878 | 31 | 12,128 | 64 | 886 | 5 | 18,892 | 96.9 |

Invalid responses include no response or multiple responses.

44F. Within the last school year, have any of the following affected your academic performance?

Cold/Flu/Sore throat

| | Male | | Female | | Unknown | | Total | |
|--------------------------------|-------|------|--------|------|---------|------|--------|--|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Not happen to me/not N/A | 1,583 | 27 | 1,808 | 15 | 236 | 27 | 3,627 | 19.1  |
| 2 Exprd academics not affected | 2,996 | 51 | 7,091 | 58 | 449 | 51 | 10,536 | 55.6  |
| 3 Received lower grade exam | 1,140 | 19 | 2,929 | 24 | 168 | 19 | 4,237 | 22.4  |
| 4 Received lower grade course | 139 | 2 | 306 | 3 | 27 | 3 | 472 | 2.5  |
| 5 Received incomplete/dropped | 25 | 0 | 38 | 0 | 5 | 1 | 68 | 0.4  |
| Valid responses = | 5,883 | 31 | 12,172 | 64 | 885 | 5 | 18,940 | 97.1 |

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

44G. Within the last school year, have any of the following affected your academic performance?

Concern for a troubled friend or family member

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44H. Within the last school year, have any of the following affected your academic performance?

Chronic illness (diabetes, asthma, etc.)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44I. Within the last school year, have any of the following affected your academic performance?

Chronic pain

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44J. Within the last school year, have any of the following affected your academic performance?

Death of a friend or family member

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

44K. Within the last school year, have any of the following affected your academic performance?

Depression/Anxiety Disorder/Seasonal Affective Disorder

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44L. Within the last school year, have any of the following affected your academic performance?

Drug use

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44M. Within the last school year, have any of the following affected your academic performance?

Eating disorder/problem

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44N. Within the last school year, have any of the following affected your academic performance?

HIV Infection

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

44O. Within the last school year, have any of the following affected your academic performance?

Injury

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44P. Within the last school year, have any of the following affected your academic performance?

Internet use/computer games

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44Q. Within the last school year, have any of the following affected your academic performance?

Learning disability

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.

44R. Within the last school year, have any of the following affected your academic performance?

Mononucleosis

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Includes horizontal bar chart for Total Pct.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

44S. Within the last school year, have any of the following affected your academic performance?

Pregnancy (yours or your partner's)

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'Not happen to me/not N/A', 'Exprd academics not affected', 'Received lower grade exam', 'Received lower grade course', 'Received incomplete/dropped', and 'Valid responses ='. Includes a horizontal bar chart for the total percentage.

Invalid responses include no response or multiple responses.

44T. Within the last school year, have any of the following affected your academic performance?

Relationship difficulty

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'Not happen to me/not N/A', 'Exprd academics not affected', 'Received lower grade exam', 'Received lower grade course', 'Received incomplete/dropped', and 'Valid responses ='. Includes a horizontal bar chart for the total percentage.

Invalid responses include no response or multiple responses.

44U. Within the last school year, have any of the following affected your academic performance?

Sexually transmitted disease

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'Not happen to me/not N/A', 'Exprd academics not affected', 'Received lower grade exam', 'Received lower grade course', 'Received incomplete/dropped', and 'Valid responses ='. Includes a horizontal bar chart for the total percentage.

Invalid responses include no response or multiple responses.

44V. Within the last school year, have any of the following affected your academic performance?

Sinus infection/ear infection/bronchitis/strep throat

Table with 9 columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 'Not happen to me/not N/A', 'Exprd academics not affected', 'Received lower grade exam', 'Received lower grade course', 'Received incomplete/dropped', and 'Valid responses ='. Includes a horizontal bar chart for the total percentage.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

44W. Within the last school year, have any of the following affected your academic performance?

Sleep difficulties

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =.

Invalid responses include no response or multiple responses.

44X. Within the last school year, have any of the following affected your academic performance?

Stress

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =.

Invalid responses include no response or multiple responses.

44Y. Within the last school year, have any of the following affected your academic performance?

Other

Table with columns: Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include: 1 Not happen to me/not N/A, 2 Exprd academics not affected, 3 Received lower grade exam, 4 Received lower grade course, 5 Received incomplete/dropped, Valid responses =.

Invalid responses include no response or multiple responses.

**American College Health Association National College Health Assessment (ACHA-NCHA)
Reference Group Data Report - Spring 2003**

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

45. How old are you?

| Age (Years) | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 18 | 619 | 10 | 1,914 | 16 | 95 | 12 | 2,628 | 13.9 |
| 19 | 1,227 | 21 | 2,875 | 24 | 154 | 20 | 4,256 | 22.4 |
| 20 | 1,113 | 19 | 2,290 | 19 | 151 | 20 | 3,554 | 18.7 |
| 21 | 964 | 16 | 1,988 | 16 | 113 | 15 | 3,065 | 16.2 |
| 22 | 720 | 12 | 1,201 | 10 | 84 | 11 | 2,005 | 10.6 |
| 23 | 353 | 6 | 457 | 4 | 45 | 6 | 855 | 4.5 |
| 24 | 185 | 3 | 263 | 2 | 25 | 3 | 473 | 2.5 |
| 25 | 142 | 2 | 189 | 2 | 14 | 2 | 345 | 1.8 |
| 26 | 89 | 2 | 130 | 1 | 12 | 2 | 231 | 1.2 |
| 27 | 83 | 1 | 130 | 1 | 10 | 1 | 223 | 1.2 |
| 28 | 59 | 1 | 104 | 1 | 5 | 1 | 168 | 0.9 |
| 29 | 48 | 1 | 64 | 1 | 7 | 1 | 119 | 0.6 |
| 30 | 51 | 1 | 62 | 1 | 6 | 1 | 119 | 0.6 |
| 31 | 44 | 1 | 43 | 0 | 4 | 1 | 91 | 0.5 |
| GE 32 | 233 | 4 | 550 | 5 | 44 | 6 | 827 | 4.4 |
| Valid responses = | 5,930 | 31 | 12,260 | 65 | 769 | 4 | 18,959 | 97.2 |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|----------------|-------|--------|---------|-----|-----|
| Male | 21.70 | 21.00 | 4.82 | 18 | 84 |
| Female | 21.39 | 20.00 | 5.24 | 18 | 84 |
| Overall | 21.51 | 20.00 | 5.14 | 18 | 84 |

46. What is your sex?

| | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| 1 Female | 0 | 0 | 12,350 | 100 | 0 | 0 | 12,350 | 67.3 |
| 2 Male | 5,989 | 100 | 0 | 0 | 0 | 0 | 5,989 | 32.7 |
| Valid responses = | 5,989 | 33 | 12,350 | 67 | 1,158 | 6 | 18,339 | 94.1 |

Invalid responses include no response or multiple responses.

47. Height in inches?

| Inches | Male | | Female | | Unknown | | Total | |
|-------------------|-------|------|--------|------|---------|------|--------|------|
| | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. | Freq. | Pct. |
| low-36 | 2 | 0 | 1 | 0 | 0 | 0 | 3 | 0.0 |
| 37-48 | 1 | 0 | 6 | 0 | 2 | 0 | 9 | 0.0 |
| 49-60 | 11 | 0 | 486 | 4 | 21 | 3 | 518 | 2.7 |
| 61-72 | 4,273 | 72 | 11,628 | 95 | 629 | 85 | 16,530 | 87.7 |
| 73-84 | 1,611 | 27 | 74 | 1 | 91 | 12 | 1,776 | 9.4 |
| GE 85 | 2 | 0 | 5 | 0 | 1 | 0 | 8 | 0.0 |
| Valid responses = | 5,900 | 31 | 12,200 | 65 | 744 | 4 | 18,844 | 96.7 |

Invalid responses include no response or multiple responses.

| | Mean | Median | Std Dev | Min | Max |
|----------------|-------|--------|---------|-----|-----|
| Male | 70.71 | 71.00 | 3.39 | 0 | 93 |
| Female | 65.21 | 65.00 | 2.97 | 26 | 92 |
| Overall | 67.02 | 67.00 | 4.05 | 0 | 93 |



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

48. What is your weight in pounds?

Table with columns: Pounds, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include weight ranges from 0-50 to 401-450, and a total row. Includes a bar chart for the total percentage distribution.

Invalid responses include no response or multiple responses.

Summary statistics table with columns: Mean, Median, Std Dev, Min, Max. Rows for Male, Female, and Overall.

49. Year in school:

Table with columns: Year, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include year levels from 1st year undergraduate to 8 Other, and a total row. Includes a bar chart for the total percentage distribution.

Invalid responses include no response or multiple responses.

50. Are you a full-time student?

Table with columns: Response, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include Yes, No, and a total row. Includes a bar chart for the total percentage distribution.

Invalid responses include no response or multiple responses.

51. How do you usually describe yourself?

Table with columns: Race/Ethnicity, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include White - not Hispanic, Black - not Hispanic, Hispanic or Latino, Asian or Pacific Islander, American Indian or Alaskan, Other, and a total row. Includes a bar chart for the total percentage distribution.

Valid responses = all responses and blanks: since multiple responses were possible, more than 100% may be



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

52. Are you an international student?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for 'Total' column.

Invalid responses include no response or multiple responses.

53. What is your current relationship status?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for 'Total' column.

Invalid responses include no response or multiple responses.

54. Where do you currently live?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for 'Total' column.

Invalid responses include no response or multiple responses.

55. Are you a member of a social fraternity or sorority?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for 'Total' column.

Invalid responses include no response or multiple responses.

56. How many hours a week do you work for pay?

Table with 9 columns: Response, Male Freq., Male Pct., Female Freq., Female Pct., Unknown Freq., Unknown Pct., Total Freq., Total Pct. Includes horizontal bar chart for 'Total' column.

Invalid responses include no response or multiple responses.



American College Health Association National College Health Assessment (ACHA-NCHA) Reference Group Data Report - Spring 2003

American College Health Association
P.O. Box 28937
Baltimore, MD 21240-8937
(410) 859-1500
www.acha.org

June 7, 2005

FREQUENCY REPORT

Number of Surveys (n) = 19,497

Surveys

57. How many hours a week do you volunteer?

Table with 9 columns: Category, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 0 hours, 2 1 - 9 hours, 3 10 - 19 hours, 4 20 - 29 hours, 5 30 - 39 hours, 6 40 hours, 7 more than 40 hours, and Valid responses =.

Invalid responses include no response or multiple responses.

58. Do you have any kind of health insurance (including prepaid plans such as HMOs - health maintenance organizations)?

Table with 9 columns: Category, Male (Freq., Pct.), Female (Freq., Pct.), Unknown (Freq., Pct.), Total (Freq., Pct.). Rows include 1 Yes, 2 No, 3 Not sure, and Valid responses =.