

NATIONAL COLLEGE HEALTH ASSESSMENT NCHA III Canadian Codebook

Revised 8/22/2025

The ACHA-NCHA III is currently available only as a web-based survey. Schools using the ACHA-NCHA Paper Survey will continue to use the NCHA II until further notice. Unfortunately, many of the enhancements made to the NCHA III (especially those using display and skip logic to improve the respondent experience) do not translate simply to a paper survey format. ACHA will be addressing options for the paper survey over the next year.

National College Health Assessment

The ACHA-NCHA asks about various aspects of your health and well-being. Your voice matters—your responses help your campus better understand and support student well-being. By participating, you're contributing to a healthier student community. Participation is **voluntary** and **confidential**. You may complete the survey in multiple sessions, use any device, and **skip any questions you do not want to answer**. When you hit the "**Submit Survey**" button at the end of the survey, the link between your email and your responses is permanently destroyed.

Before You Begin:

This survey includes questions on sensitive personal experiences such as:

- Mental health concerns (including suicidal thoughts)
- Experiences with sexual or interpersonal violence
- Use of alcohol and other drugs
- Disordered eating
- Sexual behavior
- Discrimination, exclusion, racism and harassment

Your safety and well-being are important to us. **You may skip any question**, **pause or exit the survey at any time.** Support resources are available — please refer to the contacts in your invitation or visit <u>these resources</u>.

By clicking "Begin Survey," you confirm that:

- The purpose of the survey has been explained to you
- You understand the types of questions being asked and that you may skip any question you're not comfortable answering
- You are at least 16 years old
- You consent to participate in the survey

Scales embedded in the ACHA-NCHA III (scales used with permission or licensing agreement)	ACHA-NCHA III item numbers
Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)	N3Q22A – N3Q22Q
The Connor-Davison Resilience Scale (CD-RISC2)	N3Q42
Corey Keyes Mental Health Continuum- Short Form (MHC-SF)	N3Q41A & N3Q41B
USDA ERS Food Security 6-Item Short Form	N3Q12
Kessler 6 (K6) – screening for serious mental illness	N3Q44
UCLA Three-Item Loneliness Scale (Hughes, et. al. 2004)	N3Q45
The Suicide Behaviors Questionnaire – Revised (SBQ-R)	N3Q49 - N3Q52

Overall Health and Community

N3Q1 How would you describe your overall health?							
C Excellent (1)							
O Very Good (2	2)						
O Good (3)							
O Fair (4)							
O Poor (5)							
N3Q2 Please select	t your level of Strongly disagree (1)	of agreemer Disagree (2)	nt with the fol Somewhat disagree (3)	lowing stater Somewhat agree (4)	ments: Agree (5)	Strongly agree (6)	
I feel that I belong at my college/university. (N3Q2A)	0	0	0	0	0	0	
I feel that students' health and well-being are a priority of my college/university. (RN3Q2B)	0	0	0	0	0	0	
I feel that the climate of my college/university encourages free and open discussion about students' health and well-being. (RN3Q2C)	0	0	0	0	0	0	
We are a							

college/university where we look out for each other. (RN3Q2D)

N3Q3 How many hours do you spend in a typical week (7 days) on the following activities?

	0 hours (1)	1-5 hours (2)	6-10 hours (3)	11-15 hours (4)	16-20 hours (5)	21-25 hours (6)	26-30 hours (7)	More than 30 hours (8)
Attending classes, discussion sections, or labs (N3Q3A)	0	0	0	0	0	0	0	0
Studying and other academic activities outside of class (N3Q3B)	0	0	\circ	\circ	\circ	\circ	\circ	0
Attending cultural events, movies, concerts, sports or other entertainment with others (N3Q3C)	0	0	0	0	0	0	0	0
Performing community service or volunteer activities (N3Q3D)	0	\circ	\circ	\circ	\circ	\circ	\circ	\circ
Participating in physical exercise, team sports, recreational sports, or physically active hobbies (N3Q3E)	0	0	0	0	0	0	0	0
Participating in spiritual or religious activities (N3Q3F)	0	\circ	\circ	\circ	\circ	\circ	\circ	\circ
Participating in student clubs or organizations (N3Q3G)	0	0	0	0	0	0	0	\circ
Socializing with friends (N3Q3H)	0	\circ	\circ	\circ	\circ	\circ	\circ	\circ
Partying (N3Q3I)	0	\circ	\circ	\circ	\circ	\circ	\circ	\circ
Spending time with family (N3Q3J)	0	\circ	\circ	\circ	\circ	0	\circ	\circ
Watching TV, streaming movies/TV or other media for entertainment (N3Q3K)	0	\circ	\circ	\circ	0	\circ	0	\circ

Gaming (N3Q3L)	\circ	\circ	\circ	\circ	\circ	\circ	\circ	\circ
Using social media (N3Q3M)	0	0	0	0	0	0	0	0
Commuting to school and/or to work (N3Q3N)	\circ	\circ	\circ	\circ	\circ	\circ	\circ	\circ
Working for pay (N3Q3O)	\circ	\circ	\circ	\circ	\circ	\circ	\circ	\circ
Participating in meditation or meditative activities (N3Q3P)	\circ	0	0	0	\circ	0	\circ	0
Performing unpaid household responsibilities (N3Q3Q)	\circ	\circ	\circ	\circ	\circ	\circ	\circ	0
Taking care of children or other family members (unpaid) (N3Q3R)	\circ	\circ	\circ	\circ	\circ	\circ	\circ	0
Weight, Nutrition, and Exerci	se							
N3Q4 How do you describe y	our weig	ht?						
O Very underweight (1)								
Slightly underweight (2))							
O About the right weight (3)							
O Slightly overweight (4)								
O Very overweight (5)								

yoı	ur muscles? Examples: push ups, sit ups, or weightlifting/training.	
	O days (0)	
	O 1 day (1)	
	O 2 days (2)	
	O 3 days (3)	
	O 4 days (4)	
	O 5 days (5)	
	O 6 days (6)	
	O 7 days (7)	

N3Q8 In the <u>last 7 days</u>, on how many <u>days</u> did you do exercises to strengthen or tone

drink on average per day? One serving is 12 oz of soda; 8 oz of sugar-sweetened, flavored water or sports drink; 6 oz of sugar-sweetened coffee, tea, or juice. If you do not drink sugar-sweetened beverages, please enter 0. _____ servings N3Q9B In the past 30 days, on how many days did you drink energy drinks or energy shots (for example: Red Bull, Monster, Celsius, Bang, 5 Hour Energy, etc.) ____ days N3Q10 In the last 7 days, how many servings of fruit did you eat on average per day? One serving is a medium piece of fresh fruit; 1/2 cup of fresh, frozen, or canned fruit; 1/4 cup of dried fruit; or 3/4 cup of 100% fresh fruit juice 0 servings per day (1) 1-2 servings per day (2) 3-4 servings per day (3) 5-6 servings per day (4) O More than 6 servings per day (5)

N3Q9A In the last 7 days, how many servings of sugar-sweetened beverages did you

N3Q11 In the <u>last 7 days</u>, how many <u>servings of vegetables</u> did you eat <u>on average per day?</u>

One serving is $\frac{1}{2}$ cup or 1 cup salad greens)	of fresh, frozen, or car	nned vegetables; ¾ cup 1	00% vegetable juice;					
O servings per day (1)								
1-2 servings per day (2)								
3-4 servings per	day (3)							
O 5-6 servings per	day (4)							
O More than 6 serv	ings per day (5)							
USDA Food Security								
N3Q12 For the followin sometimes true, or nev	•	say whether the stateme last 30 days.	ent was <u>often</u> true,					
	Often True (2)	Sometimes True (1)	Never True (0)					
	Oiteil Tide (2)	Cometimes True (1)	140701 1140 (0)					
The food that I bought just didn't last, and I didn't have money to get more. (N3Q12A)	Oileir True (2)							
bought just didn't last, and I didn't have money to get more.	Oileir Frue (2)							
bought just didn't last, and I didn't have money to get more. (N3Q12A) I couldn't afford to eat balanced meals. (N3Q12B)	days, did you ever cu	t the size of your meals o	0					
bought just didn't last, and I didn't have money to get more. (N3Q12A) I couldn't afford to eat balanced meals. (N3Q12B) N3Q12C In the last 30 of	days, did you ever cu	t the size of your meals o	0					
bought just didn't last, and I didn't have money to get more. (N3Q12A) I couldn't afford to eat balanced meals. (N3Q12B) N3Q12C In the last 30 of because there wasn't early the second secon	days, did you ever cu	t the size of your meals o	0					
bought just didn't last, and I didn't have money to get more. (N3Q12A) I couldn't afford to eat balanced meals. (N3Q12B) N3Q12C In the last 30 of because there wasn't early the second secon	days, did you ever curenough money for foody day (3)	t the size of your meals o	0					

${\rm N3Q12D}$ In the last 30 days, did you ever eat less than you felt you should because there wasn't enough money for food?
O Yes (1)
O No (0)
N3Q12E In the last 30 days, were you ever hungry but didn't eat because there wasn't enough money for food?
O Yes (1)
O No (0)

Sleep

N3Q13 How long does it usually take for you to fall asleep at night once you close your eyes?
O Under 5 minutes (1)
O 5-15 minutes (2)
O 16-30 minutes (3)
O 31 minutes - 1 hour (4)
O over 1 hour (5)
N3Q14 Over the last 2 weeks, what is the average amount of sleep you have gotten on a weeknight (excluding naps)? (Please select the response closest to your answer)
O Less than 4 hours (1)
O 4 hours (2)
O 5 hours (3)
O 6 hours (4)
O 7 hours (5)
O 8 hours (6)
O 9 hours (7)
O 10 or more hours (8)

a <u>weekend night</u> (excluding naps)? (Please select the response closest to your answer)
C Less than 4 hours (1)	
O 4 hours (2)	
O 5 hours (3)	
○ 6 hours (4)	
7 hours (5)	
O 8 hours (6)	
O 9 hours (7)	
O 10 or more hours (8)	

N3Q15 Over the last 2 weeks, what is the average amount of sleep you have gotten on

N3Q16 On how many of the last 7 days did you: (Please mark the appropriate column for each row)

,	0 days (1)	1 day (2)	2 days (3)	3 days (4)	4 days (5)	5 days (6)	6 days (7)	7 days (8)
Wake up too early in the morning and couldn't get back to sleep?	0	0	0	0	0	0	0	0
Feel tired or sleepy during the day? (N3Q16B)	0	0	0	0	0	0	0	0
Have an extremely hard time falling asleep? (N3Q16C)	0	0	0	0	0	0	0	0
Get enough sleep so that you felt rested? (N3Q16D)	0	0	0	0	0	0	0	0
Take a nap? (N3Q16E)	0	\circ	\circ	\circ	\circ	\circ	\circ	\circ

(if they select "1 day" to "7 days" in N3Q16E)

N3Q16F On average, how long are your naps?

- O Less than 30 minutes (1)
- O Between 30 and 59 minutes (2)
- O Between 60 and 119 minutes (3)
- 2 hours or more (4)

Safety

N3Q17 Within the <u>last 12 months</u>, how often did you: (Please mark the appropriate column for each row)

	Did not do this activity within the last 12 months (1)	Never (2)	Rarely (3)	Sometimes (4)	Most of the time (5)	Always (6)			
Wear a helmet when you rode a bicycle? (N3Q17A)	0	0	0	0	0	0			
Wear a helmet when you rode a motorcycle/ motor scooter? (N3Q17B)	0	0	0	0	0	0			
Wear a helmet when you were skateboarding? (N3Q17C)	0	0	0	0	0	0			
N3Q18A When, i f	N3Q18A When, if ever, was the last time you drove a car or other vehicle? O Never (1)								
O Within the	last 2 weeks	(2)							
O More than	2 weeks ago	but within th	e last 30 day	s (3)					
O More than	30 days ago l	but within the	e last 3 montl	ns (4)					
O More than	3 months ago	but within the	he last 12 mo	onths (5)					
O More than 12 months ago (6)									

(if they select that they drove a car in the last 2 weeks in N3Q18A, they will see N3Q18B to N3Q18D)

N3Q18B Within the <u>last 2 weeks</u>, on how many days did you drive a car or other vehicle? _____ days

N3Q18C Within the <u>last 2 weeks</u> , on how many days did you manually operate a device to text, email, video chat, or use the internet or apps while driving a car or other vehicle? days				
N3Q18D Within the last 12 month accident when you drove a car or		ou been involved in an		
O No accidents (1)				
One accident (2)				
Two accidents (3)				
O Three or more accidents (4)				
N3Q19 Within the <u>last 12 months</u> , (coupled/partnered) relationship?	-			
	No (1)	Yes (2)		
A partner called me names, insulted me, or put me down to make me feel bad. (N3Q19A)	0	0		
A partner often insisted on knowing who I was with and where I was or tried to limit my contact with family or friends. (N3Q19B)	0			
A partner pushed, grabbed, shoved, slapped, kicked, bit, choked, or hit me without my consent. (N3Q19C)	0			
A partner forced me into unwanted sexual contact by holding me down or hurting me in some way. (N3Q19D)	0	0		
A partner pressured me into unwanted sexual contact by threatening me, coercing me, or using alcohol or other drugs. (N3Q19E)	0			

N3Q20 Within the <u>last 12 months</u>, did you experience any of the following? <u>Do not include</u> intimate relationships. (Please mark the appropriate column for each row)

	No (1)	Yes (2)
l was in a physical fight. (N3Q20A)	0	0
I was physically assaulted (do not include sexual assault). (N3Q20B)		
I was verbally threatened. (N3Q20C)	0	
I was sexually touched without my consent. (N3Q20D)	0	
Sexual penetration (vaginal, anal, oral) was attempted on me without my consent. (N3Q20E)		
I was sexually penetrated (vaginal, anal, oral), or made to penetrate someone without my consent. (N3Q20F)		
I was a victim of stalking (for example: waiting for me outside my classroom, residence, or office; or repeated emails/phone calls). (N3Q20G)	0	

N3Q21 How safe do you feel: (Please mark the appropriate column for each row)

	Not safe at all (1)	Somewhat unsafe (2)	Somewhat safe (3)	Very safe (4)	Does not apply (5)
On my campus (daytime)? (N3Q21A)	0	0	0	0	0
On my campus (nighttime)? (N3Q21B)	0	\circ	\circ	\circ	\circ
In the community surrounding my campus (daytime)? (N3Q21C)	0	\circ	0	0	0
In the community surrounding my campus (nighttime)? (N3Q21D)	0	0	0	0	0

ASSIST

(If they select 'no' to all items in N3Q22A, they skip to question N3Q23)

N3Q22A In your life, which of the following substances have you <u>ever used?</u>
For prescription medications, please report nonmedical use only. "Nonmedical use" means taking prescription drugs <u>just for the feeling or experience</u> they cause or taking them <u>more often</u> or at <u>higher doses</u> than prescribed.

	No (0)	Yes (3)
Tobacco or nicotine delivery products (cigarettes, e-cigarettes, Juul or other vape products, water pipe or hookah, chewing tobacco, cigars, etc.) (N3Q22A1)	0	0
Alcoholic beverages (beer, wine, liquor, etc.) (N3Q22A2)	0	0
Cannabis (marijuana, weed, hash, edibles, vaped cannabis, etc.) [Please report nonmedical use only.] (N3Q22A3)	0	0
Cocaine (coke, crack, etc.) (N3Q22A4)	0	0
Prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills, etc.) [Please report nonmedical use only.] (N3Q22A5)	0	0
Methamphetamine (speed, crystal meth, ice, etc.) (N3Q22A6)	0	0
Inhalants (poppers, nitrous, glue, gas, paint thinner, etc.) (N3Q22A7)	0	0
Sedatives or Sleeping Pills (Valium, Ativan, Xanax, Klonopin, Librium, Rohypnol, GHB, etc.) [Please report nonmedical use only.] (N3Q22A8)	0	0
Hallucinogens (Ecstasy, MDMA, Molly, LSD, acid, mushrooms, PCP, Special K, etc.) (N3Q22A9)	0	0

Heroin (N3Q22A10)				
Prescription opioids (morphine, codeine, fentanyl, oxycodone [OxyContin, Percocet], hydrocodone [Vicodin], methadone, buprenorphine [Suboxone], etc.) [Please report nonmedical use only.] (N3Q22A11)	0	0		
Other – Specify: (N3Q22A12)		\circ		
N3Q22B In the <u>past 3 months</u> , how often have you used the substance(s) you mentioned? (rows endorsed in N3Q22A are displayed for this question) Response options: Never (0), Once or twice (2), Monthly (3), Weekly (4), Daily or almost daily (5)				
N3Q22E Regarding your use o	scription stimulants in the last 3 mo of prescription <u>stimulants</u> (Ritalin past 3 months, was it prescribe	n, Concerta, Dexedrine,		
O Yes (1)				
O No (0)				
O Don't know (99)				

(if they select that they were prescribed stimulants in the last 3 months in N3Q22E)

N3Q22F **Regarding your use of prescription stimulants** (Ritalin, Concerta, Dexedrine, Adderall, diet pills, etc.) in the past 3 months:

	Yes (1)	No (0)	Don't know (99)
Do you ever use MORE of your stimulant medication, that is, take a higher dosage, than is prescribed for you? (N3Q22F1)	0	0	0
Do you ever use your stimulant medication MORE OFTEN, that is, shorten the time between dosages, than is prescribed for you? (N3Q22F2)		0	

(if they select that they used prescription sedatives or sleeping pills in the last 3 months in N3O22B)

N3Q22G Regarding your use of prescription <u>sedatives or sleeping pills</u> (Valium, Ativan, Xanax, Klonopin, Librium, Rohypnol, GHB, etc.) in the past 3 months, was it prescribed for you?

\bigcirc	Yes (1)
0	No (0)
\bigcirc	Don't know (99)

(if they select that they were prescribed sedatives or sleeping pills in the last 3 months in N3Q22G)

N3Q22H Regarding your use of prescription <u>sedatives or sleeping pills</u> (Valium, Ativan, Xanax, Klonopin, Librium, Rohypnol, GHB, etc.) in the past 3 months:

	Yes (1)	No (0)	Don't know (99)
Do you ever use MORE of your sedatives or sleeping pills, that is, take a higher dosage, than is prescribed for you? (N3Q22H1)	0	0	0
Do you ever use your sedatives or sleeping pills MORE OFTEN , that is, shorten the time between dosages, than is prescribed for you? (N3Q22H2)		0	0

(if they select that they used prescription opioids in the last 3 months in N3Q22B)

N3Q22l Regarding your use of <u>prescription opioids</u> (morphine, codeine, fentanyl, oxycodone [OxyContin, Percocet], hydrocodone [Vicodin], methadone, buprenorphine [Suboxone], etc.) in the past 3 months, was it prescribed for you?

\bigcirc	Yes (1)
0	No (0)
\bigcirc	Don't know (99)

(if they select that they were prescribed opioids in the last 3 months in N3Q22I)

N3Q22J Regarding your use of <u>prescription opioids</u> (morphine, codeine, fentanyl, oxycodone [OxyContin, Percocet], hydrocodone [Vicodin], methadone, buprenorphine [Suboxone], etc.) in the past 3 months:

	Yes (1)	No (0)	Don't know (99)
Do you ever use MORE of your opioid medication, that is, take a higher dosage, than is prescribed for you? (N3Q22J1)	0	0	0
Do you ever use your opioid medication MORE OFTEN, that is, shorten the time between dosages, than is prescribed for you? (N3Q22J2)			0

N3Q22K During the <u>past 3 months</u>, how often have you had a strong desire or urge to use the following substance(s)? (rows endorsed in N3Q22B are displayed for this question)
Response options: Never (0), Once or twice (3), Monthly (4), Weekly (5), Daily or almost daily (6)

N3Q22L During the past 3 months, how often has your use of the following substance(s) led to health, social, legal, or financial problems? (rows endorsed in N3Q22B are displayed for this question) Response options: Never (0), Once or twice (4), Monthly (5), Weekly (6), Daily or almost daily (7) N3Q22M During the past 3 months, how often have you failed to do what was normally expected of you because of your use of the following substance(s)? (rows endorsed in N3Q22B are displayed for this question) Response options: Never (0), Once or twice (5), Monthly (6), Weekly (7), Daily or almost daily (8)N3Q22N Has a friend or relative or anyone else ever expressed concern about your use of the following substance(s)? (rows endorsed in N3Q22A are displayed for this question) Response options: No, never (0); Yes, in the past 3 months (6); Yes, but not in the past 3 months (3) N3Q22O Have you ever tried and failed to control, cut down or stop using the following substance(s)? (rows endorsed in N3Q22A are displayed for this question) Response options: No, never (0); Yes, in the past 3 months (6); Yes, but not in the past 3 months (3) (if they select 'yes' in N3Q22A) N3Q22P Have you ever used any drug by injection? [RECREATIONAL or NON-MEDICAL USE ONLY] O No, never (0) Yes, in the past 3 months (2) Yes, but **not** in the past 3 months (1) (if they select 'yes, in the past 3 months' in N3Q22P) N3Q22Q In the past 3 months, how often have you injected drugs? [RECREATIONAL or **NON-MEDICAL USE ONLY**] Once per week or less (0) More than once per week (1)

Alcohol, Tobacco, and Other Drugs

(if they select that they have used tobacco/nicotine delivery products in the last 3 months in N3Q22B)

	No (1)	Yes (2)
Cigarettes (N3Q23A)	0	\circ
E-cigarettes or other vape products (for example: Juul, etc.) (N3Q23B)	\circ	0
Water pipe or hookah (N3Q23C)	\circ	0
Chewing or smokeless tobacco (N3Q23D)	\circ	0
Cigars or little cigars (N3Q23E)	\bigcirc	0
Other (please specify) (N3Q23F)	\circ	0

medical and non-medical use.

O Never (1)
○ Within the last 2 weeks (2)
O More than 2 weeks ago but within the last 30 days (3)
O More than 30 days ago but within the last 3 months (4)
O More than 3 months ago but within the last 12 months (5)
More than 12 months ago (6)

N3Q25A When, if ever, was the <u>last time</u> you drank alcohol?					
O Never (1)					
○ Within the last 2 weeks (2	○ Within the last 2 weeks (2)				
O More than 2 weeks ago b	out within the last 30 days (3)				
O More than 30 days ago b	ut within the last 3 months (4)				
O More than 3 months ago	but within the last 12 months (5)				
○ More than 12 months ago	o (6)				
(if they select that they drank alc questions N3Q25B, N3Q26, and N3Q25B The <u>last time</u> you dran	N3Q27.	N3Q25A, they will see			
nogeos mo <u>nocemb</u> jou unu	No (1)	Yes (2)			
Did you get drunk? (N3Q25B1)	0	0			
Did you intend to get drunk? (N3Q25B2)		\circ			
One drink of alcohol is defined glass of wine, or a shot of lique N3Q26 The last time you drank did you have?	or straight or in a mixed drink.				
N3Q27 The last time you drant drink alcohol? hours	र alcohol in a social setting, ov	er how many <u>hours</u> did you			

(if they select 'more than 12 months ago' in N3Q25A they skip to N3Q32)

(if they select 'within the last 2 weeks' in N3Q25A)

N3Q28 Over the <u>last two weeks</u>, how many times have you had five or more drinks (males) or four or more drinks (females) containing any kind of alcohol at a sitting?

O None (1)
1 time (2)
2 times (3)
3 times (4)
○ 4 times (5)
○ 5 times (6)
O 6 times (7)
7 times (8)
O 8 times (9)
9 times (10)
0 10 or more times (11)

(if they select that they drank alcohol within the last 12 months in N3Q25A)

N3Q29 Within the <u>last 12 months</u>, have you experienced any of the following when drinking alcohol? (Please mark the appropriate column for each row)

	No (1)	Yes (2)
Did something I later regretted (N3Q29A)	0	\circ
Blackout (forgot where I was or what I did for a large period of time and cannot remember, even when someone reminds me) (N3Q29B)	0	
Brownout (forgot where I was or what I did for short periods of time, but can remember once someone reminds me) (N3Q29C)	0	
Got in trouble with the police (N3Q29D)	0	\circ
Got in trouble with college/university authorities (N3Q29E)	0	
Someone had sex with me without my consent (N3Q29F)	0	
Had sex with someone without their consent (N3Q29G)	0	
Had unprotected sex (N3Q29H)	0	
Physically injured myself (N3Q29I)	0	
Physically injured another person (N3Q29J)	0	
Seriously considered suicide (N3Q29K)		
Needed medical help (N3Q29L)		\circ

30 days in N3Q25A) N3Q30A Within the last 30 days, did you drive after drinking any alcohol at all?
O No (1)
○ Yes (2)
(if they select that they drank alcohol within the last 12 months in N3Q25A) N3Q30B Within the last 12 months, to what extent did your alcohol use affect your academic performance? (Please select the most serious outcome below)
My alcohol use did not affect my academics (1)
My alcohol use negatively impacted my performance in a class (2)
My alcohol use delayed progress towards my degree (3)
(if they select that they drove in the last 30 days in N3Q18A AND used cannabis within the last 30 days in N3Q24) N3Q31A Within the last 30 days, did you drive within 6 hours of using cannabis/marijuana?
O No (1)
O Yes (2)
(if they select that they used cannabis within the last 12 months in N3Q24) N3Q31B Within the last 12 months, to what extent did your cannabis/marijuana use affect your academic performance? (Please select the most serious outcome below)
My cannabis/marijuana use did not affect my academics (1)
My cannabis/marijuana use negatively impacted my performance in a class (2)
My cannabis/marijuana use delayed progress towards my degree (3)
N3Q32 Do you identify as a person in recovery from alcohol or other drug use?
O No (1)

Yes. Please specify the type of substance: (2)	N3Q32TEXT_
--	------------

Sexual Health

We recognize this survey asks about a limited number of sexual behaviors, likewise, the questions and response options may not represent your full identity, behaviors you engage in, nor use the language you prefer. Please answer to the best of your ability.

As you answer questions in this section, please include only sexual experiences for which you gave consent and exclude any sexual contact for which you did not consent.

(if they respond 'never' in N3Q33, they skip to question N3Q41)

N3Q33 When, if ever, was the <u>last time</u> you had: (Please mark the appropriate column for each row)

,	Never (1)	Within the last 2 weeks (2)	More than 2 weeks ago but within the last 30 days (3)	More than 30 days ago but within the last 3 months (4)	More than 3 months ago but within the last 12 months (5)	More than 12 months ago (6)
Oral sex (oral/genital contact)? (N3Q33A)	0	0	0	0	0	0
Vaginal intercourse (penis in vagina)? (N3Q33B)	0	0	0	0	0	0
Anal intercourse (penis in anus)? (N3Q33C)	0	0	0	0	0	0

(if they select that they had oral, vaginal, or anal intercourse within the last 12 months in N3Q33)

N3Q34 Within the <u>last 12 months</u>, with how many partners have you had oral sex, vaginal intercourse, or anal intercourse?

Number	of	Partners

(if they select that they had 1 or more partner in N3Q34)

N3Q35 Within the <u>last 12 months</u>, did you have sexual partner(s) who were: (Please mark the appropriate column for each row)

	No (1)	Yes (2)
Women or females (N3Q35A)	0	0
Men or males (N3Q35B)		0
Trans women (N3Q35C)	\circ	\circ
Trans men (N3Q35D)	\circ	\circ
Genderqueer (N3Q35E)	0	
Person(s) with another identity (N3Q35F)	0	0

(if they select that they had oral, vaginal, or anal intercourse within the last 30 days in N3Q33)

RN3Q36 Within the <u>last 30 days</u>, how often did you or your partner(s) use a condom or other protective barrier (for example: external/male condom, internal/female condom, dam, or glove) during: (Please mark the appropriate column for each row)

	Never (1)	Rarely (2)	Sometimes (3)	Most of the time (4)	Always (5)
Oral sex (oral/genital contact)? (N3Q36A)	0	0	0	0	0
Vaginal intercourse (penis in vagina)? (N3Q36B)	0	0	0	0	0
Anal intercourse (penis in anus)? (N3Q36C)	0	0	0	0	\circ

(if they selected that they had vaginal intercourse within the last 12 months in N3Q33B)

N3Q37 Did you or your partner use any method to prevent pregnancy the <u>last time</u> you had vaginal intercourse (penis in vagina)?

O Yes (1	
O No, di	d not want to prevent pregnancy (2)
O No, di	d not use any method (3)
O Don't	know (4)
RN3Q38 Plea prevent preg	t 'yes' in N3Q37) ase indicate which of the following method(s) you or your partner used to nancy the <u>last time</u> you had vaginal intercourse. (Please select <u>ALL</u> that dicates that the option was not selected, "1" indicates that the option was selected)
	Birth control pills (monthly or extended cycle) (A)
	Birth control shots (B)
	Birth control implants (C)
	Birth control patch (D)
	The ring (E)
	Emergency contraception ("morning after pill" or "Plan B") (F)
	Intrauterine device (IUD) (G)
	External condom (sometimes called "male condom") (H)
	Internal condom (sometimes called "female condom") (I)
	Diaphragm or cervical cap (J)

	Contraceptive sponge (K)
	Withdrawal (L)
	Fertility awareness (calendar, mucous, and basal body temperature) (M)
	Sterilization (for example: hysterectomy, tubes tied, or vasectomy) (N)
	Don't know (O)
	Other method (P) N3Q38PTEXT
N3Q39 Withir	ed that they had vaginal intercourse within the last 12 months in N3Q33B) in the last 12 months, have you or your partner(s) used emergency in ("morning after pill" or "Plan B")?
O No (1)	
O Yes (2)
O Don't k	know (3)
O Not ap	plicable (4)
•	ed that they had vaginal intercourse within the last 12 months in N3Q33B) the last 12 months, have you or your partner(s) become pregnant?
O No (1)	
O Yes, u	nintentionally (2)
O Yes, in	itentionally (3)
O Don't k	know (4)

(If they selected that yes to pregnancy in the last 12 months)

N3Q40B Within the last 12 months, to what extent did your pregnancy (or a partner's pregnancy) affect your academic performance? (Please select the most serious outcome below)

O Pregnancy did not affect my academics (1)
O Pregnancy negatively impacted my performance in a class (2)
O Pregnancy delayed progress towards my degree (3)

Corey Keyes (MHC-SF)

N3Q41A Please answer the following questions about how you have been feeling during the past month. Please mark the answer that best represents how often you have experienced or felt the following: During the past month, how often did you feel...

	Never (1)	Once or Twice (2)	About Once a Week (3)	About 2 or 3 times a week (4)	Almost Every Day (5)	Every Day (6)
Happy (N3Q41A1)	0	\circ	\circ	\circ	\circ	\circ
Interested in life (N3Q41A2)	0	\circ	0	\circ	0	\circ
Satisfied with life (N3Q41A3)	0	\circ	0	\circ	\circ	\circ
That you had something important to contribute to society (N3Q41A4)	0	0	0	0	0	0
That you belonged to a community (like a social group or your neighborhood) (N3Q41A5)	0	0	0	0	0	0
That our society is a good place, or is becoming a better place for all people (N3Q41A6)	0	0	0	0	0	0
That people are basically good (N3Q41A7)	0	0	0	0	0	0

N3Q41B Please answer the following questions about how you have been feeling during the past month. Please mark the answer that best represents how often you have experienced or felt the following: During the past month, how often did you feel...

	Never (1)	Once or Twice (2)	About Once a Week (3)	About 2 or 3 times a week (4)	Almost Every Day (5)	Every Day (6)
That the way our society works makes sense to you (N3Q41B1)	0	0	0	0	0	0
That you liked most parts of your personality (N3Q41B2)	0	0	0	0	0	0
Good at managing the responsibilities of your daily life (N3Q41B3)	0	0	0	0	0	0
That you had warm and trusting relationships with others (N3Q41B4)	0	0	0	0	0	0
That you had experiences that challenged you to grow and become a better person (N3Q41B5)	0	0	0	0	0	0
Confident to think or express your own ideas and opinions (N3Q41B6)	0	0	0	0	0	0
That your life has a sense of direction or meaning to it (N3Q41B7)	0	0	0	0	0	0

Mental Health

N3Q42 Please indicate how much you agree with the following statements as they apply to you <u>over the last month</u>. If a particular situation has not occurred recently, answer according to how you think you would have felt.

	Not at all true (0)	Rarely true (1)	Sometimes true (2)	Often true (3)	True nearly all the time (4)
I am able to adapt when changes occur. (N3Q42A)	0	0	0	0	0
I tend to bounce back after illness, injury, or other hardships. (N3Q42B)	0	0	0		0

N3Q43 If in the future you were having a personal problem that was really bothering you, would you consider seeking help from a mental health professional?

No	(1	١
110	ι,	,

O Yes (2)

N3Q44 The next 6 questions ask about how you have been feeling during the past 30 days. For each question, please select the response that best describes how often you had this feeling.

During the past 30 days, about how often did you feel...

-	All of the time (4)	Most of the time (3)	Some of the time (2)	A little of the time (1)	None of the time (0)
nervous? (N3Q44A)	0	0	0	0	0
hopeless? (N3Q44B)	\circ	\circ	\circ	\circ	\circ
restless or fidgety? (N3Q44C)	0	0	\circ	0	0
so sad nothing could cheer you up? (N3Q44D)	0	0	0	0	0
that everything was an effort? (N3Q44E)	0	0	0	0	0
worthless? (N3Q44F)	\circ	\circ	\circ	\circ	\circ

$\ensuremath{\mathsf{N3Q45}}$ Indicate how often each of the statements below is descriptive of you.

	Hardly ever (1)	Some of the time (2)	Often (3)
How often do you feel that you lack companionship? (N3Q45A)	0	0	0
How often do you feel left out? (N3Q45B)	0	0	\circ
How often do you feel isolated from others? (N3Q45C)	0	0	0

${\rm N3Q46}$ Within the <u>last 12 months</u> , how often have you <u>intentionally</u> cut, I or otherwise injured yourself?	ourned, bruised,
O Never (1)	
Once or twice (2)	
O Monthly (3)	
○ Weekly (4)	
O Daily or almost daily (5)	

N3Q47A Within the <u>last 12 months</u>, have you had problems or challenges with any the following?

	No (1)	Yes (2)
Academics (N3Q47A1)		
Career (N3Q47A2)		
Finances (N3Q47A3)	0	
Procrastination (N3Q47A4)	0	
Faculty (N3Q47A5)	0	
Family (N3Q47A6)	0	
Intimate relationships (N3Q47A7)	0	
Roommate/housemate (N3Q47A8)	0	
Peers (N3Q47A9)	0	
Personal appearance (N3Q47A10)	0	
Health of someone close to me (N3Q47A11)	0	
Death of a family member, friend, or someone close to me (N3Q47A12)	0	
I was bullied (threats, rumors, physical or verbal attacks, or being excluded from a group) (RN3Q47A13)	0	

I was cyberbullied (technology was used to harass, threaten, embarrass, or target me) (RN3Q47A14)	0	0
I was hazed (rituals, challenges, and other activities involving harassment, abuse, embarrassment, ridicule, or humiliation were used as a way of initiating me into a group) (RN3Q47A15)	0	0
I experienced microaggression(s) directed at me (a subtle but offensive comment or action directed at a minority or other non- dominant group, whether intentional or unintentional, that reinforces a stereotype) (RN3Q47A16)	0	0
I was sexually harassed (unwelcomed sexual advances, requests for sexual favors, and other verbal or physical conduct of a sexual nature) (RN3Q47A17)		0
I experienced discrimination directed at me (the unjust or prejudicial treatment of a person based on the group, class, or category to which the person is perceived to belong) (RN3Q47A18)		0

N3Q47B Within the <u>last 12 months</u>, to what extent did the following issue(s) cause you distress? (rows endorsed in N3Q47A are displayed for this question)

Response options: No Distress (1), Minimal Distress (2), Moderate Distress (3), High Distress (4)

N3Q47C Within the <u>last 12 months</u>, to what extent did the following issue(s) negatively affect your academic performance? (Please select the most serious outcome below) (rows endorsed in N3Q47A are displayed for this question)

Response options: This issue did not affect my academic performance (1), This issue negatively impacted my performance in a class (2), This issue delayed progress towards my degree (3)

N3Q48 Within the <u>last 30 days</u>, how would you rate the overall level of stress you have experienced?

O No stress (1)
O Low (2)
O Moderate (3)
O High (4)

N3Q49 Have you ever thought about or attempted to kill yourself?
O Never (1)
O It was just a brief passing though (2)
I have had a plan at least once to kill myself but did not try to do it (3)
I have had a plan at least once to kill myself and really wanted to die (4)
I have attempted to kill myself, but did not want to die (5)
I have attempted to kill myself and really hoped to die (6)
N3Q50 How often have you thought about killing yourself in the past year?
O Never (1)
Rarely (1 time) (2)
O Sometimes (2 times) (3)
Often (3-4 times) (4)
O Very often (5 or more times) (5)
N3Q51 Have you ever told someone that you were going to kill yourself, or that you migh do it?
O No (1)
Yes, at one time, but did not really want to die (2)
O Yes, at one time, and really wanted to die (3)
Yes, more than once, but did not want to do it (4)
Yes, more than once, and really wanted to do it (5)

N3Q52 How likely is it that you will attempt suicide someday?
O Never (0)
O No chance at all (1)
Rather unlikely (2)
O Unlikely (3)
C Likely (4)
O Rather likely (5)
O Very likely (6)
N3Q53 Within the last 12 months, have you attempted suicide?
O No (1)
○ Yes (2)
Services Used
The following section asks about whether or not you have received services from different types of healthcare or mental health professionals.
N3Q54A Have you <u>ever</u> received psychological or mental health services?
O No (1)
O Yes (2)

services?
O No (1)
O Yes (2)
N3Q55A Within the <u>last 12 months</u> , have you visited any medical provider (for example: a nurse practitioner, physician assistant, primary care doctor, or other type of medical doctor) for a check-up or any other medical reasons?
O No (1)
O Yes (2)
N3QMH1 Have you ever been prescribed medication for a mental health condition?
O No (1)
O Yes (2)
(If they selected ever being prescribed medication for a mental health condition) N3QMH2 When were you first prescribed medication for a mental health condition?
Before starting at your current college/university (1)
After starting at your current college/university (2)
(If they selected ever being prescribed medication for a mental health condition) N3QMH3 Were you prescribed medication for a mental health condition in the last 12 months?
O No (1)
O Yes (2)

N3QMH4 Have you <u>ever</u> had counseling for a mental health condition?
O No (1)
○ Yes (2)
(If they selected ever having had counseling for a mental health condition) N3QMH5 When did you first start counseling for a mental health condition?
Before starting at your current college/university (1)
After starting at your current college/university (2)
(If they selected ever having had counseling for a mental health condition) N3QMH6 Have you had counseling for a mental health condition in the last 12 months?
O No (1)
O Yes (2)

testing, pelvic exam, or Pap test) with a healthcare provider (for example: OB-GYN, nurse practitioner, or physician assistant)?
O No (1)
O Yes (2)
O Don't know (3)
O Not applicable (4)
Medical
N3Q57 Have you had a dental exam and cleaning in the <u>last 12 months</u> ?
O No (1)
O Yes (2)
O Don't know (3)
N3Q58 When you are outdoors in the sun, how often do you wear sunscreen?
O Never (1)
O Rarely (2)
O Sometimes (3)
O Usually (4)
O Always (5)

N3Q56 Have you had a gynecologic visit or exam (for example: contraception, STI

N3Q59 When you are outdoors in the sun, how often do you do the following to protect your skin from ultraviolet (UV) exposure?

	Never (1)	Rarely (2)	Sometimes (3)	Usually (4)	Always (5)
Wear a shirt with sleeves (N3Q59A)	0	0	0	0	0
Wear sunglasses (N3Q59B)	\circ	0	0	\circ	\circ
Stay in the shade (N3Q59C)	0	0	0	0	\circ
Wear a hat (N3Q59D)	0	\circ	\circ	\circ	\circ

N3Q60 In the <u>I</u>	ast 12 months, ho	w many times hav	ve you spent time	outdoors with the
intention of ge	etting a tan?			
times	3			

N3Q61 The Human Papillomavirus (HPV) vaccine (for example: Gardasil, Silgard, or Cervarix) is recommended, but usually not required, and is given in a series of 2 or 3 shots based on your age. Which of the following best describes your vaccination status for HPV:

○ I have not received any of the HPV vaccine series (1)
O I have started, but not yet completed the HPV vaccine series (2)
O I have completed the HPV vaccine series (3)
O I don't know my HPV vaccination status (4)

N3Q62 Did you have a flu vaccine within the last 12 months?
O No (1)
O Yes (2)
O I don't know (3)
COVIDVAXD Have you received at least one dose of a COVID-19 vaccine?
O No (1)
O Yes (2)
(if they select "yes" in COVIDVAXD) COVIDVAXE Have you received a COVID-19 vaccine in the last 12 months?
O No (1)
O Yes (2)
COVIDINF Have you tested positive for COVID-19 within the last 12 months?
O No (1)
O Yes (2)
N3Q63A Within the <u>last 12 months</u> , have you been diagnosed by a healthcare professional with any of the following?

53

	No (1)	Yes (2)
Bronchitis (N3Q63A1)	0	0
Chlamydia (N3Q63A2)		0
Chicken Pox (Varicella) (N3Q63A3)	0	
Cold/virus or other respiratory illness (for example: sinus infection, ear infection, strep throat, tonsillitis, pharyngitis, or laryngitis) (N3Q63A4)		
Concussion (N3Q63A5)		0
Gonorrhea (N3Q63A6)		0
Flu (influenza) or flu-like illness (N3Q63A7)		0
Mumps (N3Q63A8)	0	0

Mononucleosis (mono) (N3Q63A9)				
Orthopedic injury (for example: broken bone, fracture, sprain, bursitis, tendinitis, or ligament injury) (N3Q63A10)	0	0		
Pelvic Inflammatory Disease (N3Q63A11)		0		
Pneumonia (N3Q63A12)		0		
Shingles (N3Q63A13)		\circ		
Stomach or GI virus or bug, food poisoning or gastritis (N3Q63A14)				
Urinary tract infection (N3Q63A15)	0	0		
Other short-term, temporary illness <u>not listed above</u> (please specify) (N3Q63A16)				
(follow up question N3Q63B will only display rows from N3Q63A for which "yes" is selected) N3Q63B Within the last 12 months, to what extent did the following negatively affect your academic performance? (Please select the most serious outcome below) Response options: This issue did not affect my academic performance (1), This issue negatively impacted my performance in a class (2), This issue delayed progress towards my degree (3)				
N3Q64 Have you ever been tested for HIV?				
Yes, within the last 12 months (1)				
O Yes, more than 12 months ago (2)				
O No (3)				
O Unsure (4)				

N3Q64B Are you taking PrEP (Pre-Exposure Prophylaxis) to prevent HIV infection?
O No (1)
O Yes (2)
Chronic Conditions

Chronic Conditions

(if they do not select "yes" on any conditions in N3Q65A, they will skip to N3Q66)

N3Q65A Have you ever been diagnosed by a healthcare or mental health professional with any of the following ongoing or chronic conditions?

	No (1)	Yes (2)
Acne (N3Q65A1)	0	\circ
ADD/ADHD – Attention Deficit/Hyperactivity Disorder (N3Q65A2)	0	
Alcohol or Other Substance Use Disorder (RN3Q65A3)	0	
Allergies - food allergy (N3Q65A4)	0	
Allergies - animals/pets (N3Q65A5)	0	
Allergies - environmental (for example: pollen, grass, dust, mold) (N3Q65A6)	0	
Anxiety (for example: Generalized Anxiety, Social Anxiety, Panic Disorder, Specific Phobia) (N3Q65A7)	0	
Asthma (N3Q65A8)	0	
Autism spectrum (N3Q65A9)	0	
Bipolar and Related Conditions (for example: Bipolar I, II, Hypomanic Episode) (N3Q65A10)	0	
Borderline Personality Disorder (BPD), Avoidant Personality, Dependent Personality, or another personality disorder (N3Q65A11)		
Cancer (N3Q65A12)		
Celiac disease (N3Q65A13)	0	

Chronic pain (for example: back or joint pain, arthritis, nerve pain) (N3Q65A14)	0
Depression (for example: Major depression, persistent depressive disorder, disruptive mood disorder) (N3Q65A15)	0

Diabetes or pre- diabetes/insulin resistance (N3Q65A16)		
Eating Disorders (for example: Anorexia Nervosa, Bulimia Nervosa, Binge- Eating) (N3Q65A17)		0
Endometriosis (N3Q65A18)	\circ	0
Gambling Disorder (N3Q65A19)	\circ	
Genital herpes (N3Q65A20)	\circ	
Gastroesophageal Reflux Disease (GERD) or acid reflux (N3Q65A21)		
Heart & vascular disorders (for example: atrial fibrillation or other cardiac arrhythmia, mitral valve prolapse or other valvular heart disease, congenital heart condition) (N3Q65A22)		
Hepatitis B or C (N3Q65A23)	\circ	
High blood pressure (hypertension) (N3Q65A24)	\circ	\circ
High cholesterol (hyperlipidemia) (N3Q65A25)	\circ	
HIV or AIDS (N3Q65A26)		\circ
Human papillomavirus (HPV) or genital warts (N3Q65A27)		
Insomnia (N3Q65A28)	\circ	\circ
Irritable bowel syndrome (spastic colon or spastic bowel) (N3Q65A29)		

"Long COVID" or having a Post-COVID Condition (N3Q65A41)	0	0
Migraine headaches (N3Q65A30)	0	\circ
Obsessive-Compulsive and Related Conditions (for example: OCD, Body Dysmorphia, Hoarding, Trichotillomania, other body- focused repetitive behavior disorders) (N3Q65A31)	0	0
Polycystic Ovarian Syndrome (PCOS) (N3Q65A32)		\circ
PTSD (Posttraumatic Stress Disorder), Acute Stress Disorder, Adjustment Disorder, or another trauma- or stressor-related condition (N3Q65A33)	0	0
Schizophrenia and Other Psychotic Conditions (for example: Schizophrenia, Schizoaffective Disorder, Schizophreniform Disorder, Delusional Disorder) (N3Q65A34)		0
Sleep Apnea (N3Q65A35)	0	\circ
Thyroid condition or disorder (N3Q65A36)		\circ
Tourette's or other neurodevelopmental condition not already listed (N3Q65A37)		0
Traumatic brain injury (TBI) (N3Q65A38)		0

Urinary system disorder (for example: bladder or kidney disease, urinary reflux, interstitial cystitis) (N3Q65A39)	0
Other ongoing or chronic condition not listed above (N3Q65A40)	0

(if they select "other" in N3Q65A, they will see these questions)

You indicated that you have been diagnosed by a healthcare or mental health professional with an ongoing or chronic condition not already listed. Please use this list to <u>indicate only additional conditions not already reported</u> in another question.

N3Q65B Please indicate in which of the following categories you have an <u>other ongoing</u> <u>or chronic</u> condition that has been diagnosed by a healthcare or mental health professional.

	No (1)	Yes (2)
Allergic & immunologic disorder (N3Q65B1)	0	\circ
Autoimmune disorder (N3Q65B2)	0	
Blood disorder (N3Q65B3)		
Brain & nervous system disorder (N3Q65B4)	0	
Hair, skin, nails disorder (N3Q65B5)	0	
Digestive system disorder (N3Q65B6)	0	
Endocrine system disorder (N3Q65B7)		
Eye/ear/nose/throat disorder (N3Q65B8)		
Heart & vascular disorder (N3Q65B9)	0	
Infectious disease (N3Q65B10)		
Mental health/psychological disorder (N3Q65B11)		
Musculoskeletal disorder (N3Q65B12)		
Reproductive system disorder (N3Q65B13)	0	
Respiratory disorder (N3Q65B14)	0	
Sleep-wake disorder (N3Q65B15)		
Urinary system disorder (N3Q65B16)	0	

Other ongoing or chronic condition not previously		
reported (please specify) (N3Q65B17)	0	\circ

(if they select "yes" in N3Q65B, they will see the corresponding question(s) from N3Q65C to N3Q65R)

N3Q65C Have you ever been diagnosed with any of the following ongoing or chronic allergic & immunologic disorders?

	No (1)	Yes (2)
Anaphylaxis (N3Q65C1)		
Medication allergy (N3Q65C2)		
Latex allergy (N3Q65C3)		
Insect/bee sting allergy (N3Q65C4)		
Immune deficiency (N3Q65C5)	\circ	
Other allergic or immunologic condition not previously reported (please specify (N3Q65C6)		

N3Q65D Have you ever been diagnosed with any of the following ongoing or chronic autoimmune disorders?

No (1)	Yes (2)
0	0
\circ	0
	\circ
	0
0	0
	No (1)

N3Q65E Have you ever been diagnosed with any of the following ongoing or chronic blood disorders?

	No (1)	Yes (2)
Anemia (N3Q65E1)	0	\circ
Hemophilia (N3Q65E2)	0	\circ
Hypercoagulable states (N3Q65E3)		\bigcirc
Platelet Conditions (N3Q65E4)		\bigcirc
Sickle Cell Disease (N3Q65E5)		\bigcirc
Other blood condition <u>not</u> <u>previously reported</u> (please specify) (N3Q65E6)	0	\circ

${\rm N3Q65F}$ Have you ever been diagnosed with any of the following ongoing or chronic brain & nervous system disorders?

	No (1)	Yes (2)
Cerebral Palsy (N3Q65F1)	0	\circ
Epilepsy (N3Q65F2)	0	\circ
Seizure Conditions (N3Q65F3)		\circ
Multiple Sclerosis (N3Q65F4)	\circ	\circ
Other brain or nervous system condition <u>not</u> <u>previously reported</u> (please specify (N3Q65F5)		0

${\rm N3Q65G}$ Have you ever been diagnosed with any of the following ongoing or chronic hair, skin, nail disorders?

	No (1)	Yes (2)
Alopecia (N3Q65G1)		0
Eczema (N3Q65G2)		\circ
Hirsutism (N3Q65G3)		
Hyperhidrosis (N3Q65G4)		
Photodermatitis (N3Q65G5)	0	
Psoriasis (N3Q65G6)	0	
Vitiligo (N3Q65G7)		
Other hair, skin, or nail condition <u>not previously</u> reported (please specify) (N3Q65G8)	0	0

${\rm N3Q65H}$ Have you ever been diagnosed with any of the following ongoing or chronic digestive system disorders?

	No (1)	Yes (2)
Crohn's Disease (N3Q65H1)	0	\circ
Diverticular Disease (N3Q65H2)	\circ	\circ
Esophageal Disease (N3Q65H3)		\circ
Gallbladder Disease (N3Q65H4)	\circ	
Ulcerative Colitis (N3Q65H5)		\circ
Other digestive system condition not previously reported (please specify) (N3Q65H6)		
N3Q65I What other endocrine diagnosed with? N3Q65J Have you ever been diagnosed through the second		
ear, nose, throat disorders?	No (1)	Yes (2)
Hearing loss (N3Q65J1)	0	0
Uveitis (N3Q65J2)		
Vertigo (N3Q65J3)		\circ
Other eye/ear/nose/throat condition not previously reported (please specify) (N3Q65J4)	\circ	\circ

${\rm N3Q65K}$ Have you ever been diagnosed with any of the following ongoing or chronic heart & vascular system disorders?

	No (1)	Yes (2)
Cardiac Arrhythmia (N3Q65K1)	0	0
Coronary Artery Disease (N3Q65K2)	0	
Congenital Heart Condition (N3Q65K3)	0	
Congestive Heart Failure (N3Q65K4)	\circ	
Heart Murmur (N3Q65K5)	0	
Valvular Heart Disease (for example: Mitral valve prolapse) (N3Q65K6)	\circ	
Other heart or vascular condition not previously reported (please specify) (N3Q65K7)		
N3Q65L Have you ever been diagno	osed with any of the follo	wing ongoing or chronic
	No (1)	Yes (2)
Lyme Disease (N3Q65L1)	0	0
Other infectious disease <u>not</u> <u>previously listed</u> (please specify) (N3Q65L2)	\circ	
N3Q65M What other mental health/ diagnosed with?	condition(s) (<u>not previou</u>	sly reported) were you

N3Q65N Have you ever been diagnosed with any of the following ongoing or chronic musculoskeletal disorders?

	No (1)	Yes (2)
Carpal Tunnel Syndrome (N3Q65N1)	0	0
Fibromyalgia (N3Q65N2)		\circ
Gout (N3Q65N3)	0	0
Muscular Dystrophy (N3Q65N4)		
Osteoarthritis (N3Q65N5)		
Osteoporosis (N3Q65N6)		\circ
Temporomandibular Joint Dysfunction (N3Q65N7)		
Other musculoskeletal condition not previously reported (please specify) (N3Q65N8)		

N3Q65O Have you ever been diagnosed with any of the following ongoing or chronic reproductive system disorders?

	No (1)	Yes (2)
Amenorrhea (N3Q65O1)	0	
Cervical Dysplasia (N3Q65O2)		\circ
Premenstrual Syndrome (PMS), Premenstrual Dysphoric Disorder (PMDD), or painful periods (Dysmenorrhea) (N3Q65O3)		
Prostatitis (N3Q65O4)		
Sexual Dysfunction (N3Q65O5)		\circ
Other reproductive system condition not previously reported (please specify) (N3Q65O6)		

N3Q65P Have you ever been diagnosed with any of the following ongoing or chronic respiratory system disorders?

	No (1)	Yes (2)
Cystic Fibrosis (N3Q65P1)	0	0
Sarcoidosis (N3Q65P2)	0	0
Active Tuberculous (N3Q65P3)		
Other respiratory system condition not previously reported (please specify) (N3Q65P4)	0	

${\rm N3Q65Q}$ Have you ever been diagnosed with any of the following ongoing or chronic sleep-wake disorders?

	No (1)	Yes (2)
Hypersomnolence (N3Q65Q1)	0	0
Narcolepsy (N3Q65Q2)		
Restless Leg Syndrome (N3Q65Q3)		
Sleep Paralysis (N3Q65Q4)	0	
Sleep Terrors (or night terrors) (N3Q65Q5)		0
Sleep Walking (N3Q65Q6)	\circ	\circ
Other sleep-wake condition not previously reported (please specify) (N3Q65Q7)		

N3Q65R Have you ever been diagnosed with any of the following ongoing or chronic urinary system disorders?

	No (1)	Yes (2)
Bladder disease (N3Q65R1)	0	\circ
Kidney disease (N3Q65R2)	0	0
Kidney stone (N3Q65R3)	0	0
Urinary Incontinence (N3Q65R4)		
Other urinary system condition not previously reported (please specify) (N3Q65R5)		

(if they select 'yes' in N3Q65A16)

N3Q65S You indicated that you had been diagnosed with Diabetes or Pre-Diabetes. Were you told that you had:

	No (1)	Yes (2)
Type 1 Diabetes (N3Q65S1)		0
Type 2 Diabetes (N3Q65S2)	0	0
Pre-diabetes or insulin resistance (N3Q65S3)		
Gestational Diabetes (N3Q65S4)		

(if they select "yes" in N3Q65A, they will see the corresponding question(s))

N3Q65T Have you had an appointment and/or discussion with a healthcare or mental health professional for the following condition(s) within the <u>last 12 months</u>?

	No (1)	Yes (2)
Acne (N3Q65T1)	0	\circ
ADD/ADHD – Attention Deficit/Hyperactivity Disorder (N3Q65T2)	0	
Alcohol or Other Substance Use Disorder (RN3Q65T3)		
Allergies - food allergy (N3Q65T4)	0	
Allergies - animals/pets (N3Q65T5)	0	
Allergies - environmental (for example: pollen, grass, dust, mold) (N3Q65T6)	0	
Anxiety (for example: Generalized Anxiety, Social Anxiety, Panic Disorder, Specific Phobia) (N3Q65T7)	0	
Asthma (N3Q65T8)	0	\circ
Autism Spectrum (N3Q65T9)	0	\circ
Bipolar and Related Conditions (for example: Bipolar I, II, Hypomanic Episode) (N3Q65T10)	0	
Borderline Personality Disorder (BPD), Avoidant Personality, Dependent Personality, or another personality disorder (N3Q65T11)	0	
Cancer (N3Q65T12)	0	
Celiac disease (N3Q65T13)	0	

Chronic pain (for example: back or joint pain, arthritis, nerve pain) (N3Q65T14)	0	0
Depression (for example: Major depression, persistent depressive disorder, disruptive mood disorder) (N3Q65T15)		0
Diabetes or pre- diabetes/insulin resistance (N3Q65T16)	0	0
Eating Disorders (for example: Anorexia Nervosa, Bulimia Nervosa, Binge- Eating) (N3Q65T17)	0	0
Endometriosis (N3Q65T18)	0	\circ
Gambling Disorder (N3Q65T19)	0	0
Genital herpes (N3Q65T20)	0	\circ
Gastroesophageal Reflux Disease (GERD) or acid reflux (N3Q65T121)	0	0
Heart & vascular disorders (for example: atrial fibrillation or other cardiac arrhythmia, mitral valve prolapse or other valvular heart disease, congenital heart condition) (N3Q65T22)	0	0
Hepatitis B or C (N3Q65T23)	0	0
High blood pressure (hypertension) (N3Q65T24)	0	\circ
High cholesterol (hyperlipidemia) (N3Q65T25)	0	\circ
HIV or AIDS (N3Q65T26)		

Human papillomavirus (HPV) or genital warts (N3Q65T27)	0	0
Insomnia (N3Q65T28)		\circ
Irritable bowel syndrome (spastic colon or spastic bowel) (N3Q65T29)	0	0
"Long COVID" or having a Post-COVID Condition (N3Q65T41)	0	0
Migraine headaches (N3Q65T30)	0	\circ
Obsessive-Compulsive and Related Conditions (for example: OCD, Body Dysmorphia, Hoarding, Trichotillomania and other body-focused repetitive behavior disorders) (N3Q65T31)	0	0
Polycystic Ovarian Syndrome (PCOS) (N3Q65T32)	0	0
PTSD (Posttraumatic Stress Disorder), Adjustment Disorder, or another trauma- or stressor- related condition (N3Q65T33)	0	0
Schizophrenia and Other Psychotic Conditions (for example: Schizophrenia, Schizoaffective Disorder, Schizophreniform Disorder, Delusional Disorder) (N3Q65T34)		0
Sleep Apnea (N3Q65T35)		0
Thyroid condition or disorder (N3Q65T36)	0	\circ

Tourette's or other neurodevelopmental condition not already listed (N3Q65T37)	0
Traumatic brain injury (TBI) (N3Q65T38)	\circ
Urinary system disorder (for example: bladder or kidney disease, urinary reflux, interstitial cystitis) (N3Q65T39)	0
Other ongoing or chronic condition not listed above (N3Q65T40)	0

(if 'Yes' is selected in N3Q65T to any mental health conditions, they will see the corresponding question(s))

N3Q65U In the last 12 months, what treatment(s), if any, have you used for the following conditions?

	No treatment (1)	Medicine only (2)	Therapy only (3)	Both medicine and therapy (4)	Other Treatment (5)
ADD/ADHD - Attention Deficit/Hyperactivity Disorder (N3Q65U2)	0	0	0	0	0
Alcohol or Other Substance Use Disorder (RN3Q65U3)	0	0	0	0	0
Anxiety (for example: Generalized Anxiety, Social Anxiety, Panic Disorder, Specific Phobia) (N3Q65U7)	0	0	0	0	0
Autism Spectrum (N3Q65U9)	0	\circ	\circ	\circ	\circ
Bipolar and Related Conditions (for example: Bipolar I, II, Hypomanic Episode) (N3Q65U10)	0	0	0	0	0
Borderline Personality Disorder (BPD), Avoidant Personality, Dependent Personality, or another personality disorder (N3Q65U11)	0	0	0	0	0
Depression (for example: Major depression, persistent depressive disorder, disruptive mood disorder) (N3Q65U15)	0		0	0	

Eating Disorders (for example: Anorexia Nervosa, Bulimia Nervosa, Binge- Eating) (N3Q65U17)	0	0	0	0	0
Gambling Disorder (N3Q65U19)	0	\circ	\circ	\circ	\circ
Insomnia (N3Q65U28)	0	\circ	\circ	\circ	\circ
Obsessive- Compulsive and Related Conditions (for example: OCD, Body Dysmorphia, Hoarding, Trichotillomania and other body-focused repetitive behavior disorders) (N3Q65U31)	0	0	0	0	0
PTSD (Posttraumatic Stress Disorder), Acute Stress Disorder, Adjustment Disorder, or another trauma- or stressor- related condition (N3Q65U33)	0	0	0	0	0
Schizophrenia and Other Psychotic Conditions (for example: Schizophrenia, Schizoaffective Disorder, Schizophreniform Disorder, Delusional Disorder) (N3Q65U34)	0	0	0	0	0
Tourette's or other neurodevelopmental condition not already listed (N3Q65U37)	0	0	0	0	0



(if "other" treatment is selected in N2Q65W)

N3Q65V In the last 12 months, what other treatment did you receive?

(if "yes" is selected in N3Q65T for physical conditions, they will see the corresponding question(s))

N3Q65W Have you received treatment for the following condition(s) by a healthcare or mental health professional within the <u>last 12 months</u>?

	No (1)	Yes (2)
Acne (N3Q65W1)	0	\circ
Allergies - food allergy (N3Q65W4)	0	
Allergies - animals/pets (N3Q65W5)	0	
Allergies - environmental (for example: pollen, grass, dust, mold) (N3Q65W6)	0	
Asthma (N3Q65W8)	0	
Cancer (N3Q65W12)	0	\circ
Celiac disease (N3Q65W13)	0	
Chronic pain (for example: back or joint pain, arthritis, nerve pain) (N3Q65W14)	0	
Diabetes or pre- diabetes/insulin resistance (N3Q65W16)		
Endometriosis (N3Q65W18)	0	
Genital herpes (N3Q65W20)	0	\circ
Gastroesophageal Reflux Disease (GERD) or acid reflux (N3Q65W21)	0	
Heart & vascular disorders (for example: atrial fibrillation or other cardiac arrhythmia, mitral valve prolapse or other valvular heart disease, congenital heart condition) (N3Q65W22)	0	

Hepatitis B or C (N3Q65W23)	0	\circ
High blood pressure (hypertension) (N3Q65W24)		0
High cholesterol (hyperlipidemia) (N3Q65W25)		0
HIV or AIDS (N3Q65W26)		\circ
Human papillomavirus (HPV) or genital warts (N3Q65W27)	0	\circ
Irritable bowel syndrome (spastic colon or spastic bowel) (N3Q65W29)	0	0
Migraine headaches (N3Q65W30)	0	\circ
Polycystic Ovarian Syndrome (PCOS) (N3Q65W32)		0
Sleep Apnea (N3Q65W35)		\circ
Thyroid condition or disorder (N3Q65W36)	0	\circ
Urinary system disorder (for example: bladder or kidney disease, urinary reflux, interstitial cystitis) (N3Q65W39)		0

(if "no treatment" is selected in N3Q65U or "no" is selected in N3Q65W)

N3Q65X Did a healthcare or mental health professional tell you that you do not need treatment, or that you can stop treatment, for the following conditions?

	No (1)	Yes (2)
ADD/ADHD – Attention Deficit/Hyperactivity Disorder (N3Q65X1)		0
Acne (N3Q65X2)		
Alcohol or Other Substance Use Disorder (RN3Q65X3)	0	
Allergies - food allergy (N3Q65X4)		
Allergies - animals/pets (N3Q65X5)	0	
Allergies - environmental (for example: pollen, grass, dust, mold) (N3Q65X6)	0	
Anxiety (for example: Generalized Anxiety, Social Anxiety, Panic Disorder, Specific Phobia) (N3Q65X7)		
Asthma (N3Q65X8)	0	0
Autism spectrum (N3Q65X9)	0	
Bipolar and Related Conditions (for example: Bipolar I, II, Hypomanic Episode) (N3Q65X10)	0	
Borderline Personality Disorder (BPD), Avoidant Personality, Dependent Personality, or another personality disorder (N3Q65X11)		
Cancer (N3Q65X12)		
Celiac disease (N3Q65X13)		

Chronic pain (for example: back or joint pain, arthritis, nerve pain) (N3Q65X14)	0	0
Depression (for example: Major depression, persistent depressive disorder, disruptive mood disorder) (N3Q65X15)	0	0
Diabetes or pre- diabetes/insulin resistance (N3Q65X16)	0	0
Eating Disorders (for example: Anorexia Nervosa, Bulimia Nervosa, Binge- Eating) (N3Q65X17)	0	0
Endometriosis (N3Q65X18)	0	\circ
Gambling Disorder (N3Q65X19)	0	0
Genital herpes (N3Q65X20)	0	\circ
Gastroesophageal Reflux Disease (GERD) or acid reflux (N3Q65X21)	0	0
Heart & vascular disorders (for example: atrial fibrillation or other cardiac arrhythmia, mitral valve prolapse or other valvular heart disease, congenital heart condition) (N3Q65X22)	0	0
Hepatitis B or C (N3Q65X23)	0	0
High blood pressure (hypertension) (N3Q65X24)	0	\circ
High cholesterol (hyperlipidemia) (N3Q65X25)	0	0
HIV or AIDS (N3Q65X26)		

Human papillomavirus (HPV) or genital warts (N3Q65X27)	0	0
Insomnia (N3Q65X28)		\circ
Irritable bowel syndrome (spastic colon or spastic bowel) (N3Q65X29)		0
Migraine headaches (N3Q65X30)	0	\circ
Obsessive-Compulsive and Related Conditions (for example: OCD, Body Dysmorphia, Hoarding, Trichotillomania and other body-focused repetitive behavior disorders) (N3Q65X31)		0
Polycystic Ovarian Syndrome (PCOS) (N3Q65X32)		0
PTSD (Posttraumatic Stress Disorder), Acute Stress Disorder, Adjustment Disorder, or another trauma- or stressor- related condition (N3Q65X33)		0
Schizophrenia and Other Psychotic Conditions (for example: Schizophrenia, Schizoaffective Disorder, Schizophreniform Disorder, Delusional Disorder) (N3Q65X34)		0
Sleep Apnea (N3Q65X35)		\circ
Thyroid condition or disorder (N3Q65X36)	0	\circ
Tourette's or other neurodevelopmental condition not already listed (N3Q65X37)		0

Traumatic brain injury (TBI) (N3Q65X38)	\circ	\circ
Urinary system disorder (for example: bladder or kidney disease, urinary reflux, interstitial cystitis) (N3Q65X39)		
N3Q65Y Within the last 12 month condition(s) negatively affect yo serious outcome below)	·	• •
O My condition(s) did not affe	ct my academic performance	(1)
	ct my academic performance in a	· ,
My condition(s) negatively i	•	· ,

Impediments to Academic Performance

N3Q66

Within the <u>last 12 months</u>, have any of the following affected your academic performance? (Please select the most serious outcome for each item below)

	I did not experience this issue/not applicable (1)	I have experienced this issue, but my academics have not been affected (2)	I have experienced this issue and it negatively impacted my performance in a class (3)	I have experienced this issue and it delayed progress towards my degree (4)
Assault (physical) (N3Q66A)	0	0	0	0
Assault (sexual) (N3Q66B)	0	0	0	\circ
Allergies (N3Q66C)	0	\circ	\circ	0
Anxiety (N3Q66D)	0	\circ	\circ	\circ
Attention- Deficit/Hyperactivity Disorder (ADHD) or Attention-Deficit Disorder (ADD) (N3Q66E)	0	0	0	0
Concussion or Traumatic Brain Injury (TBI) (N3Q66F)	0	0	0	0
COVID-19 (N3Q66S)	0	\circ	\circ	\circ
Depression (N3Q66G)	0	\circ	\circ	\circ
Eating disorder/problem (N3Q66H)	0	0	0	0
Headaches/migraines (N3Q66I)	0	\circ	\circ	\circ
Influenza or influenza like illness (the flu) (N3Q66J)	0	\circ	0	0

Injury (for example: burn, sprain or broken bone) <u>excluding</u> concussion or TBI (N3Q66K)	0	0	0	0
PMS (Premenstrual Syndrome), painful periods, or menstrual cramping) (N3Q66L)	0	0	0	0
Post Traumatic Stress Disorder (PTSD) (N3Q66M)	0	\circ	0	0
Short-term illness, excluding upper respiratory illness and influenza (N3Q66N)	0	0	0	0
Upper respiratory illness (for example: sinus infection, colds, or sore throat, etc.) (N3Q66O)	0	0	\circ	0
Sleep difficulties (N3Q66P)	0	\circ	\circ	\circ
Stress (N3Q66Q)	\circ	\bigcirc	\circ	\bigcirc
Other issue <u>not</u> <u>previously reported</u> (please specify) (N3Q66R)	0	0	0	0

Demographic Characteristics

This part of the survey will help us understand your personal characteristics. There may be limitations to the response options provided, and the response categories offered may not represent your full identity nor use the language you prefer. We care about all identities and experiences and ask that you indicate which choice best describes you.

N3Q67A What sex were you assigned at birth?	
○ Female (1)	
○ Male (2)	
O Intersex (3)	
N3Q67B Do you identify as transgender?	
O No (1)	
O Yes (2)	

N3Q67C Which term do you use to describe your gender identity? Woman or female (1) Man or male (2) Trans woman (3) Trans man (4) Genderqueer (5) Agender (7) Genderfluid (8) Intersex (10) Non-binary (9) My identity is not listed above N3Q67CTEXT You selected that your gender identity was not listed in the previous question. What term do you use to describe your gender identity?

Notes on recoding N2Q67C:

- Students who select "my identity is not listed above" (6) on N3Q67C and indicate a cisgender response for N3Q67CTEXT are recoded either female (1) or male (2) for N3Q67C.
- No additional recoding is done for N3Q67C.
- Students original text responses in N3Q67CTEXT remain unchanged in the data file.
 To identify cases recoded by ACHA, look for responses in N3Q67CTEXT that have a code other than 6 in N3Q68.
- You may choose to adopt different recoding rules in working with this data and are encouraged to document those rules.

N3Q68 What term best describes your sexual orientation? Straight/Heterosexual (9) Asexual (1) Bisexual (2) Gay (3) Lesbian (4) Pansexual (5) Queer (6) Questioning (7) My identity is not listed above N3Q68TEXT You selected that your sexual orientation identity was not listed in the previous question. What term do you use to describe your sexual orientation?

Notes on recoding for N3Q68:

- Asexual was added in as a permanent option in fall 2023 instead of recoding writeins.
- Students selecting "my identity is not listed above" (10) and specifying "straight" in N3Q68TEXT are recoded Straight/Heterosexual (9) for N3Q68.
- Students who indicate more than one sexual orientation in N3Q68TEXT are NOT recoded.
- No additional recoding is done for N3Q68.
- Students original text responses in N3Q68TEXT remain unchanged in the data file.
 To identify cases recoded by ACHA, look for responses in N3Q68TEXT that have a code other than 10 in N3Q68.
- You may choose to adopt different recoding rules in working with this data and are encouraged to document those rules.

N3Q69 How old are you? Years	
What is your height in feet (') and ir	nches (")?
Click here for a centimeter to feet/ir	nches conversion calculator
N3Q70A feet N3Q70B inches	
N3Q71 What is your weight in poun	ids?
Click here for a kilogram to pound of Pounds	conversion calculator
N3Q72 What is your year in school	?
O 1st year undergraduate (1)	
O 2nd year undergraduate (2)	
O 3rd year undergraduate (3)	
O 4th year undergraduate (4)	
O 5th year or more undergradua	te (5)
O Master's (MA, MS, MFA, MBA	, MPP, MPA, MPH, etc) (6)
O Doctorate (PhD, EdD, MD, JD	, etc) (7)
O Not seeking a degree (8)	
Other (please specify) (9)	N3Q72TEXT

N3Q73 What is your enrollment status? Full-time (1) Part-time (2) Other (please specify): (3) N3Q73TEXT N3Q73A I am taking classes this term: Entirely in-person (1) Entirely online (2) A mix of in-person and online classes (3)

N3Q73B How likely is it that you will:

	Very likely (1)	Moderately likely (2)	Slightly likely (3)	Slightly unlikely (4)	Moderately unlikely (5)	Very unlikely (6)	
Leave your school before graduating and transfer to another school? (N3Q73B1)	0	0	0	0	0	0	
Leave your school before graduating without transferring to another school? (N3Q73B2)	0		0	0	0	0	

(If they selected very likely, moderately likely, or slightly likely to leaving)

N3Q73C What would be your reason(s) for leaving your current college/university?

Nogroe What would be you	No (1)	Yes (2)	current concege, and const
Lack of safe and/or affordable housing (N3Q73C1)			
Financial concerns other than housing (N3Q73C2)			
Need to take care of family members/children (N3Q73C3)			
Conflicts with work responsibilities/schedule (N3Q73C4)			
Ongoing physical and/or mental health issues (N3Q73C5)			
Change in my academic plans and/or professional goals (e.g., institution doesn't have the academic program I want; I may not want my chosen degree anymore) (N3Q73C6)	0	0	
Poor academic performance (N3Q73C7)			
Negative experience at my college/university (N3Q73C8)			
I don't feel like I fit in at my college/university (N3Q73C9)			
Other (please specify) (N3Q73C10)			
	·		

N3Q74 What is your Canadian citizenship status?

Canadian citizen (1)	
O Study permit holder (2)	
O Permanent resident (3)	
Refugee (4)	
Other (please specify): (5)	N3Q74TEXT

Arab (2) Black (3) Chinese (4) Filipino (5) Indigenous (First Nations, Inuit, or Métis) (1) Japanese (6) Korean (7) Latin American (8) South Asian (e.g., Indian, Pakistani, Sri Lankan, etc.) (9) Southeast Asian (e.g., Vietnamese, Cambodian, Laotian, Thai, etc.) (10) West Asian (e.g., Iranian, Afghan, etc.) (11) White (12) My identity is not listed above (please specify) (14) N3Q75TEXT

N3Q75A What is your racial or ethnic identification? (Please select ALL that apply) ("0"

indicates that the option was not selected, "1" indicates that the option was selected)

N3Q76 What is your relationship status?
O Not in a relationship (1)
O In a relationship but not married/partnered (2)
O Married/partnered (3)
N3Q77A Are you a member of a <u>social</u> fraternity or sorority?
O No (1)
○ Yes (2)
N3Q77B Do you live in a fraternity or sorority residence?
O No (1)
○ Yes (2)
(only if they select "no" in N3Q77B, they will see this question) N3Q78 Where do you currently live?
Campus or university housing (1)
O Parent/guardian/other family member's home (2)
Off-campus or other non-university housing (3)
O Temporarily staying with a relative, friend, or "couch surfing" until I find housing (4)
O I don't currently have a place to live (5)
Other (please specify) (6) <u>N3Q78TEXT</u>

The next question asks about your access to supplemental health insurance. Supplemental health insurance typically covers health services beyond provincial health care insurance plans. Supplemental health insurance helps pay for things like prescriptions, physiotherapy, dental care, and eye care.

N3Q79 What is your primary source of supplemental health insurance? I have a college/university Student Health Insurance Plan (1) I am covered by my parent/guardian's supplemental plan (2) I am covered by my employer-based plan (or my spouse/partner's employer-based plan) (3) I bought a plan on my own (4) I don't have supplemental health insurance (5) I don't know if I have supplemental health insurance (6) I have health supplemental health insurance, but I don't know the primary source (7)

N3Q80 What is your approxim	nate cumulative grade average?	
O A+ (1)		
O A (2)		
O A- (3)		
O B+ (4)		
O B (5)		
O B- (6)		
O C+ (7)		
O C (8)		
O C- (9)		
O+ (10)		
O D (11)		
O D- (12)		
O F (13)		
O N/A (14)		
N3Q81 Do you participate in o	organized college athletics at a	ny of the following levels?
	No (1)	Yes (2)
Varsity (N3Q81A)	0	\circ
Club Sports (N3Q81B)	0	\circ
Intramurals (N3Q81C)		\circ

${\rm N3Q82}$ Do you have any of the following? (Please mark the appropriate column for each row)

	No (1)	Yes (2)
Attention-Deficit/Hyperactivity Disorder (ADD or ADHD) (N3Q82A)	0	0
Autism Spectrum Disorder (N3Q82B)		0
Deaf/Hearing loss (N3Q82C)	0	0
Learning disability (N3Q82D)		
Mobility/Dexterity disability (N3Q82E)		0
Blind/Low Vision (N3Q82F)		
Speech or language disorder (N3Q82G)		

N3Q83 Are you currently or have you been a member of your country's Armed Services?

O No (1)
O Yes and I have served in a geographic area of hazardous duty (2)
Yes and I have not served in a geographic area of hazardous duty (3)

guardians)?
O Did not finish high school (1)
O High school diploma or GED (2)
O Attended college but did not complete degree (3)
Associate's degree (AA, AS, etc.) or trade/technical training (4)
O Bachelor's degree (BA, BS, etc.) (5)
O Master's degree (MA, MS, MFA, MBA, MPP, MPA, MPH, etc.) (6)
O Doctoral or professional degree (PhD, EdD, JD, MD, etc.) (7)
O Don't know (8)
N3Q85 Are you a parent or guardian of a child under the age of 18 or do you have primary responsibility for someone else's child/children under the age of 18?
orimary responsibility for someone else's child/children under the age of 18?
orimary responsibility for someone else's child/children under the age of 18? No (1)
Orimary responsibility for someone else's child/children under the age of 18? No (1) Yes (2)
Orimary responsibility for someone else's child/children under the age of 18? No (1) Yes (2) N3Q85B How many dependents under the age of 18 are you responsible for?
Orimary responsibility for someone else's child/children under the age of 18? No (1) Yes (2) N3Q85B How many dependents under the age of 18 are you responsible for? 1 (1)
orimary responsibility for someone else's child/children under the age of 18? No (1) Yes (2) N3Q85B How many dependents under the age of 18 are you responsible for? 1 (1) 2 (2)

N3Q84 What is the highest level of education completed by either of your parents (or

Any campus-specific extra questions will always begin with N3Q87

SCHOOLID is a variable used to identify cases coming from the same institution within a given survey period.

HT_INCH height in inches

WTKG weight in kilograms

Estimated Blood Alcohol Concentration (BAC) is based on the reported number of drinks consumed the last time they "partied" or socialized (N3Q26), their approximate length of time of consumption (N3Q26), sex (N3Q67A), weight (N3Q71), and an average rate of ethanol metabolism (.015 g/100mL/hour.) BAC is a continuous variable.

RBAC1 collapses the continuous variable, estimated BAC, into a categorical variable where (1= YES) for those students with an estimated BAC under 0.08% the last time they "partied" or socialized.

RBAC2 collapses the continuous variable, estimated BAC, into a categorical variable where (1= YES) for those students with an estimated BAC under 0.10% the last time they "partied" or socialized.

Estimated Body Mass Index (BMI) is based on self-reported height (N3Q70A and N3Q70B) and weight (N3Q71) and is a continuous variable. The calculation for computing BMI is weight (kg) / [height (m)]².

RBMI is the continuous BMI variable recoded into the following categories identified by the World Health Organization:

- (1) BMI < 18.5 Underweight
- (2) BMI 18.5-24.9 Healthy Weight
- (3) BMI 25-29.9 Overweight
- (4) BMI 30-34.5 Class I Obesity
- (5) BMI 35-39.9 Class II Obesity
- (6) BMI ≥ 40 Class III Obesity

USDAFI – USDA Food Security 6-item Short Scale Score (5 items when self-administered) (0-6)

RUSDAFI – USDA Food Security 6-item Short Scale Score collapsed

- (1) Very low food security (5-6)
- (2) Low food security (2-4)
- (3) High or marginal food security (0-1)

KESSLER6 – Kessler 6 Screening for Non-Specific Serious Mental Illness Score (0-24) **RKESSLER6** – Kessler 6 Screening for Non-Specific Serious Mental Illness Score Collapsed

(1) Negative for serious psychological distress (0-12)

- (3) Positive for serious psychological distress (13-24)
- **ULS3** UCLA Loneliness Scale Score (3-9)
- RULS3 UCLA Loneliness Scale Score Collapsed
 - (1) Negative for loneliness (3-5)
 - (2) Positive for Ioneliness (6-9)
- **SBQR** Suicide Behavior Questionnaire-Revised (SBQR) Screening Score (3-18)
- **RSBQR** Suicide Behavior Questionnaire-Revised (SBQR) Screening Score
 - (1) Negative suicidal screening (3-6)
 - (2) Positive suicidal screening (7-18)
- MHC_DX Mental Health Continuum-Short Form Score (MHC_DX) is computed from N3Q41A and N3Q41B
 - (0) Languishing
 - (1) Moderate
 - (2) Flourishing

CDRISC2 – The Connor-Davison Resilience Scale (CD-RISC) Score (0-8), with higher scores reflecting greater resilience

Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) Substance Specific Involvement Scores (SSIS)

```
SSISTOBACCO – SSIS Tobacco Score (0-39)
```

SSISALCOHOL – SSIS Alcohol Score (0-39)

SSISCANNABIS – SSIS Cannabis Score (0-39)

SSISCOCAINE – SSIS Cocaine Score (0-39)

SSISRXSTIMULANT – SSIS Prescription Stimulant Score (0-39) – Adjusted for students with prescriptions for use and report using only as directed (does not take more than prescribed, nor more often than prescribed)

SSISMETH – SSIS Methamphetamine Score (0-39)

SSISINHALANT – SSIS Inhalant Score (0-39)

SSISSEDATIVE – SSIS Sedative or Sleeping Pill Score (0-39) – Adjusted for students with prescriptions for use and report using only as directed (does not take more than prescribed, nor more often than prescribed)

SSISHALLUCINOGEN - SSIS Hallucinogen Score (0-39)

SSISHEROIN – SSIS Heroin Score (0-39)

SSISRXOPIOID – SSIS Prescription Opioid Score (0-39) – Adjusted for students with prescriptions for use and report using only as directed (does not take more than prescribed, nor more often than prescribed)

SSISOTHER- SSIS Other Drug Score (0-39)

TOBACCORISK – SSIS Tobacco Score Collapsed

CANNABISRISK - SSIS Cannabis Score Collapsed

COCAINERISK - SSIS Cocaine Score Collapsed

RXSTIMULANTRISK – Adjusted SSIS Prescription Stimulant Score Collapsed

METHRISK – SSIS Methamphetamine Score Collapsed

INHALANTRISK - SSIS Inhalant Score Collapsed

SEDATIVERISK – Adjusted SSIS Sedative or Sleeping Pills Score Collapsed

HALLUCINOGENRISK - SSIS Hallucinogen Score Collapsed

HEROINRISK – SSIS Heroin Score Collapsed

RXOPIOIDRISK – Adjusted SSIS Prescription Opioid Score Collapsed

OTHERSSISRISK - SSIS Other Drug Score Collapsed

- (1) Low Risk (0-3)
- (2) Moderate Risk (4-26)
- (3) High Risk (27-39)

ALCOHOLRISK - SSIS Alcohol Score Collapsed

- (1) Low Risk (0-10)
- (2) Moderate Risk (11-26)
- (3) High Risk (27-39)

RSEX* - uses the responses to N3Q67A, N3Q67B, and N3Q67C to create a new variable, SEX AND GENDER. This variable is used to sort respondents into female and male categories in the ACHA-NCHA report documents.

- If a student's gender identity (N3Q67C) is consistent with their sex at birth (N3Q67A) AND the student selects "no" for transgender (N3Q67B), then RSEX is coded as female or male.
- If a student selects "yes" for transgender (N3Q67B) OR their sex at birth (N3Q67A) is not consistent with their gender identity (N3Q67C), then RSEX is coded as non-binary.
- If a student selects "intersex" for sex at birth (N3Q67A), then RSEX is coded as nonbinary even if transgender (N3Q67B) or gender identity (N3Q67C) are missing, with one exception:
 - o If a student selects "intersex" for sex at birth (N3Q67A), transgender (N3Q67B) is "no" or missing, and gender identity (N3Q67C) is "female" or "male," then RSEX is coded as female or male, respectively.
- If a student skips any of the three questions used to compute RSEX, then they are sorted as missing, unless they selected "intersex" for sex at birth (N3Q67A).
 - (1) Female
 - (2) Male
 - (3) Non-Binary
 - (-9) Missing

*Note that you are under no obligation to use the variable RSEX, and you are welcome to recalculate it using different decision rules if you like. Responses from the original questions N3Q67A, N3Q67B, and N3Q67C remain in the data file for your use.

PAAERO – uses the responses to N3Q6 and N3Q7 to determine if the respondent met the US recommended guidelines for *only* aerobic physical activity for adults (150 or more minutes per

week of moderate aerobic activity, where 1 minute of vigorous activity equals 2 minutes of moderate activity.)

(1) No

(2) Yes

PAGUIDE – uses the responses to N3Q6, N3Q7, and N3Q8 to determine if the respondent met the US recommended guidelines for physical activity for adults (at least **2 days** of muscle strengthening activity AND **150 or more minutes** per week of moderate aerobic activity, where 1 minute of vigorous activity equals 2 minutes of moderate activity.)

(1) No

(2) Yes

HAPAGUIDE – uses the responses to N3Q6, N3Q7, and N3Q8 to determine if the respondent met the US recommended guidelines for physical activity for *highly active* adults (at least **2 days** of muscle strengthening activity AND **300 or more minutes** per week of moderate aerobic activity, where 1 minute of vigorous activity equals 2 minutes of moderate activity.)

(1) No

(2) Yes

(US Department of Health and Human Services. Physical Activity Guidelines for Americans, 2nd edition. Washington, DC: US Department of Health and Human Services; 2018.)